

Nijssen et al. 1982  
ANSP# 3177  
3177

Tijdschrift voor  
Zoologie

VERSLAGEN EN TECHNISCHE GEGEVENS

Instituut voor Taxonomische Zoölogie (Zoölogisch Museum)  
Universiteit van Amsterdam

---

No. 33

A CATALOGUE OF THE TYPE-SPECIMENS OF RECENT FISHES IN THE  
INSTITUTE OF TAXONOMIC ZOOLOGY (ZOOLOGISCH MUSEUM),  
UNIVERSITY OF AMSTERDAM, THE NETHERLANDS

H. Nijssen, L. van Tuijl & I. J. H. Isbrücker

maart 1982

A CATALOGUE OF THE TYPE-SPECIMENS OF RECENT FISHES IN THE  
INSTITUTE OF TAXONOMIC ZOOLOGY (ZOOLOGISCH MUSEUM),  
UNIVERSITY OF AMSTERDAM, THE NETHERLANDS

H. Nijssen, L. van Tuijl & I. J. H. Isbrücker

CONTENTS

Introduction . . . . .	3
Lamniformes . . . . .	7
Torpediformes . . . . .	7
Rajiformes . . . . .	7
Anguilliformes . . . . .	7
Anguilloidei . . . . .	7
Clupeiformes . . . . .	10
Clupeoidei . . . . .	10
Salmoniformes . . . . .	11
Galaxioidei . . . . .	11
Stomiatoidei . . . . .	12
Alepocephaloidei . . . .	12
Myctophoidei . . . . .	12
Cypriniformes . . . . .	13
Characoidei . . . . .	13
Gymnotoidei . . . . .	25
Cyprinoidei . . . . .	26
Siluriformes . . . . .	37
Gobiesociformes . . . . .	63
Lophiiformes . . . . .	64
Lophioidei . . . . .	64
Antennarioidei . . . .	64
Ceratioidei . . . . .	65
Gadiformes . . . . .	65
Gadoidei . . . . .	65
Ophidioidei . . . . .	65
Macrouroidei . . . . .	65

Atheriniformes . . . . .	67
Exocoetoidei . . . . .	67
Cyprinodontoidei . . . .	69
Atherinoidei . . . . .	72
Beryciformes . . . . .	78
Stephanoberycoidei . . .	78
Berycoidei . . . . .	78
Zeiformes . . . . .	79
Gasterosteiformes . . . . .	79
Aulostomoidei . . . . .	79
Syngnathoidei . . . . .	79
Scorpaeniformes . . . . .	81
Scorpaenoidei . . . . .	81
Platycephaloidei . . . .	83
Perciformes . . . . .	83
Percoidei . . . . .	83
Mugiloidei . . . . .	91
Polynemoidei . . . . .	91
Labroidei . . . . .	91
Trachinoidei . . . . .	92
Blennioidei . . . . .	93
Callionymoidei . . . . .	95
Gobioidei . . . . .	96
Acanthuroidei . . . . .	105
Scombroidei . . . . .	105
Anabantoidei . . . . .	105
Mastacembeloidei . . . .	105
Pleuronectiformes . . . . .	106
Pleuronectoidei . . . . .	106
Soleoidei . . . . .	107
Tetraodontiformes . . . . .	109
Balistoidei . . . . .	109
Tetraodontoidei . . . . .	110
References . . . . .	111
Index . . . . .	147

## INTRODUCTION

This catalogue resulted from our attempts (since 1963) to accommodate and modernize the labelling of type-material of Recent fishes in the collections of the Zoölogisch Museum Amsterdam (ZMA), now named Institute of Taxonomic Zoology, University of Amsterdam.

We traced 6625 type-specimens of 714 nominal species or subspecies, 228 of which are primary type-specimens (holotype, lectotype, or neotype); moreover, the collection contains one or more syntypes of 222 nominal (sub-) species. A few syntypes are presently indicated as future lectotype in the collection, awaiting publication by various specialists. Such specimens are not distinguished in this catalogue. It is possible that lectotype designations for some species have been validly published, which have escaped our attention. Certain records in the literature of single syntypes as "the holotype" cannot be considered designation of the lectotype. For example, Menon's (1977: 88-89) "holotype" of Cynoglossus heterolepis is still one of the syntypes (now in the British Museum (Natural History), London).

Herein we publish the lectotype designation for Sphoeroides meraukensis. This specimen was selected by its original describer, the late Prof. Dr L. F. de Beaufort, while visiting the institute in 1964.

We were unable to trace some syntypes, indicated as such in the old card-index system. None of these are included in the catalogue, except for the entire syntype-series (nine specimens) of Foa fistulosa. Two holotypes (of Nannostomus bifasciatus, and of Syngnathus corrugatus [the latter was catalogued by

Hoedeman as ZMA 100.337]) could not be traced; a third holotype (of Sympfurus fallax) was not returned by the late Dr P. Chabanaud, who examined the specimen in Paris.

In this catalogue, the originally proposed combination of genus- and (sub-) species names are maintained, without indication of subsequent generic reallocation or change in status. Original descriptions of all type-specimens were reviewed, whereas reference is added to publications which include designation of lectotypes and neotypes. Type-localities are indicated broadly in the present catalogue, by naming the country or rather wide area of origin only.

The orders and suborders of Teleostei are herein arranged according to P. H. Greenwood, D. E. Rosen, S. H. Weitzman & G. S. Myers's (1966) "Phyletic studies of Teleostean fishes, with a provisional classification of Living forms", in: Bull. Amer. Mus. nat. Hist., 131 (4): 339-455, pls. 21-23. Within orders and suborders the genera and species are arranged alphabetically.

In the ZMA collection of Recent fishes (comprising among others 30 000 jars) were various causes of disorder in the past:

- (1) the curatorial administration was incomplete during the time of M. [C. W.] Weber (1883-1937) and L. F. de Beaufort (1903-1949), resulting in a rather inconsistent way of labelling type-specimens;
- (2) holotypes often were labelled with the indication "type", just like single syntypes from a given locality; syntypes and paratypes were called "types";
- (3) unpublished manuscript names on labels bearing a

- type-indication were encountered in the collection;
- (4) administration of the exchange of type-specimens between ZMA and Museums in Vienna (1915), Leiden (1917 and following), Manilla (19..?), New York (1927), London (19..?), and others, usually was inaccurate;
- (5) In Weber & de Beaufort's "The fishes of the Indo-Australian Archipelago" and in many other publications, new species were often described without accurate records of the number of specimens involved;
- (6) confusion caused by J. J. Hoedeman (1950-1962)
- by erroneously labelling all Bleeker specimens as types; the ZMA-specimens from the Bleeker collection are from series B and D of the auction in 1879 (Hubrecht's Auction catalogue indicated that these series do not contain type-material) [see: A. A. W. Hubrecht, 1879. Catalogue des collections formées et laissées par M.- P. Bleeker, ...etc., : i-iv, 1-71 (De Breuk & Smits, Leiden), and: L. F. de Beaufort, 1964. Bleeker's collection in the Zoological Museum of Amsterdam.— Beaufortia, 11 (131): 23-25];
  - by starting a register number system (ZMA 100.001 through 103.500), which was incomplete and inconsistent;
  - by publishing the first (and only) of "A list of type specimens of fishes in the Zoological Museum, University of Amsterdam" (1960). It turned out to be incomplete and sometimes even misleading: as "holotype" and "paratypes" of Melanotaenia multisquamata, Hoedeman choose a (now paralectotype-) series of Rhombatractus vanheurni from Doorman River (ZMA 103.166), of which he sent specimens to Sidney, Stanford, and Leiden;
- (7) Matthes's (1964) list of types of African fresh-water fishes is incomplete.

This catalogue aims at completeness. Type-material of species described up to and including the year 1981 is included. Data not mentioned in original descriptions were obtained from labels (sometimes with record of scale- and fin-ray counts corresponding with the data in the original description) in the jars, and from the old card-index system, including more detailed collecting data and the original number of specimens.

LAMNIFORMES

Scyliorhinus sibogae Weber, 1913: 595-596.

Indonesia

ZMA 111.076, holotype

TORPEDINIFORMES

Narcine brunnea Annandale, 1909: 45-46.

Bay of Bengal

ZMA 112.827, syntype (1)

Torpedo mackayana Metzelaar, 1919: 197-198.

Senegal

ZMA 100.443, holotype

RAJIFORMES

Raja annandalei Weber, 1913: 598-600.

Indonesia

ZMA 113.492, lectotype, designated by Stehmann,  
1976: 158-163.

ZMA 112.641, paralectotype (1)

Raja sibogae Weber, 1913: 600-602.

Indonesia

ZMA 113.491, lectotype, designated by Stehmann,  
1976: 138-145.

ZMA 112.640, paralectotypes (2)

ANGUILLIFORMES

ANGUILLOIDEI

Anguilla spengeli Weber, 1912: 591-593.

Indonesia

ZMA 116.466, syntype (1)

Brachysomophis kampeni Weber & de Beaufort,  
1916: 316-317.

Indonesia

ZMA 101.351, holotype

Callechelys sibogae Weber, 1913: 49-50.

Indonesia

ZMA 109.034, holotype

Cercomites flagellifer Weber, 1913: 5.

Indonesia

ZMA 112.624, syntype (1)

ZMA 112.625, syntype (1)

Congrelius roosendaali Weber & de Beaufort,  
1916: 261-262.

Indonesia

ZMA 110.012, holotype

ZMA 110.013, paratype (1)

Gymnothorax megapterus Weber, 1913: 57-58.

Indonesia

ZMA 108.474, holotype

Leptocephalus hjorti Weber, 1913: 71-72.

Indonesia

ZMA 112.601, holotype

Leptocephalus indicus Weber, 1913: 73-74.

Indonesia

ZMA 112.602, holotype

Leptocephalus peterseni Weber, 1913: 72.

Indonesia

ZMA 112.604, syntype (1)

ZMA 112.605, syntype (1)

Leptocephalus schmidti Weber, 1913: 74-76.

Indonesia

ZMA 112.603, holotype

Moringua floresiana Weber & de Beaufort, 1916: 340.

Indonesia

ZMA 112.615, syntypes (5)

Muraena angusticauda Weber & de Beaufort, 1916: 389.

New Guinea

ZMA 102.162, holotype

Muraena dinocephala Metzelaar, 1919: 211-212.

Malaya

ZMA 108.470, holotype

Muraenichthys acutirostris Weber & de Beaufort,

1916: 279-280.

Indonesia

ZMA 112.643, syntypes (2)

Muraenichthys sibogae Weber & de Beaufort,

1916: 276-277.

Indonesia

ZMA 112.667, syntypes (2)

ZMA 112.668, syntype (1)

ZMA 112.669, syntype (1)

Neenchelys buitendijki Weber & de Beaufort,

1916: 268-269.

Indonesia

ZMA 102.171, syntype (1)

ZMA 112.614, syntype (1)

Sphagebranchus gjellerupi Weber & de Beaufort,

1916: 326.

New Guinea  
ZMA 104.146, holotype

Sphagebranchus heynningi Weber, 1913: 46-47.  
Indonesia  
ZMA 111.200, holotype

Sphagebranchus huysmani Weber, 1913: 48-49.  
Indonesia  
ZMA 104.149, syntypes (2)

Sphagebranchus klazingai Weber, 1913: 47-48.  
Indonesia  
ZMA 104.147, holotype  
ZMA 104.148, paratype (1)

Sphagebranchus vulturis Weber & de Beaufort,  
1916: 319-320.  
Indonesia  
ZMA 104.153, holotype

CLUPEIFORMES  
CLUPEOIDEI

Clupea koningsbergi Weber & de Beaufort,  
1912: 14-16.  
Indonesia  
ZMA 100.864, syntypes (9)  
ZMA 100.865, syntype (1)

Clupeoides venulosus Weber & de Beaufort,  
1912: 3-9.  
New Guinea  
ZMA 114.870, lectotype, designated by  
Roberts, 1978: 26-27.  
ZMA 100.939, paralectotypes (2)

ZMA 100.936, paralectotypes (5)

Grasseichthys gabonensis Géry, 1964: 1-3.

Gabon

ZMA 109.830, paratypes (3)

Pellona kampeni Weber & de Beaufort, 1913: 87.

Indonesia

ZMA 112.594, syntypes (3)

ZMA 112.595, syntype (1)

Rhinosardinia serrata Eigenmann, 1912: 445.

(British) Guyana

ZMA 101.009, paratypes (5)

Thryssa brevicauda Roberts, 1978: 29.

New Guinae

ZMA 114.435, paratypes (3)

Thryssa rastrosa Roberts, 1978: 29.

New Guinea

ZMA 114.434, paratypes (5)

SALMONIFORMES

GALAXIOIDEI

Galaxias neocaledonicus Weber & de Beaufort,  
1913: 173-174.

New Caledonia

ZMA 104.700, syntypes (2)

Parasalanx annitae van Dam, 1926: 342.

China

ZMA 112.587, holotype

Prototroctes semoni Weber, 1895: 274.

Australia

ZMA 112.579, syntypes (2)

STOMIATOIDEI

Stylophthalmus braueri Weber, 1913: 16-17.

Indonesia

ZMA 110.847, syntype (1)

ZMA 110.848, syntype (1)

ALEPOCEPHALOIDEI

Bathytroctes calcaratus Weber, 1913: 11-12.

Indonesia

ZMA 112.612, syntype (1)

ZMA 112.613, syntype (1)

Promacheon sibogae Weber, 1913: 85.

Indonesia

ZMA 112.630, syntype (1)

ZMA 112.631, syntype (1)

MYCTOPHOIDEI

Diaphus malayanus Weber, 1913: 89-90.

Indonesia

ZMA 109.186, syntype (1)

ZMA 109.187, syntypes (5)

ZMA 109.193, syntypes (2)

Diaphus suborbitalis Weber, 1913: 90-91.

Indonesia

ZMA 109.986, syntype (1)

ZMA 109.987, syntype (1)

Saurida brasiliensis Norman, 1935: 125-126.

Brazil

ZMA 113.538, paratypes (2)

Saurida parri Norman, 1935: 126-127.

Angola

ZMA 113.539, paratype (1)

CYPRINIFORMES

CHARACOIDEI

Acanthocharax microlepis Eigenmann, 1912: 405.

(British) Guyana

ZMA 110.658, paratype (1)

Acestrorhynchus altus Menezes, 1969: 52-57.

Brazil

ZMA 110.399, paratypes (2)

Alestopetersius xenurus tumbensis Hoedeman,

1951: 8.

Zaire

ZMA 100.166, lectotype, designated by Matthes,  
1964: 178.

ZMA 100.166a, paralectotype (1)

Anostomus anostomus longus Géry, 1961: 502-503.

Peru

ZMA 114.305, paratype (1)

Anostomus brevior Géry, 1961: 499-500.

French Guiana

ZMA 114.304, paratype (1)

Anostomus spiloclistron Winterbottom, 1974: 153-163.

Surinam

ZMA 112.685, holotype

ZMA 105.776, paratypes (6)

ZMA 105.777, paratypes (4)

Aphyocharax erythrurus Eigenmann, 1912: 313-314.

(British) Guyana

ZMA 102.158, paratype (1)

Astyanax abramoides Eigenmann, 1909: 21-22.

(British) Guyana

ZMA 101.011, paratypes (2)

ZMA 101.036, paratypes (3)

Astyanax essequibensis Eigenmann, 1909: 17-18.

(British) Guyana

ZMA 101.010, paratypes (3)

Astyanax guianensis Eigenmann, 1909: 16-17.

(British) Guyana

ZMA 101.028, paratype (1)

ZMA 101.035, paratypes (3)

Astyanax mutator Eigenmann, 1909: 18-19.

(British) Guyana

ZMA 101.027, paratype (1)

Axelrodia lindeae Géry, 1973: 111-115.

Brazil

ZMA 113.865, paratypes (2)

Axelrodia riesei Géry, 1966: 111-118.

Colombia

ZMA 113.865, paratypes (2)

Boehlkea fredcochui Géry, 1966: 211-236.

Colombia

ZMA 113.828, paratype (1)

Brittanichthys axelrodi Géry, 1965: 13-14-18,  
20-24, 61-62.

Brazil

ZMA 113.850, paratype (1)

Bryconamericus deuterodonoides euryodus

Schultz, 1944: 344-346.

Venezuela

ZMA 102.144, paratypes (8)

Bryconella haraldi Géry, 1965: 28-30.

Brazil

ZMA 113.864, paratype (1)

Bryconops inpai Knöppel, Junk & Géry,

1968: 231-246.

Brazil

ZMA 113.807, paratypes (2)

Carnegiella strigata surinamensis Hoedeman,

1952: 15-16.

Surinam

ZMA 100.316a, holotype

ZMA 100.316b, paratypes (3)

ZMA 100.315, paratypes (2)

ZMA 100.317, paratype (1)

ZMA 100.318, paratypes (7)

ZMA 100.319, paratypes (5)

ZMA 100.321, paratypes (9)

ZMA 100.322, paratypes (6)

ZMA 100.323, paratypes (29)

ZMA 100.352, paratypes (22)

ZMA 100.355, paratypes (11)

ZMA 100.356, paratypes (107)

Ceratobranchia binghami Eigenmann, 1927: 357-358.

Peru

ZMA 113.834, paratype (1)

Characidium blennioides Eigenmann, 1909: 37-38.

(British) Guyana

ZMA 100.988, paratype (1)

Characidium chupa chupa Schultz, 1944: 283-286.

Venezuela

ZMA 110.442, paratypes (3)

Characidium vintoni Eigenmann, 1909: 36-37.

(British) Guyana

ZMA 100.258, paratype (1)

Characidium voladorita Schultz, 1944: 280-282.

Venezuela

ZMA 100.363, paratypes (4)

ZMA 102.115, paratypes (3)

Characidium zebra Eigenmann, 1909: 38-39.

(British) Guyana

ZMA 100.255, paratype (1)

Cheirodon dialepturus Fink & Weitzman, 1974: 5-11.

Panama

ZMA 112.473, paratypes (2)

Cheirodon gracilis Géry, 1960: 29-30.

French Guiana

ZMA 113.856, paratype (1)

Cheirodon gracilis littoris Géry, 1960: 31-32.

French Guiana

ZMA 100.614, paratype (1)

Cheirodon kriegi Schindler, 1937: 1-2 of reprint.

Paraguay

ZMA 114.445, paratype (1)

Creagrutus hildebrandi Schultz, 1944: 330-334.

Venezuela

ZMA 102.113, paratypes (7)

ZMA 113.826, paratype (1)

Curimatus esperanzae pipersi Géry, 1966: 123-125.

Surinam

ZMA 104.283, holotype

ZMA 104.284, paratypes (8)

ZMA 104.285, paratypes (3)

Curimatus morawhannae Eigenmann, 1912: 266.

(British) Guyana

ZMA 100.987, paratype (1)

Cyrtocarax magdalenae venezuelae Schultz,

1944: 298-302.

Venezuela

ZMA 110.436, paratype (1)

ZMA 110.438. paratype (1)

Deuterodon pinnatus Eigenmann, 1909: 25-27.

(British) Guyana

ZMA 101.030, paratype (1)

ZMA 101.034, paratype (1)

Duboisialestes bifasciatus Poll, 1967: 138-141.

Zaire

ZMA 104.771, paratype (1)

Eretmobrycon bayano Fink, 1976: 331-344.

Panama

ZMA 113.490, paratypes (3)

Gasteropelecus sternicla morae Hoedeman, 1952: 11.

(British) Guyana

ZMA 100.341, holotype

Gephyrocharax venezuelae Schultz, 1944: 324-326.

Venezuela

ZMA 114.670, paratype (1)

Gymnocorymbus socolofi Géry, 1964: 25-27.

Colombia

ZMA 113.859, paratype (1)

Hemibrycon dentatus jalonero Schultz,

1944: 363-366.

Venezuela

ZMA 102.112, paratypes (10)

Hemibrycon surinamensis Géry, 1962: 71-80.

Surinam

ZMA 104.188, holotype

ZMA 100.347, paratypes (7)

Hemigrammus analis Durbin, 1909: 64-65.

(British) Guyana

ZMA 100.973, paratype (1)

ZMA 101.012, paratype (1)

Hemigrammus cylindricus Durbin, 1909: 62-64.

(British) Guyana

ZMA 100.984, paratype (1)

Hemigrammus erythrozonus Durbin, 1909: 56-58.

(British) Guyana

ZMA 101.032, paratype (1)

Hemigrammus guyanensis Géry, 1959: 254-256.

French Guiana

ZMA 100.630, paratypes (2)

ZMA 113.854, paratypes (2)

Hemigrammus orthus Durbin, 1909: 61-62.

(British) Guyana

ZMA 100.977, paratype (1)

Hemigrammus paipayensis Pearson, in Eigenmann & Myers, 1929: 533-534.

Peru

ZMA 114.207, syntype (1)

Hemigrammus rodwayi Durbin, 1909: 58-60.

(British) Guyana

ZMA 100.987, paratypes (3)

Hemigrammus unilineatus cayennensis Géry,

1959: 248-250.

French Guiana

ZMA 101.049, paratype (1)

Hemigrammus vorderwinkleri Géry, 1963: 9-11, 14.

Brazil

ZMA 113.852, paratype (1)

Hoplocharax goethei Géry, 1966: 291-296.

Brazil

ZMA 113.838, paratype (1)

Hypseobrycon ecuadorensis Eigenmann & Henn,

1914: 9-10.

Ecuador

ZMA 113.819, paratype (1)

Hypessobrycon eos Durbin, 1909: 69-71.

(British) Guyana

ZMA 100.983, paratype (1)

ZMA 101.031, paratype (1)

Hypessobrycon georgetti Géry, 1961: 121-128.

Surinam

ZMA 103.269, holotype

ZMA 104.184, paratypes (9)

Hypessobrycon griemi Hoedeman, 1957: 87-89.

Brazil

ZMA 101.936a, holotype

ZMA 101.936b, paratypes (2)

Hypessobrycon rosaceus Durbin, 1909: 67-68.

(British) Guyana

ZMA 101.013, paratype (1)

Hypessobrycon rubrostigma Hoedeman, 1956:

312-313.

Colombia

ZMA 101.935a, holotype

ZMA 101.935b, paratypes (6)

Hypessobrycon saizi Géry, 1964: 46.

Colombia

ZMA 114.206, paratype (1)

Hypessobrycon stictus Durbin, 1909: 71-72.

(British) Guyana

ZMA 100.974, paratype (1)

ZMA 101.033, paratypes (2)

Hypessobrycon tenuis Géry, 1964: 10-12.

Peru

ZMA 113.853, paratype (1)

Hyphessobrycon vilmae Géry, 1966: 63-70.

Brazil

ZMA 113.825, paratype (1)

Iguanodectes adujai Géry, 1970: 419-420.

Brazil

ZMA 113.867, paratype (1)

Iguanodectes geisleri Géry, 1970: 422-425.

Brazil

ZMA 113.866, paratypes (3)

Jobertina eleotrioides Géry, 1960: 4-8.

French Guiana

ZMA 101.044, paratype (1)

Joinvillea rosae Steindachner, 1908: 28-31.

Brazil

ZMA 114.488, syntype (1)

Lepidarchus adonis signifer Isbrücker,

1970: 133-140.

Liberia

ZMA 110.208, holotype

ZMA 110.209, paratypes (11)

ZMA 110.210, paratype (1)

Megalampodus roseus Géry, 1960: 26-29.

French Guiana

ZMA 100.620, paratypes (2)

Moenkhausia agnesae Géry, 1965: 14-16.

Brazil

ZMA 113.863, paratype (1)

Moenkhausia browni Eigenmann, 1909: 13-15.

(British) Guyana

ZMA 110.639, paratype (1)

ZMA 110.649, paratype (1)

Moenkhausia georgiae Géry, 1966: 104-108.

Surinam

ZMA 104.223, holotype

ZMA 104.224, paratypes (11)

Moenkhausia hemigrammoides Géry, 1966: 109-112.

Surinam

ZMA 104.227, holotype

ZMA 104.228, paratypes (4)

ZMA 104.229, paratypes (6)

Moenkhausia phaeonota Fink, 1979: 2-11.

Brazil

ZMA 115.273, paratype (1)

Moenkhausia surinamensis Géry, 1966: 102-104.

Surinam

ZMA 104.221, holotype

ZMA 104.222, paratype (1)

Moenkhausia takasei Géry, 1964: 13-15, 59-60.

Brazil

ZMA 113.849, paratype (1)

Nannaethiops geisleri Hoedeman, 1956: 259-261.

Nigeria

ZMA 104.145, holotype

Nannostomus beckfordi surinami Hoedeman,

1954: 84-85.

Surinam

ZMA 100.514a, holotype  
ZMA 100.514b, paratypes (220)

Nannostomus bifasciatus Hoedeman, 1954: 85-87.

Surinam  
ZMA 100.513, holotype (could not be traced)  
ZMA 100.513, paratypes (3)

Nannostomus marginatus Eigenmann, 1909: 41-42.

(British) Guyana  
ZMA 100.991, paratype (1)

Nannostomus marginatus picturatus Hoedeman,  
1954: 87-89.

Surinam  
ZMA 100.324a, holotype  
ZMA 100.324b, paratypes (4)  
ZMA 100.515, paratypes (22)

Nematobrycon lacortei Weitzman & Fink, 1971:  
59-68.

Colombia  
ZMA 110.740, paratypes (2)

Oxybrycon parvulus Géry, 1964: 15-17.

Peru  
ZMA 113.861, paratypes (2)

Phenacogaster megalostictus Eigenmann, 1909:  
28-30.

(British) Guyana  
ZMA 100.972, paratype (1)

Poecilobrycon ocellatus Eigenmann, 1909: 45-46.

(British) Guyana  
ZMA 100.519, paratype (1)

Poecilocharax bovallii Eigenmann, 1909: 34-35.

(British) Guyana

ZMA 110.648, paratypes (5)

Pristella aubynei Eigenmann, 1909: 24-25.

(British) Guyana

ZMA 100.254, paratypes (4)

Pseuderythrinus rosapinnis Hoedeman, 1950:

79-91.

Surinam

ZMA 100.310, holotype  
104.279.17 #3033

Pseudopristella simulata Géry, 1960: 18-23.

French Guiana

ZMA 100.621, paratypes (6)

ZMA 113.855, paratypes (2)

Roeboides dayi dientonito Schultz, 1944: 304-307.

Venezuela

ZMA 110.437, paratypes (6)

ZMA 113.846, paratype (1)

Saccoderma melanostigma Schultz, 1944: 315-318.

Venezuela

ZMA 114.669, paratype (1)

Schizodon fasciatum corti Schultz, 1944: 269-271.

Venezuela

ZMA 102.118, paratype (1)

Thayeria ifati Géry, 1959: 128-133.

French Guiana

ZMA 100.650, paratypes (2)

ZMA 113.857, paratype (1)

Tylobronchus maculosus Eigenmann, 1912: 272-273.

(British) Guyana

ZMA 100.976, paratype (1)

Tytobrycon dorsimaculatus Géry, 1973: 118-121.

Bolivia

ZMA 113.851, paratype (1)

Tytobrycon xeruini Géry, 1973: 126-128.

Brazil

ZMA 113.847, paratypes (2)

GYMNOTOIDEI

Gymnotus anguillaris Hoedeman, 1962: 55.

Surinam

ZMA 100.338a, holotype

ZMA 100.338b, paratype (1)

Gymnotus coropinae Hoedeman, 1962: 55.

Surinam

ZMA 100.185, holotype

Parupygus litanensis Hoedeman, 1962: 98-99.

French Guiana

ZMA 100.248, holotype

ZMA 100.407, paratype (1)

Parupygus savannensis Hoedeman, 1962: 58-60.

Surinam

ZMA 102.375, holotype

Sternarchogiton cuchillejo Schultz, 1949: 72-74.

Venezuela

ZMA 102.119, paratypes (2)

Sternopygus pejeraton Schultz, 1949: 60-61.

Venezuela

ZMA 102.120, paratypes (2)

CYPRINOIDEI

Acanthophthalmus lorentzi Weber & de Beaufort,  
1916: 32-33.

Indonesia

ZMA 103.259, syntypes (3)

Acanthophthalmus muraeniformes de Beaufort,  
1933: 32.

Singapore

ZMA 103.185, syntypes (3)

Acanthophthalmus vermicularis Weber & de Beaufort,  
1916: 34.

Indonesia

ZMA 100.260, holotype

Aphyocyparis normalis Nichols & Pope, 1927: 376.

China

ZMA 114.609, paratypes (2)

Barbus anoplus Weber, 1897: 151-152.

South Africa

ZMA 100.995, lectotype, designated by Matthes,  
1964: 179.

ZMA 100.995a, paralectotypes (148)

ZMA 101.348, paralectotypes (9)

ZMA 101.349, paralectotypes (11)

Barbus breyeri Weber, 1897: 154.

South Africa

ZMA 100.257, lectotype, designated by Matthes,

1964: 180.

ZMA 100.257a, paralectotypes (4)

Barbus dezwaani Weber & de Beaufort, 1912: 4-5.

Indonesia

ZMA 112.644, holotype

Barbus hexazona Weber & de Beaufort, 1912: 6-7.

Indonesia

ZMA 100.253, syntype (1)

ZMA 103.200, syntypes (13)

Barbus lineatus Duncker, 1904: 180.

Malaya

ZMA 103.220, syntype (1)

Barbus pahangensis Duncker, 1904: 179.

Malaya

ZMA 103.213, syntypes (2)

Barbus viviparus Weber, 1897: 152-153.

South Africa

ZMA 100.539, lectotype, designated by Matthes,  
1964: 180.

ZMA 100.538, paralectotypes (7)

ZMA 100.978, paralectotype (1)

ZMA 100.980, paralectotype (1)

ZMA 100.981, paralectotypes (3)

ZMA 100.985, paralectotype (1)

ZMA 100.989, paralectotypes (21)

Barilius dogarsinghi Hora, 1921: 191-193.

India

ZMA 115.794, paratype (1)

Cobitis aurata vallachica Nalbant, 1957: 209-212.

Romania

ZMA 114.465, paratypes (3)

Cosmochilus falcifer Regan, 1906: 66-67.

Indonesia

ZMA 114.319, paratype (1)

Crossochilus gnathopogon Weber & de Beaufort,  
1916: 233-234.

Indonesia

ZMA 112.674, syntypes (2)

Danio acuticephala Hora, 1921: 193-195.

India

ZMA 115.793, paratype (1)

Engraulicypris spinifer Bailey & Matthes, 1971: 79-83.

Tanzania

ZMA 109.708, paratype (1)

ZMA 109.709, paratype (1)

Eucirrhichthys doriae Perugia, 1892: 1009-1010.

Indonesia

ZMA 114.898, syntype (1)

Eustira maassi Weber & de Beaufort, 1912: 10.

Indonesia

ZMA 110.111, holotype

Gnathopogon atramaculatus Nichols & Pope, 1927: 351.

China

ZMA 115.792, paratypes (3)

Gobio rivuloides Nichols, 1925: 5-6.

China

ZMA 110.496, paratype (1)

Helgia modesta Vinciguerra, 1890: 202.

Burma

ZMA 100.982, syntypes (2)

Hemiculterella engraulis Nichols, 1925: 7.

China

ZMA 115.786, paratype (1)

Homaloptera amphisquamata Weber & de Beaufort,

1916: 12.

Indonesia

ZMA 100.998, holotype

ZMA 100.994, paratypes (54)

Homaloptera heterolepis Weber & de Beaufort,

1916: 12-13.

Indonesia

ZMA 100.999, syntypes (3)

Homaloptera lepidogaster Weber & de Beaufort,

1916: 14.

Indonesia

ZMA 100.256, syntypes (3)

Homaloptera weberi Hora, 1932: 284-285.

Indonesia

ZMA 100.990, syntype (1)

Labeo bicolor Smith, 1931: 9-11.

Thailand

ZMA 115.791, paratypes (2)

Labeobarbus longipinnis Weber & de Beaufort,

1916: 149.

Indonesia

ZMA 113.008, syntype (1)

ZMA 113.009, syntypes (2)

Labeobarbus nanningsi de Beaufort, 1933: 493-495.

Angola

ZMA 113.010, holotype

Laubuca caeruleostigmata Smith, 1931: 5-6.

Thailand

ZMA 115.789, paratypes (3)

Lepidocephalichthys irrorata Hora, 1921: 196-197.

India

ZMA 115.797, paratypes (2)

ZMA 115.796, paratype (1)

Lepidocephalus furcatus de Beaufort, 1933: 32-33.

Malaya

ZMA 100.979, paratype (1)

Leptobarbus melanopterus Weber & de Beaufort,

1916: 97.

Indonesia

ZMA 114.963, holotype

Leucogobio polytaenia Nichols, 1925: 6.

China

ZMA 114.894, paratypes (3)

Lissochilus smedleyi de Beaufort, 1933: 34.

Malaya

ZMA 101.007, syntype (1)

Lissochilus sumatranaus Weber & de Beaufort,

1916: 169-170.

Indonesia

ZMA 112.606, syntypes (7)

Modigliana papillosa Perugia, 1893: 6.

Indonesia

ZMA 112.874, syntypes (2)

Noemacheilus alepidotus nambanti Banarescu & Mirza,

1972: 121-123.

Pakistan

ZMA 114.458, paratype (1)

Noemacheilus anambarensis Mirza & Banarescu,

1970: 51-52.

Pakistan

ZMA 114.459, paratype (1)

Noemacheilus griffithi hazarensis Omer & Mirza,

1975: 199-209.

Pakistan

ZMA 115.953, paratypes (2)

Noemacheilus harnaiensis Mirza & Nalbant, 1969:

89-90.

Pakistan

ZMA 114.460, paratype (1)

Noemacheilus horai machensis Mirza & Nalbant,

1970: 54-55.

Pakistan

ZMA 114.461, paratype (1)

Noemacheilus kuiperi de Beaufort, 1939: 190-191.

Indonesia

ZMA 102.145, syntypes (21)

ZMA 112.889, syntype (1)

Noemacheilus pakستانicus Mirza & Banarescu, 1969:

87-88.

Pakistan

ZMA 114.462, paratype (1)

Noemacheilus rupecola alepidotus Mirza & Banarescu,  
1970: 55-57.

Pakistan

ZMA 114.463, paratype (1)

ZMA 114.464, paratype (1)

Noemacheilus sewerzowi Nikolsky, 1938: 319-328.

U.S.S.R.

ZMA 110.487, paratypes (2)

Osteochilus brevicauda Weber & de Beaufort,  
1916: 138-139.

Indonesia

ZMA 100.167, syntype (1)

ZMA 112.675, syntypes (14)

Osteochilus intermedius Weber & de Beaufort,  
1916: 134.

Indonesia

ZMA 112.609, syntypes (8)

ZMA 112.610, syntypes (2)

Paracrossochilus bicornis Popta, 1904: 201-202.

Indonesia

ZMA 114.485, syntype (1)

Pseudorasbora altipinna Nichols, 1925: 5.

China

ZMA 115.788, paratype (1)

Pseudorasbora depressirostris Nichols, 1925: 5-6.

China

ZMA 115.785, paratypes (3)

Pseudorasbora fowleri Nichols, 1925: 5.

China

ZMA 115.787, paratypes (3)

Puntius nini Weber & de Beaufort, 1916: 202-203.

Indonesia

ZMA 111.505, syntypes (4)

Puntius sunieri Weber & de Beaufort, 1916: 199.

Indonesia

ZMA 112.673, holotype

Puntius tawarensis Weber & de Beaufort,

1916: 185.

Indonesia

ZMA 112.646, syntypes (11)

Rasbora cephalotaenia steineri Nichols & Pope,

1927: 364-365.

China

ZMA 103.258, paratypes (3)

Rasbora dorsiocellata Duncker, 1904: 182.

Malaya

ZMA 103.217, syntypes (3)

Rasbora heteromorpha Duncker, 1904: 182.

Malaya

ZMA 103.218, syntypes (3)

Rasbora jacobsoni Weber & de Beaufort, 1916:

75-76.

Indonesia

ZMA 100.646, syntypes (10)

ZMA 109.265, syntypes (4)

ZMA 109.266, syntypes (12)

- ZMA 109.267, syntypes (2)  
ZMA 109.268, syntypes (6)  
ZMA 109.269, syntypes (15)  
ZMA 109.270, syntypes (13)  
ZMA 109.276, syntypes (5)

Rasbora maculata Duncker, 1904: 182.

- Malaya  
ZMA 103.216, syntypes (5)

Rasbora meinkeni de Beaufort, 1931: 1.

- Indonesia  
ZMA 100.259, syntypes (2)

Rasbora pauciperforata Weber & de Beaufort,  
1916: 78-79.

- Indonesia  
ZMA 112.590, syntypes (118)

Rasbora reticulatus Weber & de Beaufort,  
1915: 6-7.

- Indonesia  
ZMA 109.586, syntypes (233)  
ZMA 109.587, syntypes (87)  
ZMA 109.588, syntypes (3)  
ZMA 109.589, syntypes (9)

Rasbora rutteni Weber & de Beaufort,  
1916: 68-69.

- Indonesia  
ZMA 102.360, syntypes (23)  
ZMA 102.361, syntypes (15)  
ZMA 112.589, syntype (1)

Rasbora semilineata Weber & de Beaufort,  
1916: 80-81.

Indonesia

ZMA 112.588, syntypes (5)

Rasbora tawarensis Weber & de Beaufort,  
1916: 63-65.

Indonesia

ZMA 112.276, syntypes (5)

ZMA 112.277, syntypes (4)

ZMA 112.278, syntypes (3)

Rasbora trifasciata Popta, 1905: 176-177.

Indonesia

ZMA 109.274, syntype (1)

Rasborinus hainanensis Nichols & Pope,  
1927: 377.

China

ZMA 114.610, paratypes (3)

Sarcocheilichthys nigripinnis tungting  
Nichols & Pope, 1927: 354.

China

ZMA 114.608, paratype (1)

Scaphiodon watsoni Day, 1871: 324.

Pakistan

ZMA 115.924, syntypes (2)

ZMA 115.925, syntype (1)

Schistura arifi Mirza & Banarescu, 1981:  
113-114.

Pakistan

ZMA 116.442, paratype (1)

Schistura curtistigma Mirza & Nalbant, 1981:  
114-116.

Pakistan

ZMA 116.443, paratype (1)

Schistura fascimaculata Mirza & Nalbant, 1981:

121-123.

Pakistan

ZMA 116.445, paratypes (2)

Schistura kessleri lepidocaulis Mirza & Nalbant,

1981: 110-111.

Pakistan

ZMA 116.441, paratypes (2)

Schistura kohatensis Mirza & Banarescu, 1981:

123-125.

Pakistan

ZMA 116.446, paratypes (2)

Schistura macrolepis Mirza & Banarescu, 1981:

116-118.

Pakistan

ZMA 116.444, paratype (1)

Schistura microlabra Mirza & Nalbant, 1981:

126-128.

Pakistan

ZMA 116.448, paratype (1)

Schistura shadiwalensis Mirza & Nalbant, 1981:

125-126.

Pakistan

ZMA 116.447, paratype (1)

Thynnichthys vaillanti Weber & de Beaufort,

1916: 122.

Indonesia

ZMA 112.611, holotype

Tor zhobensis Mirza, 1967: 54-56.

Pakistan

ZMA 114.741, paratype (1)

Tylognathus siamensis de Beaufort, 1927: 5-6.

Thailand

ZMA 112.583, holotype

ZMA 112.584, paratype (1)

Vaillantella maassi Weber & de Beaufort,

1912: 11-12.

Indonesia

ZMA 100.993, holotype

#### SILURIFORMES

Arius acrocephalus Weber, 1913: 543-544.

New Guinea

ZMA 111.087, syntype (1)

ZMA 111.088, syntypes (2)

ZMA 111.089, syntype (1)

ZMA 111.090, syntype (1)

Arius carinatus Weber, 1913: 537-538.

New Guinea

ZMA 109.295, syntype (1)

ZMA 111.109, syntypes (18)

ZMA 111.110, syntype (1)

ZMA 111.111, syntype (1)

ZMA 111.112, syntype (1)

Arius digulensis Hardenberg, 1936: 369.

New Guinea

ZMA 110.781, holotype

Arius nudidens Weber, 1913: 538-540.

New Guinea

ZMA 111.507, syntype (1)

ZMA 111.508, syntype (1)

ZMA 111.509, syntype (1)

Aspidoras albater Nijssen & Isbrücker,

1976: 115-116.

Brazil

ZMA 113.592, paratypes (2)

Aspidoras brunneus Nijssen & Isbrücker,

1976: 116-117.

Brazil

ZMA 113.588, holotype

ZMA 109.380, paratypes (4)

Aspidoras carvalhoi Nijssen & Isbrücker,

1976: 117.

Brazil

ZMA 113.589, paratype (1)

Aspidoras eurycephalus Nijssen & Isbrücker,

1976: 118.

Brazil

ZMA 113.593, paratype (1)

Aspidoras fuscoguttatus Nijssen & Isbrücker,

1976: 118-119.

Brazil

ZMA 113.594, paratypes (5)

Aspidoras maculosus Nijssen & Isbrücker,

1976: 119-120.

Brazil

ZMA 113.595, paratype (1)

Aspidoras menezesi Nijssen & Isbrücker,  
1976: 120-121.

Brazil  
ZMA 113.596, paratypes (5)

Aspidoras poecilus Nijssen & Isbrücker,  
1976: 121-122.

Brazil  
ZMA 113.597, paratype (1)

Aspidoras spilotus Nijssen & Isbrücker,  
1976: 123-124.

Brazil  
ZMA 113.590, holotype  
ZMA 112.284, paratypes (21)  
ZMA 113.591, paratypes (2)

Aspidoras virgulatus Nijssen & Isbrücker,  
1980: 133-139.

Brazil  
ZMA 116.218, paratype (1)  
ZMA 116.219, paratype (1)

Astroblepus phelpsi Schultz, 1944: 283-285.

Venezuela  
ZMA 102.121, paratypes (9)

Auchenipterus brevior Eigenmann, 1912: 202-203.  
(British) Guyana  
ZMA 104.668, paratype (1)

Bunocephalus amaurus aloikae Hoedeman, 1961:  
130-131.

French Guiana  
ZMA 102.229, holotype

Bunocephalus amaurus sipaliwini Hoedeman, 1961:

130.

Surinam

ZMA 102.228, holotype

Callichthys armatus Günther, 1868: 475-481.

Peru

ZMA 109.952, paralectotype

Lectotype designated by Nijssen & Isbrücker,  
1980: 194.

Callichthys callichthys bolteni Hoedeman,

1952: 9-11.

Surinam

ZMA 100.303a, holotype

ZMA 100.303b, paratype (1)

ZMA 100.305, paratype (1)

ZMA 100.307, paratype (1)

ZMA 100.308, paratype (1)

ZMA 100.313, paratypes (2)

ZMA 100.314, paratype (1)

Callichthys callichthys demararae Hoedeman,

1952: 10-11.

(British) Guyana

ZMA 100.304, holotype

Centromochlus leopardus Hoedeman, 1961:

135-136.

French Guiana

ZMA 102.233, holotype

Cetopsorhamdia picklei Schultz, 1944: 222-224.

Venezuela

ZMA 102.123, paratypes (4)

Cetopsorhamdia pijpersi Hoedeman, 1961: 132-134.

Surinam

ZMA 102.230, holotype

Chaetostoma anomala sovichthys Schultz, 1944:

292-294.

Venezuela

ZMA 102.125, paratypes (7)

Chasmocranus longior Eigenmann, 1912: 162.

(British) Guyana

ZMA 100.992, paratype (1)

Clarias theodorae Weber, 1897: 150-151.

South Africa

ZMA 100.647, holotype

Clupisoma naziri Mirza & Awan, 1973: 152-159.

Pakistan

ZMA 115.945, paratype (1)

Cochliodon possisili Schultz, 1944: 312-313.

Venezuela

ZMA 102.133, paratypes (4)

Copidoglanis equinus Weber, 1913: 527-528.

New Guinea

ZMA 111.105, syntypes (7)

ZMA 111.106, syntype (1)

ZMA 111.107, syntypes (4)

ZMA 111.108, syntypes (2)

Copidoglanis gjellerupi Weber, 1913: 528-529.

New Guinea

ZMA 111.091, holotype

Copidoglanis meraukensis Weber, 1913: 529-530.

New Guinea

ZMA 111.092, syntypes (2)

Copidoglanis novaeguineae Weber, 1908: 226-227.

New Guinea

ZMA 112.670, syntypes (8)

Corydoras agassizii Steindachner, 1877: 138-140.

Brazil

ZMA 110.465, paralectotype (1)

Lectotype designated by Nijssen & Isbrücker,  
1980: 195.

Corydoras amapaensis Nijssen, 1972: 417-420.

Brazil

ZMA 110.598, paratypes (2)

ZMA 110.599, paratype (1)

ZMA 110.600, paratypes (4)

ZMA 110.601, paratypes (3)

ZMA 110.602, paratype (1)

ZMA 110.603, paratypes (3)

Corydoras atropersonatus Weitzman & Nijssen,

1970: 123-125.

Ecuador

ZMA 110.382, paratypes (2)

ZMA 110.385, paratypes (3)

ZMA 110.386, paratype (1)

Corydoras bicolor Nijssen & Isbrücker, 1967:

36-37.

Surinam

ZMA 104.627, holotype

ZMA 104.628, paratypes (36)

ZMA 104.629, paratypes (6)

Corydoras bifasciatus Nijssen, 1972: 420-422.

Brazil

ZMA 110.394, paratypes (30)

Corydoras blochi blochi Nijssen, 1971: 92-97.

(British) Guyana

ZMA 110.675, paratype (1)

ZMA 110.724, paratype (1)

ZMA 110.723, paratypes (2)

ZMA 111.005, paratypes (2)

ZMA 110.799, paratypes (2)

Corydoras blochi vittatus Nijssen, 1971: 97-98.

Brazil

ZMA 109.990, holotype

ZMA 109.989, paratypes (2)

Corydoras boesemani Nijssen & Isbrücker, 1967:

37-38.

Surinam

ZMA 104.625, paratypes (6)

ZMA 104.638, paratype (1)

Corydoras bondi coppenamensis Nijssen, 1970:

19-20.

Surinam

ZMA 105.877, holotype

ZMA 105.858, paratype (1)

ZMA 105.872, paratypes (239)

ZMA 105.873, paratypes (192)

ZMA 105.874, paratypes (142)

ZMA 105.875, paratypes (9)

Corydoras concolor Weitzman, 1961: 105-110.

Venezuela

ZMA 111.426, paratype (1)

Corydoras condiscipulus Nijssen & Isbrücker,  
1980: 494-497.

French Guiana

ZMA 115.332, paratype (1)

ZMA 115.333, paratype (1)

ZMA 115.334, paratype (1)

ZMA 115.355, paratypes (2)

Corydoras dubius Nijssen & Isbrücker, 1967:  
38-40.

Surinam

ZMA 104.632, holotype

ZMA 104.633, paratypes (15)

Corydoras ehrhardti Steindachner, 1910: 4-5.

Brazil

ZMA 110.469, paralectotypes (5)

ZMA 110.470, paralectotypes (5)

ZMA 110.471, paralectotypes (5)

Lectotype designated by Nijssen & Isbrücker,  
1980: 205.

Corydoras elegans Steindachner, 1877: 141-143.

Brazil

ZMA 114.921, paralectotypes (10)

Lectotype designated by Nijssen & Isbrücker,  
1980: 213.

Corydoras ephippifer Nijssen, 1972: 422-423.

Brazil

ZMA 111.082, paratypes (3)

ZMA 111.083, paratypes (3)

Corydoras eques Steindachner, 1877: 140-141.

Brazil

ZMA 110.473, paralectotypes (2)

Lectotype designated by Nijssen & Isbrücker,  
1980: 208.

Corydoras garbei von Ihering, 1911: 382-383.

Brazil

ZMA 110.938, paralectotype (1)

ZMA 110.939, paralectotype (1)

Lectotype designated by de Miranda Ribeiro,  
1955: 395.

Corydoras gossei Nijssen, 1972: 424-425.

Brazil

ZMA 110.396, paratypes (12)

Corydoras gracilis Nijssen & Isbrücker, 1976:  
90-91, 94, 96, 98.

Brazil

ZMA 114.687, holotype

ZMA 114.688, paratype (1)

ZMA 114.689, paratype (1)

Corydoras guianensis Nijssen, 1970: 21-22.

Surinam

ZMA 105.933, holotype

ZMA 105.887, paratype (1)

ZMA 105.888, paratypes (4)

ZMA 105.836, paratypes (4)

ZMA 105.837, paratypes (130)

ZMA 106.101, paratype (1)

Corydoras habrosus Weitzman, 1960: 141-145.

Venezuela

ZMA 111.422, paratype (1)

Corydoras heteromorphus Nijssen, 1970: 22-24.

Surinam

ZMA 105.880, holotype  
ZMA 105.835, paratypes (3)  
ZMA 105.881, paratypes (101)  
ZMA 105.883, paratypes (55)  
ZMA 105.884, paratypes (14)  
ZMA 105.885, paratypes (11)  
ZMA 105.886, paratype (1)

Corydoras julii Steindachner, 1906: 478-480.

Brazil  
ZMA 110.474, paralectotypes (6)  
ZMA 110.475, paralectotypes (3)  
Lectotype designated by Nijssen & Isbrücker,  
1980: 195-196.

Corydoras macropterus Regan, 1913: 231-232.

Brazil  
ZMA 109.953, paralectotype (1)  
Lectotype designated by Nijssen & Isbrücker,  
1980: 206.

Corydoras maculifer Nijssen & Isbrücker, 1971:  
183-186.

Brazil  
ZMA 110.681, paratype (1)

Corydoras marmoratus Steindachner, 1879: 26-28.

Argentina  
ZMA 110.477, paralectotype (1)  
ZMA 110.478, paralectotype (1)  
Lectotype designated by Nijssen & Isbrücker,  
1980: 204.

Corydoras micracanthus Regan, 1912: 211.

Argentina  
ZMA 109.951, paralectotype (1)

Lectotype designated by Nijssen & Isbrücker,  
1980: 206.

Corydoras multamaculatus Steindachner, 1907: 291.

Brazil

ZMA 110.479, paralectotypes (8)

Lectotype designated by Nijssen & Isbrücker,  
1980: 196.

Corydoras myersi de Miranda Ribeiro, 1942:

427-428.

Brazil

ZMA 115.272, paratypes (4)

Corydoras nanus Nijssen & Isbrücker, 1967: 41-42.

Surinam

ZMA 104.642, paratypes (2)

Corydoras narcissus Nijssen & Isbrücker, 1980:

497-499.

Brazil

ZMA 115.178, holotype

Corydoras nattereri triseriatus von Ihering,

1911: 386.

Brazil

ZMA 110.940, paralectotype (1)

ZMA 110.941, paralectotype (1)

Lectotype designated by Britski, 1969: 207.

Corydoras octocirrus Nijssen, 1970: 26-29.

Surinam

ZMA 106.017, holotype

ZMA 104.655, paratypes (2)

ZMA 105.237, paratypes (3)

ZMA 105.238, paratypes (5)

- ZMA 105.367, paratypes (23)  
ZMA 105.871, paratypes (2)  
ZMA 105.891, paratypes (2)  
ZMA 109.066, paratypes (3)

Corydoras oelemariensis Nijssen, 1970: 29-30.

- Surinam  
ZMA 108.111, paratypes (82)

Corydoras oiapoquensis Nijssen, 1972: 425-428.

- French Guiana  
ZMA 110.589, paratypes (10)  
ZMA 110.590, paratypes (2)  
ZMA 110.591, paratypes (4)  
ZMA 110.592, paratypes (12)  
ZMA 110.593, paratypes (8)  
ZMA 110.594, paratypes (6)

Corydoras ornatus Nijssen & Isbrücker, 1976:

125-129.

- Brazil  
ZMA 114.690, holotype  
ZMA 114.691, paratypes (3)

Corydoras orphnopterus Weitzman & Nijssen, 1970:

125-126.

- Ecuador  
ZMA 110.383, paratype (1)

Corydoras ourastigma Nijssen, 1972: 428-429.

- Brazil  
ZMA 110.615, paratype (1)

Corydoras oxyrhynchus Nijssen & Isbrücker, 1967:

42-43.

Surinam

ZMA 104.640, paratype (1)

Corydoras panda Nijssen & Isbrücker, 1971: 186-188.

Peru

ZMA 110.604, paratype (1)

Corydoras pastazensis orcesi Weitzman & Nijssen,

1970: 120-123.

Ecuador

ZMA 110.377, paratypes (2)

ZMA 110.378, paratypes (2)

ZMA 110.379, paratypes (2)

Corydoras prionotos Nijssen & Isbrücker, 1980:

5-7.

Brazil

ZMA 115.323, paratypes (5)

ZMA 110.476, paratypes (3)

Corydoras pulcher Isbrücker & Nijssen, 1973: 2-4.

Brazil

ZMA 112.648, paratype (1)

Corydoras raimundi Steindachner, 1907: 84-85.

Brazil

ZMA 110.480, paralectotypes (9)

Lectotype designated by Nijssen & Isbrücker,

1976: 111-113.

Corydoras reynoldsi Myers & Weitzman, 1960:

105-108.

Colombia

ZMA 111.424, paratype (1)

Corydoras robustus Nijssen & Isbrücker, 1980:

499-502.

Brazil

ZMA 115.179, holotype

Corydoras sanchesii Nijssen & Isbrücker, 1967:

43-44.

Surinam

ZMA 104.630, paratypes (5)

Corydoras saramaccensis Nijssen, 1970: 38-39.

Surinam

ZMA 106.018, holotype

ZMA 105.563, paratypes (8)

ZMA 105.650, paratype (1)

Corydoras schwartzi surinamensis Nijssen, 1970:

39-40.

Surinam

ZMA 105.876, holotype

ZMA 105.878, paratypes (63)

ZMA 105.879, paratypes (28)

Corydoras septentrionalis Gosline, 1940: 16-17.

Venezuela

ZMA 111.423, paratype (1)

ZMA 112.288, paratype (1)

Corydoras simulatus Weitzman & Nijssen, 1970:

126-129

Colombia

ZMA 110.384, paratypes (2)

Corydoras spilurus Norman, 1926: 91-97.

French Guiana

ZMA 109.950, paralectotype (1)

Lectotype designated by Nijssen & Isbrücker,  
1967: 33.

Corydoras steindachneri Isbrücker & Nijssen, 1973:

4-7.

Brazil

ZMA 112.657, paratype (1)

Corydoras treitlii Steindachner, 1906: 478.

Brazil

ZMA 110.481, paralectotypes (11)

Lectotype designated by Weitzman, 1964: 116.

Corydoras weitzmani Nijssen, 1971: 91-92.

Peru

ZMA 110.391, paratypes (2)

Corydoras wotroi Nijssen & Isbrücker, 1967: 44-45.

Surinam

ZMA 104.641, paratype (1)

Corydoras xinguensis Nijssen, 1972: 429-432.

Brazil

ZMA 110.392, paratypes (2)

ZMA 110.393, paratype (1)

Doiichthys novaeguineae Weber, 1913: 534-536.

New Guinea

ZMA 104.122, syntypes (5)

Farlowella acus venezuelensis Martín Salazar, 1964:

250-251.

Venezuela

ZMA 116.481, syntype (1)

ZMA 116.482, syntype (1)

Farlowella carinata Garman, in Eigenmann &  
Eigenmann, 1889: 32-33.

Brazil

ZMA 115.267, paralectotype (1)

ZMA 115.268, paralectotype (1)

Lectotype designated by Isbrücker, 1979: 114.

Farlowella parvicarinata Boeseman, 1971: 42-44.

Surinam

ZMA 105.823, lectotype, designated by Isbrücker,  
1979: 114.

ZMA 106.934, paralectotype (1)

Farlowella reticulata Boeseman, 1971: 37-40.

Surinam

ZMA 106.174, lectotype, designated by Isbrücker,  
1979: 114.

ZMA 106.932, paralectotypes (2)

Farlowella rugosa Boeseman, 1971: 40-42.

French Guiana

ZMA 106.208, lectotype, designated by Isbrücker,  
1979: 114.

ZMA 106.933, paralectotype (1)

Glyptothorax punjabensis Mirza & Kashmiri, 1971:

88-93.

Pakistan

ZMA 114.764, paratype (1)

Glyptothorax stocki Mirza & Nijssen, 1978: 79-85.

Pakistan

ZMA 114.763, holotype

ZMA 115.027, paratype (1)

Harttia nijsseni Boeseman, 1976: 170-175.

Surinam

ZMA 114.310, paratype (1)

Harttia surinamensis Boeseman, 1971: 28-33.

Surinam

- ZMA 106.516, paratypes (33)  
ZMA 106.517, paratypes (7)  
ZMA 106.520, paratype (1)  
ZMA 106.521, paratypes (66)  
ZMA 110.726, paratype (1)

Hemiodon acipenserinus Kner, 1854: 92-93.

Brazil

- ZMA 112.957, paralectotype (1)  
Lectotype designated by Isbrücker & Nijssen,  
1974: 204.

Hemipimelodus aaldereni Hardenberg, 1936: 367-368.

New Guinea

- ZMA 110.782, holotype

Hemipimelodus macrorhynchus Weber, 1913: 549-551.

New Guinea

- ZMA 111.085, syntypes (2)  
ZMA 111.086, syntype (1)

Hemipimelodus velutinus Weber, 1908: 225-226.

New Guinea

- ZMA 112.654, syntypes (3)  
ZMA 112.655, syntypes (6)  
ZMA 112.656, syntypes (12)

Hemisilurus moolenburghi Weber & de Beaufort,  
1913: 212-213.

Indonesia

- ZMA 113.564, syntypes (2)

Hoplosternum littorale daillyi Hoedeman,  
1952: 7-8.

Surinam

- ZMA 100.277a, holotype  
ZMA 100.277b, paratype (1)  
ZMA 100.261, paratype (1)  
ZMA 100.281, paratypes (2)  
ZMA 100.282, paratype (1)  
ZMA 100.283, paratype (1)  
ZMA 100.284, paratype (1)  
ZMA 100.285, paratype (1)  
ZMA 100.286, paratype (1)

Hoplosternum thoracatum cayennae Hoedeman, 1961:

130.

Surinam

- ZMA 102.238a, holotype  
ZMA 102.238b, paratypes (3)

Hoplosternum thoracatum surinamensis Hoedeman,

1952: 5-7.

Surinam

- ZMA 100.292, holotype  
ZMA 100.293, paratypes (2)  
ZMA 100.295, paratypes (2)  
ZMA 100.297, paratype (1)  
ZMA 100.298, paratype (1)  
ZMA 100.299, paratypes (5)  
ZMA 100.300, paratype (1)  
ZMA 100.301, paratype (1)

Hypoptopoma guianense Boeseman, 1974: 259-267.

Surinam

- ZMA 106.591, paratypes (9)

Hypostomus coppenamensis Boeseman, 1969: 120-125.

Surinam

- ZMA 105.856, holotype

ZMA 106.143, paratype (1)

Hypostomus corantijni Boeseman, 1968: 40-42.

Surinam

ZMA 110.171, paratypes (2)

Hypostomus gymnorhynchus tapanahoniensis Boeseman,

1969: 129.

Surinam

ZMA 110.172, paratypes (2)

Hypostomus micromaculatus Boeseman, 1968: 77.

Surinam

ZMA 106.015, paratypes (10)

Hypostomus nickeriensis Boeseman, 1969: 125-129.

Surinam

ZMA 105.765, holotype

ZMA 105.767, paratypes (14)

ZMA 106.012, paratypes (5)

ZMA 106.142, paratypes (10)

Hypostomus pseudohemiurus macrophthalmus Boeseman,

1968: 56-58.

Surinam

ZMA 110.174, paratypes (2)

Hypostomus pseudohemiurus pseudohemiurus Boeseman,

1968: 54-56.

Surinam

ZMA 110.173, paratypes (2)

Hypostomus saramaccensis Boeseman, 1968: 78.

Surinam

ZMA 105.586, paratypes (12)

ZMA 105.621, paratypes (4)

Hypostomus surinamensis Boeseman, 1968: 78.

Surinam

- ZMA 105.270, paratypes (25)  
ZMA 105.440, paratypes (2)  
ZMA 105.534, paratypes (11)  
ZMA 105.538, paratypes (5)  
ZMA 105.685, paratypes (3)  
ZMA 105.739, paratypes (37)  
ZMA 105.757, paratypes (3)  
ZMA 106.013, paratype (1)  
ZMA 106.149, paratypes (43)  
ZMA 106.151, paratype (1)  
ZMA 106.152, paratypes (3)

Hypostomus ventromaculatus Boeseman, 1968: 79.

Surinam

- ZMA 105.555, paratype (1)  
ZMA 106.150, paratype (1)

Lambertia atra Perugia, 1894: 551-552.

New Guinea

- ZMA 113.360, syntype (1)

Lasiancistrus maracaiboensis Schultz, 1944: 314-317.

Venezuela

- ZMA 102.135, paratypes (4)

Leiocassis leiacanthus Weber & de Beaufort, 1912:

15-16.

Indonesia

- ZMA 112.671, syntype (1)  
ZMA 112.672, syntype (1)

Leptodoras linnelli Eigenmann, 1912: 191-192.

(British) Guyana

- ZMA 110.690, paratype (1)

Lithoxus lithoides Eigenmann, 1910: 405.

(British) Guyana

ZMA 110.632, paratypes (3)

Loricaria cataphracta Linnaeus, 1758: 307-308.

Surinam

ZMA 109.616, neotype, designated by Isbrücker,  
1972: 172-175.

Loricaria cirrhosa Perugia, 1897: 22-23.

Bolivia

ZMA 112.293, paralectotype (1)

Lectotype designated by Isbrücker, 1973: 174.

Loricaria griseus Eigenmann, 1909: 8-9.

(British) Guyana

ZMA 102.160, paratype (1)

Loricaria gymnogaster lagoichthys Schultz, 1944:

331-334.

Venezuela

ZMA 102.126, paratypes (6)

Loricaria jaraguensis Steindachner, 1909: 1-6.

Brazil

ZMA 112.292, paralectotype (1)

Lectotype designated by Isbrücker, 1979: 113.

Loricaria nickeriensis Isbrücker, 1979: 97-98.

Surinam

ZMA 107.561, holotype

ZMA 106.235, paratypes (3)

ZMA 106.236, paratypes (8)

ZMA 106.237, paratypes (8)

Loricaria parnahybae Steindachner, 1907: 153-154.

Brazil

ZMA 115.184, paralectotype (1)

Lectotype designated by Isbrücker, 1979: 110.

Loricaria prolixa Isbrücker & Nijssen, 1978:

188-195.

Brazil

ZMA 113.537, paratype (1)

Loricaria prolixa lentiginosa Isbrücker, 1979: 97.

Brazil

ZMA 115.183, paratype (1)

Loricaria spixii Steindachner, 1881: 97-100.

Brazil

ZMA 115.926, paralectotype (1)

Lectotype designated by Isbrücker, 1979: 113.

Loricaria variegata venezuelae Schultz, 1944:

329-331.

Venezuela

ZMA 102.134, paratypes (3)

Loricaria (Loricariichthys) fallax Steindachner,

1915: 101-103.

Brazil

ZMA 114.349, paralectotype (1)

Lectotype designated by Isbrücker & Nijssen,

1979: 198.

Loricariichthys platymetopon Isbrücker & Nijssen,

1979: 203-210.

Paraguay

ZMA 114.326, paratype (1)

ZMA 110.929, paratypes (6)

ZMA 110.934, paratype (1)

Metaloricaria paucidens Isbrücker, 1975: 1-9.

French Guiana

ZMA 112.741, paratype (1)

Microglanis secundus Mees, 1974: 35-37.

Surinam

ZMA 105.545, paratypes (17)

ZMA 106.002, paratypes (20)

ZMA 106.211, paratype (1)

ZMA 106.242, paratypes (2)

ZMA 106.243, paratype (1)

ZMA 106.244, paratypes (6)

ZMA 106.245, paratypes (5)

ZMA 106.246, paratypes (31)

ZMA 106.247, paratypes (11)

ZMA 106.369, paratype (1)

Nangra robusta Mirza & Awan, 1973: 145-151.

Pakistan

ZMA 114.758, paratype (1)

Oloplotosus mariae Weber, 1913: 522.

New Guinea

ZMA 111.103, syntype (1)

ZMA 111.104, syntypes (2)

Pangasius dezwaani Weber & de Beaufort, 1912:

14-15.

Indonesia

ZMA 113.011, holotype

Parasturisoma maculata Boeseman, 1971: 33-37.

Surinam

ZMA 106.345, paratypes (2)

ZMA 106.390, paratype (1)

ZMA 106.518, paratypes (14)

ZMA 106.519, paratypes (10)

ZMA 106.522, paratypes (14)

Parotocinclus britskii Boeseman, 1974: 267-271.

Surinam

ZMA 106.593, holotype

ZMA 106.592, paratypes (3)

Pimelodella geryi Hoedeman, 1961: 134.

French Guiana

ZMA 102.235, holotype

Pimelodella macturki Eigenmann, 1912: 170-171.

(British) Guyana

ZMA 100.168, paratype (1)

Pimelodella megalops Eigenmann, 1912: 169-170.

(British) Guyana

ZMA 110.629, paratypes (2)

Pimelodus albofasciatus Mees, 1974: 137-140.

Surinam

ZMA 106.839, paratype (1)

Pimelodus clarias coprophagus Schultz, 1944: 203-206.

Venezuela

ZMA 102.124, paratypes (2)

Plotosus papuensis Weber, 1910: 228-229.

New Guinea

ZMA 111.093, syntype (1)

ZMA 111.094, syntype (1)

ZMA 111.095, syntype (1)

ZMA 111.096, syntype (1)

ZMA 111.097, syntype (1)

ZMA 111.098, syntypes (3)

ZMA 111.099, syntype (1)  
ZMA 111.100, syntype (1)  
ZMA 111.513, syntype (1)

Porochilus obbesi Weber, 1913: 523-524.

New Guinea  
ZMA 111.101, syntypes (3)  
ZMA 111.102, syntype (1)

Pseudancistrus pediculatus cobrensis Schultz,  
1944: 299-301.

Venezuela  
ZMA 102.631, paratypes (30)

Pseudeutropius moolenburghae Weber & de Beaufort,  
1913: 249-250.

Indonesia  
ZMA 112.681, syntypes (6)

Pseudohemiodon apithanos Isbrücker & Nijssen,  
1978: 195-203.

Ecuador  
ZMA 114.692, paratype (1)

Pseudopimelodus albomarginatus Eigenmann,  
1912: 153-154.

(British) Guyana  
ZMA 104.667, paratype (1)

Pseudopimelodus nigricauda Mees, 1974: 218-221.

Surinam  
ZMA 105.948, paratype (1)  
ZMA 105.949, paratype (1)  
ZMA 105.951, paratype (1)

Pseudopimelodus villosus butcheri Schultz,

1944: 199-202.

Venezuela

ZMA 102.122, paratypes (3)

Pygidium emanueli emanueli Schultz, 1944:

259-260.

Venezuela

ZMA 102.117, paratypes (2)

Rineloricaria formosa Isbrücker & Nijssen, 1979:

192-197.

Colombia

ZMA 114.922, paratypes (5)

ZMA 114.923, paratypes (2)

ZMA 115.196, paratype (1)

ZMA 115.197, paratype (1)

Rineloricaria heteroptera Isbrücker & Nijssen,

1976: 109-124.

Brazil

ZMA 114.504, paratype (1)

ZMA 114.505, paratype (1)

ZMA 114.506, paratypes (2)

Sovichthys abuelo Schultz, 1944: 191-193.

Venezuela

ZMA 102.132, paratypes (2)

Synodontis matthesi Poll, 1971: 462-465.

Tanzania

ZMA 109.743, holotype

Tatia brunnea Mees, 1974: 84.

Surinam

ZMA 105.526, paratypes (4)

ZMA 105.847, paratypes (5)

ZMA 105.849, paratypes (7)  
ZMA 105.851, paratypes (16)  
ZMA 105.860, paratype (1)

Tatia concolor Mees, 1974: 84-86.

Surinam  
ZMA 106.210, holotype  
ZMA 106.209, paratypes (2)

Tatia punctata Mees, 1974: 88-90.

Surinam  
ZMA 105.525, paratypes (3)

Tetranesodon conorhynchus Weber, 1913: 546-547.

New Guinea  
ZMA 111.084, holotype

Trachycorystes jokeannae Hoedeman, 1961: 138.

French Guiana  
ZMA 102.371, holotype

Trachymochlus cupido Hoedeman, 1961: 137.

Surinam  
ZMA 102.236, holotype

GOBIESOCIFORMES

Crepidogaster indicus Weber, 1913: 525.

Indonesia  
ZMA 104.183, lectotype, designated by Briggs,  
1955: 44-45.

Gobiesox sanctimartini Metzelaar, 1919: 151-152.

Antilles  
ZMA 104.846, holotype

Gobiesox vittatus Metzelaar, 1922: 140.

Antilles

ZMA 104.168, holotype

Lepadichthys minor Briggs, 1955: 137-138.

Indonesia

ZMA 104.162, holotype

LOPHIIFORMES

LOPHIOIDEI

Lophius papillosum Weber, 1913: 558.

Indonesia

ZMA 112.578, holotype

ANTENNARIOIDEI

Antennarius cryptacanthus Weber, 1913: 564.

Indonesia

ZMA 101.874, syntype (1)

ZMA 101.898, syntype (1)

Dibranchus infranudus de Beaufort, 1962: 228-229.

Indonesia

ZMA 101.877, holotype

Halicmetus ruber marmorata Weber, 1913: 566-567.

Indonesia

ZMA 101.893, syntypes (5)

Halieutaea fumosa Alcock, 1894: 5-6.

Bay of Bengal

ZMA 102.167, syntype (1)

Halieutaea indica Annandale & Jenkins, 1910: 19.

India

ZMA 112.980, syntype (1)

Halieutaea stellata vittata Weber, 1913: 566.

Indonesia

ZMA 102.166, syntype (1)

ZMA 102.172, syntypes (5)

ZMA 112.979, syntype (1)

CERATIOIDEI

Linophryne colletti Weber, 1913: 559.

Indonesia

ZMA 101.895, holotype

GADIFORMES

GADOIDEI

Physiculus longifilis Weber, 1913: 178.

Indonesia

ZMA 110.846, syntypes (2)

OPHIDIOIDEI

Dicrolene hubrechtii Weber, 1913: 553.

Indonesia

ZMA 110.840, holotype

Fierasfer sluiteri Weber, 1905: 4.

Indonesia

ZMA 112.679, holotype

Neobythites malayanus Weber, 1913: 554.

Indonesia

ZMA 110.841, syntypes (5)

MACROUROIDEI

Bathygadus dubiosus Weber, 1913: 173-174.

Indonesia

ZMA 114.896, holotype

Coelorhynchus acus Weber, 1913: 160-161.

Indonesia

ZMA 112.682, syntype (1)

ZMA 112.683, syntype (1)

ZMA 112.684, syntype (1)

Coelorhynchus argus Weber, 1913: 161-162.

Indonesia

ZMA 112.468, syntype (1)

ZMA 112.469, syntypes (10)

ZMA 111.498, syntypes (4)

ZMA 111.499, syntypes (8)

Coelorhynchus macrorhynchus Weber, 1913: 162.

Indonesia

ZMA 112.620, holotype

Coryphaenoides sibogae Weber & de Beaufort,

1929: 29.

Indonesia

ZMA 111.489, holotype

Hymenocephalus grimaldii Weber, 1913: 169-170.

Indonesia

ZMA 112.567, syntypes (38)

Macrurus fasciatus Weber, 1913: 157-158.

Indonesia

ZMA 110.451, syntype (1)

ZMA 110.452, syntypes (2)

Macrurus heyningeni Weber, 1913: 156-157.

Indonesia

ZMA 111.495, holotype

Macrurus richardi Weber, 1913: 154-156.

Indonesia

ZMA 110.456, syntype (1)

ZMA 110.447, syntypes (18)

ZMA 110.448, syntype (1)

ZMA 110.449, syntypes (3)

ZMA 110.464, syntype (1)

Macrurus tydemanii Weber, 1913: 158-160.

Indonesia

ZMA 111.490, syntype (1)

ZMA 111.491, syntype (1)

ZMA 111.492, syntype (1)

ZMA 111.493, syntypes (8)

ZMA 111.494, syntype (1)

ATHERINIFORMES

EXOCOETOIDEI

Cypsilurus bilobatus Weber & de Beaufort,

1922: 185-186.

New Guinea

ZMA 109.669, holotype

Cypsilurus brevis Weber & de Beaufort,

1922: 192-193.

Indonesia

ZMA 109.675, syntypes (3)

Hemiramphus archipelagicus Collette & Parin,

1978: 732-737.

Gulf of Siam

ZMA 114.585, paratype (1)

- ZMA 114.586, paratype (1)  
ZMA 114.587, paratype (1)  
ZMA 114.588, paratype (1)  
ZMA 114.589, paratypes (2)  
ZMA 114.600, paratype (1)  
ZMA 114.601, paratypes (5)  
ZMA 114.602, paratypes (4)

Hemiramphus caudovittatus Weber, 1908: 229-230.

- New Guinea  
ZMA 111.488, syntype (1)

Hemiramphus convexus Weber & de Beaufort,  
1922: 159-161.

- Indonesia  
ZMA 109.671, syntypes (2)  
ZMA 109.672, syntype (1)

Hemiramphus orientalis Weber, 1894: 427.

- Indonesia  
ZMA 104.373, syntypes (3)  
ZMA 104.374, syntypes (15)  
ZMA 104.375, syntypes (9)

Hemiramphus (Zenarchopterus) kampeni Weber,  
1913: 554.

- New Guinea  
ZMA 111.487, syntypes (3)

Hemiramphus (Zenarchopterus) novaeguineae Weber,  
1913: 553-554.

- New Guinea  
ZMA 111.479, syntypes (10)  
ZMA 111.480, syntype (1)  
ZMA 111.481, syntype (1)  
ZMA 111.482, syntypes (25)

ZMA 111.483, syntypes (5)

Hemirhamphus knysnaensis Smith, 1933: 144-147.

South Africa

ZMA 114.582, syntypes (6)

Hemirhamphus peitaihoensis van Dam, 1926: 342.

China

ZMA 109.165, syntypes (2)

Nomorhamphus celebensis Weber & de Beaufort,

1922: 141-142.

Indonesia

ZMA 104.376, syntypes (4)

Zenarchopterus beauforti Mohr, 1926: 259-260.

Malaya

ZMA 101.820, syntypes (2)

#### CYPRINODONTOIDEI

Acanthophacelus bifurcus Eigenmann, 1909: 52-53.

(British) Guyana

ZMA 109.208, paratype (1)

Adrianichthys kruyti Weber, 1913: 205-206.

Indonesia

ZMA 100.643, holotype

Astrofundulus stagnalis Schultz, 1949: 88-89.

Venezuela

ZMA 102.130, paratypes (5)

Cyprinodon salinus Miller, 1943: 69-78.

U.S.A., California

ZMA 102.216, paratypes (35)

Cyprinodon variegatus artifrons Hubbs, 1936:  
223-225.

Mexico  
ZMA 101.006, paratypes (5)

Empetrichthys latos latos Miller, 1948: 103-104.  
U.S.A., Nevada  
ZMA 102.240, paratypes (15)

Garmanella pulchra Hubbs, 1936: 219-223.  
Mexico  
ZMA 102.215, paratypes (10)

Haplochilus celebensis Weber, 1894: 426.  
Indonesia  
ZMA 100.567, syntypes (26)  
ZMA 112.585, syntypes (19)

Haplochilus sarasinorum Popta, 1905: 239-247.  
Indonesia  
ZMA 100.648, syntype (1)

Haplochilus timorensis Weber & de Beaufort,  
1922: 373-374.  
Indonesia  
ZMA 100.571, syntypes (8)

Rachovia hummeli de Beaufort, 1940: 4.  
Venezuela  
ZMA 100.401, lectotype, designated by  
Taphorn & Thomerson, 1978: 399.  
ZMA 104.445, paralectotypes (3)

Rivulus agilae Hoedeman, 1954: 202-203.  
Surinam  
ZMA 100.448a, holotype

ZMA 100.448b, paratype (1)  
ZMA 100.449, paratypes (8)

Rivulus cryptocallus Seegers & Huber, 1981:  
170-176.

Martinique

ZMA 112.485, paratypes (12)  
ZMA 112.486, paratypes (8)  
ZMA 112.487, paratypes (4)  
ZMA 112.488, paratypes (4)  
ZMA 112.497, paratypes (7)  
ZMA 112.498, paratypes (2)

Rivulus limoncochae Hoedeman, 1962: 145-150.

Ecuador

ZMA 100.339a, holotype  
ZMA 100.339b, paratypes (2)  
ZMA 101.504, paratypes (22)

Rivulus manaensis Hoedeman, 1961: 61-63.

French Guiana

ZMA 102.252a, holotype  
ZMA 102.252b, paratypes (3)

Rivulus marmoratus bonairensis Hoedeman, 1958:

117-121.

Antilles

ZMA 100.436, holotype  
ZMA 113.369, paratypes (2)  
ZMA 100.385, paratypes (2)  
ZMA 100.386, paratypes (3)  
ZMA 100.387, paratypes (3)  
ZMA 100.388, paratypes (3)  
ZMA 100.389, paratype (1)  
ZMA 100.404, paratypes (3)  
ZMA 100.429, paratype (1)

- ZMA 100.432, paratypes (2)  
ZMA 100.433, paratype (1)  
ZMA 100.435, paratypes (3)  
ZMA 100.437, paratypes (2)  
ZMA 100.380, paratype (1)  
ZMA 100.384, paratypes (2)

Xenopoecilus poptae Weber & de Beaufort, 1922: 379.

- Indonesia  
ZMA 100.644, syntypes (7)

Xiphophorus pygmaeus Hubbs & Gordon, 1943: 31-33.

- Mexico  
ZMA 109.800, paratypes (5)

#### ATHERINOIDEI

Atherinichthys nouhuysi Weber, 1910: 229-230.

- New Guinea  
ZMA 103.175, lectotype, designated by Hoedeman,  
1960: 212-213.  
ZMA 103.176, paralectotypes (10)  
ZMA 103.177, paralectotype (1)  
ZMA 103.178, paralectotypes (8)  
ZMA 103.179, paralectotype (1)  
ZMA 103.180, paralectotype (1)  
ZMA 103.181, paralectotypes (9)

Bedotia geayi Pellegrin, 1907: 205-206.

- Madagascar  
ZMA 112.989, syntypes (2)

Chilatherina axelrodi Allen, 1980: 48-49, 54-55.

- New Guinea  
ZMA 115.400, paratypes (6)

Craterocephalus annator Whitley, 1938: 226.

New Guinea

ZMA 113.080, paratypes (2)

Craterocephalus dalhousiensis Ivantsoff & Glover,

1974: 88-98.

Australia

ZMA 113.370, paratypes (6)

Glossolepis incisus Weber, 1908: 241-242.

New Guinea

ZMA 103.163, lectotype, designated by Hoedeman,  
1960: 213.

ZMA 103.165, paralectotypes (6)

Glossolepis wanamensis Allen & Kailola, 1979: 39-44.

New Guinea

ZMA 116.050, paratypes (2)

Melanorhinus boekei Metzelaar, 1919: 38.

Antilles

ZMA 100.179, syntypes (6)

Melanotaenia dumasi Weber, 1908: 240-241.

New Guinea

ZMA 103.112, lectotype, designated by Hoedeman,  
1960: 213.

ZMA 103.113, paralectotypes (2)

Melanotaenia exquisita Allen, 1978: 97.

Australia

ZMA 115.745, paratypes (7)

Melanotaenia gracilis Allen, 1978: 98.

Australia

ZMA 115.747, paratypes (2)

Melanotaenia herbertaxelrodi Allen, 1980: 31-33,  
68-71, 74.

New Guinea  
ZMA 116.440, paratypes (6)

Melanotaenia maculata Weber, 1908: 239-240.

New Guinea  
ZMA 103.067, lectotype, designated by Hoedeman,  
1960: 213.  
ZMA 110.168, paralectotypes (6)

Melanotaenia monticola Allen, 1980: 43-50.

New Guinea  
ZMA 115.402, paratypes (7)

Melanotaenia multisquamata Weber & de Beaufort,  
1922: 290.

New Guinea  
ZMA 114.469, syntype (1)  
ZMA 103.048, syntypes (24)

Melanotaenia neglecta Rendahl, 1922: 179-182.

Australia  
ZMA 115.168, paratype (1)

Melanotaenia ogilbyi Weber, 1910: 230-232.

New Guinea  
ZMA 103.110, lectotype, designated by Hoedeman,  
1960: 213-214.  
ZMA 103.111, paralectotypes (2)

Melanotaenia parkinsoni Allen, 1980: 43-50.

New Guinea  
ZMA 115.401, paratypes (2)

Melanotaenia pimaensis Allen, 1980: 72-79.

New Guinea  
ZMA 116.439, paratypes (5)

Melanotaenia pygmaea Allen, 1978: 99.

Australia  
ZMA 115.746, paratypes (2)

Popondetta connieae Allen, 1981: 43-46.

New Guinea  
ZMA 116.438, paratypes (10)

Pseudomugil gertrudae Weber, 1911: 23-25.

Indonesia  
ZMA 103.196, paralectotypes (5)  
Lectotype designated by Hoedeman, 1960: 214.

Pseudomugil inconspicuus Roberts, 1978: 53-54.

New Guinea  
ZMA 114.436, paratypes (3)

Pseudomugil novaeguineae Weber, 1908: 232-233.

New Guinea  
ZMA 103.197, lectotype, designated by Hoedeman,  
1960: 214.  
ZMA 110.175, paralectotypes (2)

Pseudomugil paludicola Allen & Moore, 1981: 105-108.

New Guinea  
ZMA 115.399, paratypes (25)

Rhadinocentrus ornatus Regan, 1914: 280-281.

Australia  
ZMA 115.168, syntype (1)

Rhombattractus affinis Weber, 1908: 234-235.

New Guinea

ZMA 103.157, lectotype, designated by Hoedeman,  
1960: 214.

ZMA 110.154, paralectotypes (13)

ZMA 103.158, paralectotypes (5)

ZMA 103.159, paralectotypes (39)

Rhombattractus catherinae de Beaufort, 1910: 250-252.

New Guinea

ZMA 103.143, lectotype, designated by Hoedeman,  
1960: 214-215.

ZMA 103.144, paralectotypes (10)

ZMA 103.145, paralectotypes (146)

ZMA 110.153, paralectotype (1)

ZMA 110.155, paralectotypes (7)

Rhombattractus crassispinosus Weber, 1913: 567-568.

New Guinea

ZMA 103.104, lectotype, designated by Hoedeman,  
1960: 215.

ZMA 103.105, paralectotypes (5)

ZMA 103.106, paralectotypes (12)

ZMA 103.107, paralectotypes (4)

ZMA 103.108, paralectotypes (2)

ZMA 110.156, paralectotype (1)

ZMA 110.161, paralectotypes (8)

Rhombattractus fasciatus Weber, 1913: 565-567.

New Guinea

ZMA 103.103, lectotype, designated by Hoedeman,  
1960: 215.

ZMA 103.097, paralectotype (1)

ZMA 103.100, paralectotypes (2)

ZMA 103.101, paralectotype (1)

Rhombattractus kochi Weber, 1908: 237-238.

New Guinea

ZMA 103.151, lectotype, designated by Hoedeman,  
1960: 215.

ZMA 103.128, paralectotypes (6)

ZMA 110.162, paralectotypes (3)

Rhombattractus lorentzi Weber, 1908: 236-237.

New Guinea

ZMA 103.146, lectotype, designated by Hoedeman,  
1960: 216.

ZMA 110.157, paralectotypes (24)

Rhombattractus patoti Weber, 1907: 403-404.

Indonesia

ZMA 103.199, lectotype, designated by Hoedeman,  
1960: 216.

ZMA 103.156, paralectotypes (3)

Rhombattractus praecox Weber & de Beaufort,

1922: 298-299.

New Guinea

ZMA 103.142, lectotype, designated by Hoedeman,  
1960: 216.

ZMA 103.051, paralectotypes (35)

ZMA 110.165, paralectotypes (20)

Rhombattractus senckenbergianus Weber, 1911: 25-27.

Indonesia

ZMA 103.136, paralectotype (1)

Lectotype designated by Hoedeman, 1960: 216.

Rhombattractus sentaniensis Weber, 1908: 235-236.

New Guinea

ZMA 103.093, lectotype, designated by Hoedeman,  
1960: 216-217.

ZMA 110.164, paralectotypes (65)

Rhombatractus vanheurni Weber & de Beaufort,  
1922: 299-300.

New Guinea

ZMA 103.137, lectotype, designated by Hoedeman,  
1960: 217.

ZMA 103.046, paralectotypes (77)

ZMA 103.138, paralectotypes (20)

ZMA 103.162, paralectotypes (7)

ZMA 103.166, paralectotypes (11)

Telmatherina abendanoni Weber, 1913: 208-209.

Indonesia

ZMA 103.195, lectotype, designated by Hoedeman,  
1960: 217.

ZMA 110.176, paralectotype (1)

Telmatherina bonti Weber & de Beaufort,  
1922: 280-281.

Indonesia

ZMA 110.177, syntype (1)

ZMA 110.178, syntype (1)

#### BERYCIFORMES

##### STEPHANOBERYCOIDEI

Melamphaes malayanus Weber, 1913: 187-188.

Indonesia

ZMA 112.432, syntype (1)

ZMA 112.433, syntype (1)

Melamphaes polylepis Ebeling, 1962: 43-46.

Indonesia

ZMA 100.442, paratype (1)

#### BERYCOIDEI

Leiogaster melanopus Weber, 1913: 180.

Indonesia

ZMA 110.826, lectotype, designated by Karrer,  
1973: 229-230.

ZMA 109.297, paralectotype (1)

ZMA 110.823, paralectotypes (3)

ZMA 110.824, paralectotypes (4)

ZMA 110.825, paralectotypes (11)

ZEIFORMES

Antigonia malayana Weber, 1913: 299-300.

Indonesia

ZMA 113.012, syntypes (5)

ZMA 113.092, syntypes (6)

Cyttomimus affinis Weber, 1913: 298.

Indonesia

ZMA 112.445, holotype

Cyttula macropus Weber, 1913: 411-412.

Indonesia

ZMA 102.357, syntype (1)

ZMA 102.358, syntypes (4)

GASTEROSTEIFORMES

AULOSTOMOIDEI

Macrorhamphosus schoteli Weber, 1909: 76-77.

Uruguay

ZMA 113.006, holotype

SYNGNATHOIDEI

Apterygocampus epinnulatus Weber, 1913: 116.

Indonesia

ZMA 112.621, holotype

Doryichthys caudocarinatus Weber, 1908: 229.

New Guinea

ZMA 112.676, holotype

Doryrhamphus brevidorsalis de Beaufort, 1913: 103.

Indonesia

ZMA 109.184, holotype

Hippocampus spinosissimus Weber, 1913: 120.

Indonesia

ZMA 104.655, syntypes (2)

Ichthyocampus kampeni Weber, 1913: 114-115.

Indonesia

ZMA 112.596, syntype (1)

ZMA 112.597, syntypes (4)

ZMA 112.598, syntype (1)

ZMA 112.599, syntype (1)

ZMA 112.600, syntype (1)

Nannocampus weberi Duncker, 1915: 99.

Indonesia

ZMA 104.659, holotype

Solenostomus armatus Weber, 1913: 103-105.

Indonesia

ZMA 112.629, syntypes (2)

Syngnathus corrugatus Weber, 1913: 112-113.

Indonesia

ZMA, holotype, not traced

Syngnathus crenulatus Weber, 1913: 109-110.

Indonesia

ZMA 112.627, syntypes (2)

Syngnathus dunckeri Metzelaar, 1919: 28.

Antilles

ZMA 113.100, syntypes (2)

ZMA 113.101, syntypes (9)

Syngnathus punctatus Weber, 1913: 113.

Indonesia

ZMA 112.623, holotype

Syngnathus uncinatus Weber, 1913: 110-111.

Indonesia

ZMA 112.622, holotype

SCORPAENIFORMES

SCORPAENOIDEI

Cocotropus dezwaani Weber & de Beaufort, 1915:

11-12.

Indonesia

ZMA 100.169, holotype

Cocotropus obbesi Weber, 1913: 503.

Indonesia

ZMA 110.243, holotype

Cottunculus gyrinoides Weber, 1913: 505-506.

Indonesia

ZMA 108.188, syntype (1)

ZMA 108.189, syntype (1)

Paracentropogon aeglefinus Weber, 1913: 500-501.

Indonesia

ZMA 110.234, syntypes (2)

ZMA 110.235, syntypes (4)

- ZMA 110.236, syntypes (5)  
ZMA 110.237, syntype (1)  
ZMA 110.240, syntypes (2)

Paracentropogon cynocephalus Weber, 1913: 501.

- Indonesia  
ZMA 110.231, syntype (1)  
ZMA 110.232, syntypes (2)  
ZMA 110.233, syntype (1)

Paracentropogon pleurostigma Weber, 1913: 499-500.

- New Guinea  
ZMA 110.229, syntype (1)  
ZMA 110.230, syntypes (6)

Peristedionnierstraszi Weber, 1913: 514-515.

- Indonesia  
ZMA 112.441, syntypes (2)  
ZMA 112.442, syntype (1)

Peristedionundulatum Weber, 1913: 513-514.

- Indonesia  
ZMA 112.440, holotype

Prosopodasyszonatus Weber, 1913: 502-503.

- Indonesia  
ZMA 110.238, syntype (1)  
ZMA 110.239, syntype (1)

Scorpaenabalofasciata Metzelaar, 1919: 145.

- Antilles  
ZMA 110.242, syntype (1)

Scorpaenatredecimspinosa Metzelaar, 1919: 146.

- Antilles  
ZMA 113.332, lectotype, designated by Eschmeyer,

1969: 86.  
ZMA 110.241, paratypes (2)

Scorpaenopsis simulata de Beaufort, 1962: 19-21.

Indonesia  
ZMA 110.244, holotype

PLATYCEPHALOIDEI

Platycephalus grandisquamis Weber, 1913: 509-510.  
New Guinea  
ZMA 112.434, syntypes (3)

Platycephalus horai de Beaufort, 1956: 83-85.  
New Guinea  
ZMA 112.435, syntypes (2)

Platycephalus macrocephalus Weber, 1913: 508-509.  
Indonesia  
ZMA 112.436, syntype (1)  
ZMA 112.437, syntypes (4)  
ZMA 112.438, syntype (1)  
ZMA 112.439, syntype (1)

PERCIFORMES  
PERCOIDEI

Abudedefduf filifer Weber, 1913: 348-349.  
Indonesia  
ZMA 109.435, holotype

Abudedefduf hemicyaneus Weber, 1913: 351.  
Indonesia  
ZMA 109.437, syntypes (3)

Aequidens potaroensis Eigenmann, 1912: 490-491.

(British) Guyana  
ZMA 111.427, paratypes (2)

Ambassis confinis confinis Weber, 1913: 577-579.

New Guinea  
ZMA 112.396, syntype (1)  
ZMA 112.397, syntype (1)  
ZMA 112.398, syntypes (2)  
ZMA 112.399, syntypes (5)

Ambassis confinis occidentalis Weber & de Beaufort,  
1929: 240.

New Guinea  
ZMA 109.467, syntypes (2)  
ZMA 109.469, syntypes (2)  
ZMA 112.399, syntypes (5)

Ambassis interrupta reticulatus Weber, 1913:  
574-576.

New Guinea  
ZMA 112.388, syntypes (5)  
ZMA 112.389, syntypes (11)  
ZMA 112.390, syntypes (2)  
ZMA 112.391, syntypes (3)  
ZMA 112.392, syntypes (34)  
ZMA 112.393, syntypes (5)

Anisochaetodon trivirgatus Weber & de Beaufort,  
1936: 101-103.  
Indonesia (erroneous, probably western Atlantic)  
ZMA 113.095, holotype

Apistogramma cacatuoides Hoedeman, 1951: 1-4.

Surinam  
ZMA 100.033a, holotype  
ZMA 100.033b, paratype (1)

Apistogramma nijsseni Kullander, 1979: 937-945.

Peru

ZMA 116.054, paratype (1)

Apistogramma resticulosa Kullander, 1980: 157-164.

Brazil

ZMA 116.177, holotype

ZMA 114.270, paratypes (3)

ZMA 114.277, paratype (1)

Apogon argyrogaster Weber, 1909: 159-160.

New Guinea

ZMA 101.075, syntypes (2)

Apogon beauforti Weber, 1908: 246-247.

New Guinea

ZMA 101.120, syntypes (49)

Apogon bilaciniatus Weber, 1909: 161-162.

Indonesia

ZMA 101.280, syntypes (4)

Apogon brevicaudatus Weber, 1909: 158-159.

Indonesia

ZMA 101.127, syntypes (2)

Apogon dammermani Weber & de Beaufort, 1929: 338.

New Guinea

ZMA 101.144, holotype

Apogon gjellerupi Weber & de Beaufort, 1929: 285-286.

New Guinea

ZMA 101.164, syntypes (7)

ZMA 101.165, syntypes (2)

ZMA 101.166, syntype (1)

ZMA 101.167, syntypes (3)

ZMA 101.168, syntypes (2)

ZMA 101.169, syntypes (9)

ZMA 101.333, syntype (1)

Apogon heurni Weber & de Beaufort, 1929: 286-287.

New Guinea

ZMA 101.172, syntypes (2)

ZMA 101.173, syntypes (17)

Apogon ocellatus Weber, 1913: 231-232.

Indonesia

ZMA 101.255, syntypes (2)

ZMA 101.259, syntype (1)

ZMA 101.273, syntype (1)

Apogon sandei Weber, 1908: 247.

New Guinea

ZMA 101.300, syntypes (5)

Apogon trifasciatus Weber, 1913: 580-581.

New Guinea

ZMA 101.319, syntypes (3)

ZMA 101.322, syntype (1)

ZMA 101.323, syntypes (9)

Apogon tubulatus Weber, 1909: 160-161.

New Guinea

ZMA 101.328, syntype (1)

ZMA 101.329, syntype (1)

ZMA 101.330, syntype (1)

Apogon wichmanni Weber, 1908: 248-249.

New Guinea

ZMA 101.335, syntypes (5)

ZMA 101.336, syntypes (8)

ZMA 101.337, syntype (1)

ZMA 101.338, syntypes (2)

Bathyclupea malayana Weber, 1913: 193-194.

Indonesia

ZMA 112.443, syntype (1)

ZMA 112.444, syntype (1)

Cheilodipterus subulatus Weber, 1909: 164-165.

Indonesia

ZMA 101.379, holotype

Chelidoperca margaritifera Weber, 1913: 207-208.

Indonesia

ZMA 101.029, holotype

Chromis natalensis Weber, 1897: 147.

South Africa

ZMA 101.440, lectotype, designated by Matthes,  
1964: 181.

ZMA 101.441, paralectotypes (5)

Chromis philander Weber, 1897: 148-149.

South Africa

ZMA 100.175, lectotype, designated by Matthes,  
1964: 182.

ZMA 111.417, paralectotypes (8)

ZMA 111.418, paralectotypes (3)

ZMA 111.419, paralectotypes (28)

ZMA 111.420, paralectotype (1)

ZMA 111.421, paralectotypes (11)

Chromis retrofasciatus Weber, 1913: 359-360.

Indonesia

ZMA 111.416, holotype

Crenicichla alta Eigenmann, 1912: 516-517.

(British) Guyana  
ZMA 100.244, paratype (1)

Foa fistulosa Weber, 1909: 162.  
Indonesia  
ZMA, syntypes (9), not traced

Foa longimana Weber, 1909: 148-149.  
Indonesia  
ZMA 112.203, holotype

Helotes lorentzi Weber, 1910: 236-237.  
New Guinea  
ZMA 112.446, syntype (1)  
ZMA 112.447, syntype (1)

Heterogramma ortmanni Eigenmann, 1912: 506-507.  
(British) Guyana  
ZMA 114.895, paratypes (2)

Lethrinus carinatus Weber, 1913: 289-291.  
Indonesia and New Guinea  
ZMA 111.064, syntype (1)  
ZMA 112.619, syntype (1)

Nematochromis annae Weber, 1913: 265.  
Indonesia  
ZMA 112.450, syntype (1)  
ZMA 112.451, syntype (1)

Pomacentrus analis xanthus Metzelaar, 1919: 98-99.  
Antilles  
ZMA 100.660, holotype

Pomacentrus fasciatus intermedia Weber,  
1913: 340-341.

Indonesia

ZMA 114.611, holotype

ZMA 114.612, paratypes (2)

Pomacentrus nigromanus Weber, 1913: 338-339.

Indonesia

ZMA 112.626, holotype

Pristipoma boschmae Metzelaar, 1919: 83-84.

Antilles

ZMA 112.928, holotype

Pteranthias longimanus Weber, 1913: 209-210.

Indonesia

ZMA 113.364, lectotype, designated by Randall,  
1980: 149.

ZMA 100.475, paralectotype (1)

ZMA 100.476, paralectotype (1)

ZMA 100.477, paralectotypes (2)

ZMA 100.478, paralectotype (1)

Rhabdamia clupeiformes Weber, 1909: 165-166.

Indonesia

ZMA 112.204, syntypes (2)

ZMA 112.205, syntypes (10)

ZMA 112.207, syntype (1)

Rhabdamia cypselurus Weber, 1909: 167-168.

Indonesia

ZMA 112.206, syntypes (13)

Scolopsis dubiosus Weber, 1913: 282-283.

Indonesia

ZMA 114.483, syntype (1)

ZMA 114.484, syntype (1)

Scolopsis elongatus Weber, 1913: 281-282.

Indonesia

ZMA 113.093, syntypes (3)

Serranus dewegeri Metzelaar, 1919: 52-53.

Venezuela

ZMA 113.104, syntype (1)

Siphania tubifer Weber, 1909: 168-169.

Indonesia

ZMA 112.200, syntypes (3)

Sphenanthias sibogae Weber, 1913: 211-212.

Indonesia

ZMA 112.568, syntypes (4)

Synagrops malayanus Weber, 1913: 196-197.

Indonesia

ZMA 112.452, syntype (1)

ZMA 112.453, syntype (1)

ZMA 112.454, syntype (1)

Therapon habbemai Weber, 1910: 234-236.

New Guinea

ZMA 112.455, syntypes (7)

ZMA 112.456, syntypes (22)

ZMA 112.457, syntypes (2)

ZMA 112.458, syntype (1)

ZMA 112.459, syntypes (2)

Therapon obtusifrons Mees & Kailola, 1977: 63-68.

New Guinea

ZMA 114.203, holotype

ZMA 112.781, paratypes (13)

Therapon roemerii Weber, 1910: 233-234.

New Guinea

ZMA 104.730, syntype (1)

ZMA 104.731, syntype (1)

Toxotes lorentzi Weber, 1910: 232-233.

New Guinea

ZMA 112.449, lectotype, designated by Allen,  
1978: 371-372.

ZMA 114.451, paralectotype (1)

Umbrina gracilicirrhus Metzelaar, 1919: 72.

Venezuela

ZMA 113.103, holotype

#### MUGILOIDEI

Aeschrichthys goldiei Macleay, 1883: 2-6.

New Guinea

ZMA 115.795, paratype (1)

Myxus calancalae de Beaufort, 1940: 6.

Venezuela

ZMA 112.930, syntypes (6)

#### POLYNEMOIDEI

Polynemus longipectoralis Weber & de Beaufort,

1922: 213-214.

Indonesia

ZMA 112.570, holotype

#### LABROIDEI

Callyodon verweyi de Beaufort, 1940: 298-299.

Indonesia

ZMA 112.286, holotype

Cheilinus cingulatus Weber, 1913: 365-366.

Indonesia

ZMA 111.496, syntype (1)

ZMA 111.497, syntype (1)

Doratonotus boekei Metzelaar, 1919: 107-108.

Antilles

ZMA 113.102, syntype (1)

Parabodianus rutteni de Beaufort, 1940: 51.

Indonesia

ZMA 113.094, holotype

Pseudojulis trifasciatus Weber, 1913: 380-381.

Indonesia

ZMA 112.465, syntypes (2)

ZMA 112.466, syntype (1)

ZMA 112.467, syntype (1)

#### TRACHINOIDEI

Apodocreedia vanderhorsti de Beaufort, 1948:

476-478.

Mozambique

ZMA 112.581, syntypes (2)

Chalixodytes tauensis Schultz, 1943: 263-264.

Samoa

ZMA 112.978, paratypes (2)

Chiasmodon braueri Weber, 1913: 147-148.

Indonesia

ZMA 112.462, holotype

Crystallodytes cookei enderburyensis Schultz,

1943: 264-266.

Phoenix Islands  
ZMA 110.014, paratypes (2)

Neopercis striolata Weber, 1913: 520-521.  
Indonesia  
ZMA 112.463, holotype

Odontonema kerberti Weber, 1913: 149.  
Indonesia  
ZMA 104.006, holotype

Opistognathus versluysi Weber, 1913: 261-262.  
Indonesia  
ZMA 112.990, syntype (1)  
ZMA 112.628, syntype (1)

BLENNIOIDEI

Acanthemblemaria spinosa Metzelaar, 1919: 159.  
Antilles  
ZMA 102.156, holotype

Alticus semicrenatus Chapman, in de Beaufort,  
1951: 270-272.  
New Guinea  
ZMA 112.464, paratypes (2)

Alticus triangulus Chapman, in de Beaufort,  
1951: 269-270.  
Indonesia  
ZMA 112.903, paratype (1)

Andamia cyclocheilus Weber, 1909: 143-144.  
Indonesia  
ZMA 109.061, holotype

Blennius niger Metzelaar, 1919: 290.

Mauritania

ZMA 102.170, holotype

Blennius riodourensis Metzelaar, 1919: 291.

Mauritania

ZMA 102.173, holotype

Brannerella sluiteri Metzelaar, 1919: 155-156.

Antilles

ZMA 112.908, syntype (1)

Enchelyurus flavipes nigerrima Weber, 1913: 545.

Indonesia

ZMA 112.678, syntypes (2)

Gibbonsia metzi ferventer Hubbs, 1952: 124-126.

Mexico

ZMA 100.215, paratype (1)

Haliopsis malayanus Weber, 1909: 145-146.

Indonesia

ZMA 112.577, syntypes (8)

Histioclinus veliger Metzelaar, 1919: 157-158.

Antilles

ZMA 102.174, syntypes (11)

Petroscirtes fluctuans Weber, 1909: 146-147.

Indonesia

ZMA 109.338, syntype (1)

ZMA 109.339, syntype (1)

ZMA 109.340, syntype (1)

Petroscirtes kochi Weber, 1908: 263.

New Guinea

ZMA 109.102, syntypes (2)

Salarias bleekeri Chapman, in de Beaufort,  
1951: 338-340.

Indonesia

ZMA 112.902, paratypes (7)

ZMA 109.115, paratypes (2)

Salarias crenulatus Weber, 1909: 144-145.

Indonesia

ZMA 109.062, syntype (1)

ZMA 109.063, syntype (1)

Tripterygion callionymi Weber, 1909: 147-148.

Indonesia

ZMA 112.501, syntypes (2)

ZMA 112.502, syntype (1)

ZMA 112.503, syntypes (2)

ZMA 112.504, syntype (1)

ZMA 112.505, syntype (1)

ZMA 112.506, syntype (1)

Tripterygion fasciatum Weber, 1909: 148-149.

Indonesia

ZMA 112.507, syntype (1)

ZMA 112.508, syntypes (2)

Tripterygion gymnauchen Weber, 1909: 149.

Indonesia

ZMA 112.509, holotype

#### CALLIONYMOIDEI

Callionymus annulatus Weber, 1913: 523-524.

Indonesia

ZMA 112.574, syntype (1)

ZMA 112.575, syntype (1)

Callionymus boekei Metzelaar, 1919: 149-150.

Antilles

ZMA 112.907, holotype

Callionymus sanctieustatii Metzelaar, 1919: 150-151.

Antilles

ZMA 112.906, holotype

#### GOBIOIDEI

Bostrychus aruensis Weber, 1911: 44.

Indonesia

ZMA 110.942, syntypes (2)

Bostrychus zonatus Weber, 1908: 259.

New Guinea

ZMA 111.764, syntypes (12)

ZMA 111.765, syntypes (2)

Callogobius centrolepis Weber, 1909: 157.

Indonesia

ZMA 111.745, holotype

Dormitator lophocephalus Hoedeman, 1951: 1-5.

Surinam

ZMA 100.061a, holotype

ZMA 100.061b, paratype (1)

Eleotris aruensis Weber, 1911: 33.

Indonesia

ZMA 110.973, syntypes (2)

Eleotris fimbriatus Weber, 1908: 254-255.

New Guinea

ZMA 111.814, holotype

Eleotris herwerdenii Weber, 1910: 238-240.

New Guinea

- ZMA 112.931, syntype (1)  
ZMA 112.932, syntype (1)  
ZMA 112.933, syntypes (2)  
ZMA 112.934, syntypes (2)  
ZMA 112.936, syntype (1)  
ZMA 112.937, syntype (1)  
ZMA 112.938, syntypes (5)

Eleotris heterodon Weber, 1908: 255-256.

New Guinea

- ZMA 112.072, syntype (1)  
ZMA 112.073, syntype (1)  
ZMA 112.074, syntypes (7)

Eleotris mertoni Weber, 1911: 33-34.

Indonesia

- ZMA 112.659, syntype (1)

Eleotris nesolepis Weber, 1908: 256-257.

New Guinea

- ZMA 110.970, syntypes (3)  
ZMA 110.971, syntypes (11)

Evermannichthys metzelaari Hubbs, 1923: 1-2.

Antilles

- ZMA 103.169, syntypes (6)

Eviota gymnocephalus Weber, 1913: 452-453.

Indonesia

- ZMA 110.965, lectotype, designated by Lachner  
& Karnella, 1980: 75.  
ZMA 110.957, paralectotypes (5)

ZMA 110.958, paralectotypes (5)  
ZMA 110.959, paralectotype (1)  
ZMA 110.960, paralectotypes (4)  
ZMA 110.961, paralectotype (1)  
ZMA 110.962, paralectotypes (4)  
ZMA 110.963, paralectotype (1)  
ZMA 110.964, paralectotype (1)  
ZMA 110.966, paralectotypes (5)  
ZMA 110.967, paralectotype (1)  
ZMA 110.968, paralectotypes (2)

Gobiosoma horsti Metzelaar, 1922: 139.

Antilles

ZMA 101.446, syntypes (2)

Gobius alcockii Annandale, 1906: 201-202.

India

ZMA 114.487, syntypes (3)

Gobius amadi Weber, 1913: 211.

Indonesia

ZMA 112.664, syntypes (9)

Gobius beauforti Weber, 1908: 261.

New Guinea

ZMA 110.943, syntype (1)

ZMA 110.944, syntypes (2)

Gobius bicirrhosus Weber, 1894: 412.

Indonesia

ZMA 110.979, syntypes (8)

Gobius cavifrons Weber, 1909: 152-153.

Indonesia

ZMA 112.616, syntypes (43)

Gobius curacao Metzelaar, 1919: 136.

Antilles

ZMA 111.890, syntypes (25)

Gobius dewaali Weber, 1897: 145-146.

South Africa

ZMA 103.238, lectotype, designated by Matthes,  
1964: 181.

ZMA 103.239, paralectotypes (5)

ZMA 103.240, paralectotypes (11)

ZMA 103.272, paralectotype (1)

Gobius hipoliti Metzelaar, 1922: 138-139.

Antilles

ZMA 110.974, holotype

Gobius labiatus Weber, 1913: 470-471.

Indonesia

ZMA 112.904, syntype (1)

Gobius longimanus Weber, 1909: 154-155.

Indonesia

ZMA 110.978, holotype

Gobius matanensis Weber, 1913: 209-211.

Indonesia

ZMA 112.665, syntypes (6)

ZMA 112.666, syntypes (5)

Gobius mertoni Weber, 1911: 37-38.

Indonesia

ZMA 112.660, syntype (1)

Gobius notonema Weber, 1909: 154.

Indonesia

ZMA 112.905, holotype

Gobius ophthalmicus Weber, 1909: 150.

Indonesia

ZMA 111.886, syntypes (3)

Gobius oyensi de Beaufort, 1913: 137-138.

Indonesia

ZMA 108.049, syntype (1)

ZMA 110.110, syntype (1)

ZMA 113.263, syntype (1)

Gobius reticularis Weber, 1911: 39.

Indonesia

ZMA 112.661, syntype (1)

Gobius roemerii Weber, 1911: 39-40.

Indonesia

ZMA 110.976, syntype (1)

Gobius rouxi Weber, 1911: 40-41.

Indonesia

ZMA 112.662, syntypes (2)

ZMA 112.663, syntypes (2)

Gobius scapulopunctatus de Beaufort, 1912: 137-139.

New Guinea

ZMA 111.885, syntypes (2)

Gobius senegambiensis Metzelaar, 1919: 282.

Mauritania

ZMA 110.991, holotype

ZMA 104.124, paratypes (6)

Gobius stigmatophorus de Beaufort, 1912: 136-137.

New Guinea

ZMA 111.983, holotype

Gobius triangularis Weber, 1909: 150-151.

Indonesia

ZMA 111.562, syntypes (2)

Gobius uronema Weber, 1909: 153-154.

Indonesia

ZMA 111.336, syntypes (2)

Gobius villosus Weber, 1909: 151-152.

Indonesia

ZMA 110.945, holotype

Microgobius lacustris Herre, 1927: 93-94.

Philippines

ZMA 115.798, syntypes (5)

Oxyeleotris urophthalmus novaeguinea Koumans,

1936: 130.

New Guinea

ZMA 104.113, syntypes (7)

Oxyurichthys jaarmanni Weber, 1913: 601.

New Guinea

ZMA 110.977, holotype

Oxyurichthys laterisquamatus Weber, 1908: 261-262.

New Guinea

ZMA 116.477, syntypes (2)

Oxyurichthys nijsseni Menon & Govindan, 1976:

13-15.

India

ZMA 115.270, paratypes (2)

Parioglossus borneensis Koumans, 1953: 363-364.

Indonesia

- ZMA 110.139, holotype  
ZMA 110.140, paratype (1)

Periophthalmus cantonensis novaeguineensis  
Eggert, 1935: 61.

- New Guinea  
ZMA 112.943, syntype (1)  
ZMA 112.944, syntypes (2)  
ZMA 112.945, syntypes (22)

Periophthalmus dipus angustiformis Eggert,  
1935: 89-90.

- Indonesia  
ZMA 113.218, syntypes (2)

Periophthalmus vulgaris vulgaris Eggert,  
1935: 81-83.

- New Guinea  
ZMA 100.077, paratypes (2)  
ZMA 100.080, paratypes (3)  
ZMA 100.101, paratypes (3)  
ZMA 109.812, paratype (1)  
ZMA 110.082, paratype (1)  
ZMA 110.088, paratype (1)  
ZMA 113.696, paratype (1)  
ZMA 113.701, paratypes (6)  
ZMA 113.703, paratypes (12)  
ZMA 113.710, paratype (1)  
ZMA 113.719, paratypes (2)  
ZMA 113.737, paratypes (5)  
ZMA 114.477, paratype (1)

Periophthalmus weberi Eggert, 1935: 55-56.

- New Guinea  
ZMA 100.079, syntypes (3)  
ZMA 100.097, syntypes (4)

- ZMA 109.805, syntype (1)  
ZMA 112.939, syntypes (5)  
ZMA 112.940, syntypes (2)  
ZMA 112.941, syntype (1)  
ZMA 112.942, syntypes (5)

Pleurosicya boldinghi Weber, 1913: 457.

- New Guinea  
ZMA 100.209, syntypes (3)  
ZMA 112.576, syntype (1)

Pogoneleotris microps Weber, 1908: 258.

- New Guinea  
ZMA 112.084, syntypes (16)  
ZMA 112.086, syntype (1)

Quisquilius macrourus Weber, 1909: 156-157.

- Indonesia  
ZMA 110.952, holotype

Quisquilius profundus Weber, 1909: 155-156.

- Indonesia  
ZMA 110.950, syntype (1)  
ZMA 110.951, syntypes (3)

Schismatogobius brunnisi de Beaufort, 1912:

139-140.

- Indonesia  
ZMA 111.196, holotype

Sicydium wickmanni Weber, 1894: 413-414.

- Indonesia  
ZMA 111.274, lectotype, designated by Koumans,  
1953: 226.  
ZMA 111.275, paralectotypes (6)  
ZMA 111.276, paralectotypes (5)

ZMA 111.277, paralectotypes (2)

Sicyopterus brevis de Beaufort, 1912: 141-142.

Indonesia

ZMA 110.981, syntypes (2)

Sicyopterus longifilis de Beaufort, 1912:

140-141.

Indonesia

ZMA 112.562, syntypes (2)

Sicyopterus ouwensi Weber, 1913: 602.

New Guinea

ZMA 112.564, syntype (1)

ZMA 112.565, syntypes (2)

Sicyopterus sarasini Weber & de Beaufort, 1915: 40.

New Caledonia

ZMA 108.025, syntype (1)

Sicyopus multisquamatus de Beaufort, 1912: 142-143.

Indonesia

ZMA 110.982, holotype

Stiphodon semoni Weber, 1895: 270.

Indonesia

ZMA 110.972, syntypes (6)

Taenioides coecus Weber, 1913: 486.

Indonesia

ZMA 109.813, syntype (1)

ZMA 109.843, syntypes (3)

Xenogobius weberi Metzelaar, 1919: 140-141.

Antilles

ZMA 110.990, holotype

ACANTHUROIDEI

Hepatus weberi Ahl, 1923: 37.

Indonesia

ZMA 116.476, syntypes (2)

SCOMBROIDEI

Ruvettus tydemani Weber, 1913: 401-404.

Indonesia

ZMA 109.999, holotype

ANABANTOIDEI

Betta patoti Weber & de Beaufort, 1922: 359-360.

Indonesia

ZMA 112.510, syntype (1)

ZMA 112.511, syntype (1)

ZMA 112.512, syntypes (2)

ZMA 112.513, syntypes (3)

Betta splendens Regan, 1908: 782.

Malaya

ZMA 114.490, syntype (1)

Parophiocephalus unimaculatus Popta, 1905: 184-185.

Indonesia

ZMA 114.486, syntype (1)

MASTACEMBELOIDEI

Mastacembelus billitonensis de Beaufort, 1939:

194-195.

Indonesia

ZMA 111.583, syntypes (3)

PLEURONECTIFORMES  
PLEURONECTOIDEI

Anticitharus annulatus Weber, 1913: 433-434.

Indonesia

ZMA 109.413, syntypes (2)

ZMA 109.414, syntype (1)

Arnoglossus elongatus Weber, 1913: 431.

Indonesia

ZMA 109.391, syntypes (3)

Arnoglossus profundus Weber, 1913: 430.

Indonesia

ZMA 109.393, syntype (1)

ZMA 109.394, syntype (1)

Lepidoblepharon ophthalmolepis Weber, 1913: 422.

Indonesia

ZMA 109.386, holotype

Nematops grandisquama Weber & de Beaufort, 1929:

134-136.

Indonesia

ZMA 112.647, syntypes (4)

Platophrys microstoma Weber, 1913: 427-428.

Indonesia

ZMA 109.389, holotype

Pseudorhombus affinis Weber, 1913: 426-427.

Indonesia

ZMA 109.392, syntypes (3)

Pseudorhombus argus Weber, 1913: 425-426.

Indonesia

ZMA 109.385, holotype

Pseudorhombus quinquocellatus Weber & de Beaufort,  
1929: 104-105.

Indonesia

ZMA 112.569, lectotype, designated by Norman,  
1934: 101.

ZMA 109.328, paralectotype (1)

Samariscus huysmani Weber, 1913: 420-421.

Indonesia

ZMA 109.324, holotype

Samariscus sunieri Weber & de Beaufort, 1929: 141.

Indonesia

ZMA 109.317, syntypes (9)

#### SOLEOIDEI

Achirus abnormis Weber & de Beaufort, 1929: 163-164.

Indonesia

ZMA 109.466, holotype

Aphoristia microrhynchus Weber, 1913: 444-445.

Indonesia

ZMA 108.193, holotype

Aseraggodes dubius Weber, 1913: 438-439.

Indonesia

ZMA 109.390, holotype

Aseraggodes filiger Weber, 1913: 436-437.

Indonesia

ZMA 109.387, holotype

Aseraggodes microlepidotus Weber, 1913: 438.

Indonesia  
ZMA 109.405, holotype

Aseraggodes texturatus Weber, 1913: 437.

Indonesia  
ZMA 109.388, holotype

Compsomidiana medium Chabanaud, 1951: 1-10.

Indonesia  
ZMA 100.245a, holotype  
ZMA 100.245b, paratype (1)

Cynoglossus beauforti Chabanaud, 1951: 1-4.

Indonesia  
ZMA 108.001, holotype

Cynoglossus heterolepis Weber, 1910: 237-238.

New Guinea  
ZMA 109.408, syntype (1)  
ZMA 109.409, syntypes (6)  
ZMA 109.410, syntypes (2)  
ZMA 109.411, syntype (1)

Cynoglossus sibogae Weber, 1913: 442.

Indonesia  
ZMA 100.177, lectotype, designated by Menon,  
1977: 44.  
ZMA 100.176, paralectotype (1)

Pardachirus klunzingeri Weber, 1908: 250.

New Guinea  
ZMA 109.407, holotype

Solea vermeuleni Metzelaar, 1919: 279-280.

Mauritania  
ZMA 112.927, holotype

Syphurus fallax Chabanaud, 1957: 183-185.

Indonesia

ZMA 100.273, holotype (not returned by  
Chabanaud)

Syphurus regani Weber & de Beaufort, 1929: 210.

Indonesia

ZMA 100.246, lectotype, designated by Chabanaud,  
1955: 44.

ZMA 100.247, paralectotype (1)

ZMA 100.248, paralectotype (1)

ZMA 100.249, paralectotype (1)

ZMA 100.250, paralectotype (1)

Syphurus vittatus Weber, 1908: 250-251.

New Guinea

ZMA 100.172, holotype

Synaptura villosa Weber, 1908: 251-252.

New Guinea

ZMA 108.181, syntype (1)

ZMA 108.182, syntypes (2)

TETRAODONTIFORMES

BALISTOIDEI

Aluterus blankerti Metzelaar, 1919: 295-296.

Mauritania

ZMA 102.359, syntypes (2)

Halimochirurgus alcocki Weber, 1913: 571-573.

Indonesia

ZMA 104.123, holotype

Tydemania navigatoris Weber, 1913: 571.

Indonesia

ZMA 104.643, holotype

TETRAODONTOIDEI

Chilomycterus briareos Metzelaar, 1919: 173.

Antilles

ZMA 102.164, holotype

Chilomycterus hardenbergi de Beaufort, 1939: 33-34.

New Guinea

ZMA 108.475, holotype

Sphoeroides meraukensis de Beaufort, 1955: 53.

New Guinea

ZMA 104.139, lectotype, by present designation

ZMA 104.140, paralectotypes (3)

ZMA 104.141, paralectotypes (5)

Tetraodon nigroviridis Marion de Procé, 1822: 130.

Indonesia

ZMA 113.020, neotype, designated by Dekkers,  
1975: 123-127.

Tetrodon eulepidotus Metzelaar, 1919: 170-171.

Antilles

ZMA 109.480, holotype

REFERENCES

- Ahl, E.
- 1923 Ichthyologische Mitteilungen. Ueber eine neue Art der Gattung Hepatus (nebst Bemerkungen über eine zweite Hepatus weberi nom. nov.).- Mitt. zool. Mus. Berlin, 11 (1): 36-37.
- Alcock, A.
- 1894 An account of a recent collection of baty-bial fishes from the Bay of Bengal and from the Laccadive Sea (= Nat. Hist. Notes H. M. Indian Marine Survey Steamer "Investigator").- J. Asiat. Soc. Bengal, 63, II (2): 1-24, pls. 6-7.
- Allen, G. R.
- 1978 The Rainbow fishes of northwestern Australia (family Melanotaeniidae).- Trop. Fish Hobby., 26 (10): 91-102.
- 1978 A review of the Archer fishes (family Toxotidae).- Rec. West. Aust. Mus., 6 (4): 355-378.
- 1980 Chilatherina axelrodi, a new species of Rainbow fish (Melanotaeniidae) from Papua New Guinea.- Trop. Fish Hobby., 28 (4): 48-49, 52-55.
- 1980 Two new species of freshwater Rainbowfishes (Melanotaeniidae) from Papua New Guinea.- Rev. fr. Aquariol. Herpétol., 7 (2): 43-50.
- 1980 Central Highland Rainbows from Papua New Guinea, with descriptions of two new species

Allen, G. R. (continued)  
(Melanotaeniidae).- Trop. Fish Hobby., 29  
(5): 20-33, 68-81.

1981 Popondetta connieae, a new species of Rainbowfish (Melanotaeniidae) from Papua New Guinea.- Rev. fr. Aquariol. Herpétol., 8 (2): 43-46.

Allen, G. R. & P. J. Kailola

1979 Glossolepis wanamensis, a new species of freshwater Rainbowfish (Melanotaeniidae) from New Guinea.- Rev. fr. Aquariol. Herpétol., 6 (2): 39-44.

Allen, G. R. & R. Moore

1981 Pseudomugil paludicola, a new species of freshwater Blue-eye (Melanotaeniidae) from Papua New Guinea.- Rev. fr. Aquariol. Herpétol., 7 (4): 105-108.

Annandale, N.

1906 Notes on the freshwater fauna of India, 7.  
A new Goby from fresh and brackish water in Lower Bengal.- J. Proc. Asiatic Soc. Bengal (n.s.), 2: 201-202.

1909 Batoidei, part I. Report on the fishes taken by the Bengal steamer "Golden Crown".- Mem. Indian Mus., 2 (1): 1-58.

Annandale, N. & J. T. Jenkins

1910 Plectognathi and Pediculati. Report on the fishes taken by the Bengal fisheries steamer "Golden Crown".- Rec. Indian Mus., 3 (1): 7-21.

- Bailey, R. G. & H. Matthes
- 1971 A new species of *Engraulicypris* (Cyprinidae) from Tanzania, East Africa.- *Revue Zool. Bot. afr.*, 83 (1-2): 79-83.
- Banarescu, P. & M. R. Mirza
- 1972 *Noemacheilus alepidotus* *nalbanti* *nova* subsp., a new Loach from Rawlakot, Azad Kashmir.- *Biologia, Lahore*, 18 (2): 121-123.
- Beaufort, L. F. de
- 1910 Weitere Bestätigung einer zoogeographischen Prophezeiung.- *Zool. Anz.*, 36 (12-13): 249-252.
- 1912 On some new Gobiidae from Ceram and Waigeu.- *Zool. Anz.*, 39 (3): 136-143.
- 1913 Fishes of the eastern part of the Indo-Australian Archipelago with remarks on its zoogeography.- *Bijdr. Dierk.*, 19: 95-164.
- 1927 Description of a new Cyprinoid fish from Siam.- *J. Siam Soc.*, 7 (1): 5-6.
- 1931 Über eine neue Rasbora-Art.- *Das Aquarium, Berlin* (June, 1931): 8.
- 1933 Sur un nouveau Labeobarbus de l'Angola portugais.- *Bull. Soc. zool. Fr.*, 57: 493-495.
- 1933 On some new or rare species of Ostariophysii from the Malay Peninsula and a new species of Betta from Borneo.- *Bull. Raffles Mus.*, 8: 31-36.
- 1939 On a new species of *Chilomycterus* from New

Beaufort, L. F. de (continued)

Guinea.- Treubia, 17 (1): 33-34.

1939 On a collection of freshwater fishes of the  
Island of Billiton.- Treubia, 17 (3): 189-198.

1939 On some Indo-Pacific genera of Labroid fishes,  
with the description of a new genus and species.-  
Bijdr. Dierk., 27: 14-18.

1940 In: M. Weber & L. F. de Beaufort, The fishes  
of the Indo-Australian Archipelago, VIII.  
Percomorphi (continued), Cirrhitoidae, Labro-  
iformes, Pomacentrifomes, : i-xv, 1-508 (E.  
J. Brill, Leiden).

1940 Freshwater fishes from the Leeward group,  
Venezuela and eastern Colombia.- Stud. Fauna  
Curaçao, 7: 109-114.

1948 On a new genus of the family Creediidae from  
South Africa, with remarks on its geographical  
distribution.- Trans. Soc. Afr., 31 (5): 475-  
478.

1951 In: M. Weber & L. F. de Beaufort, with the  
collaboration of W. M. Chapman, The fishes of  
the Indo-Australian Archipelago, IX. Perco-  
morphi (concluded), Blennioidea, : i-xi, 1-484  
(E. J. Brill, Leiden).

1955 On a new and interesting Globe fish from New  
Guinea.- Beaufortia, 5 (48): 53-54.

1956 On a new species of *Platycephalus*.- Proc. natn.  
Inst. Sci., India, 22B (2): 83-85.

Beaufort, L. F. de (continued)

- 1962 In: M. Weber & L. F. de Beaufort, with the collaboration of J. C. Briggs, The fishes of the Indo-Australian Archipelago, XI. Scleroparei, Hypostomides, Pediculati, Plectognathi, Opisthomii, Discocephali, Xenopterygii, : i-xi, 1-481 (E. J. Brill, Leiden).

Boeseman, M.

- 1968 The genus *Hypostomus* Lacépède, 1803, and its Surinam representatives (Siluriformes, Loricariidae).- Zool. Verh. Leiden, 99: 1-89.
- 1969 Additional new species of *Hypostomus* Lacépède, 1803, from Surinam, with remarks on the apparent "gymnorhynchus-complex" (Siluriformes, Loricariidae).- Beaufortia, 16 (215): 119-136.
- 1971 The "comb-toothed" Loricariinae of Surinam, with reflections on the phylogenetic tendencies within the family Loricariidae (Siluriformes, Siluroidei).- Zool. Verh. Leiden, 116: 3-56.
- 1974 On two Surinam species of Hypoptopomatinae, both new to science (Loricariidae, Siluriformes, Ostariophysi).- Proc. Kon. Ned. Akad. Wetensch., (C), 77 (3): 257-271, 2 pls.
- 1976 A short review of the Surinam Loricariinae, with additional information on Surinam Harttiinae, including the description of a new species (Loricariidae, Siluriformes).- Zool. Meded. Leiden, 50 (11): 153-177.

Briggs, J. C.

- 1955 A monograph of the Clingfishes (order Xeno-

Briggs, J. C. (continued)  
*pterygii*).- Stanford ichth. Bull., 6: 1-224.

Britski, H. A.

1969 Lista dos tipos de peixes das coleções do  
Departamento de Zoologia da Secretaria da  
Agricultura de São Paulo.- Pap. Avulsos Depto.  
Zool. São Paulo, 22 (19): 197-215.

Chabanaud, P.

1951 Sur deux *Cynoglossus* de la collection ichthyologique du Zoölogisch Museum, Amsterdam.-  
*Beaufortia*, 1 (5): 1-4.

1951 Description d'une espèce nouvelle, type d'un  
genre inédit, appartenant à la famille des  
*Cynoglossidae*, sous-famille des *Cynoglossinae*.-  
*Beaufortia*, 1 (7): 1-9.

1955 Révision des *Sympodus* du Siboga.- *Beaufortia*,  
5 (46): 43-45.

1957 Description d'un *Sympodus* inédit, fruit de la  
croisière 1899-1900 du Siboga.- *Beaufortia*, 5  
(62): 183-185.

Collette, B. B. & N. V. Parin

1978 Five new species of Halfbeaks (Hemiramphidae)  
from the Indo-West Pacific.- Proc. biol. Soc.  
Washington, 91 (3): 731-747.

Dam, A. J. van

1926 Two new fishes from China.- Ann. Mag. nat.  
Hist. (ser. 9), 18: 342.

Day, F.

1871 Monograph of Indian Cyprinidae.- J. roy. Asiat.

Day, F. (continued)

Soc. Bengal, 41: 318-326.

Dekkers, W. J.

1975 Review of the Asiatic freshwater Puffers of the genus *Tetraodon* Linnaeus, 1758 (Pisces, Tetraodontiformes, Tetraodontidae).- *Bijdr. Dierk.*, 45 (1): 87-142.

Duncker, G.

1904 Die Fische der malayischen Halbinsel.- *Mitt. naturh. Mus. Hamburg*, 21 (2): 135-207.

1915 Revision der Syngnathidae.- *Mitt. naturh. Mus. Hamburg*, 32: 9-120.

Durbin, M. L.

1909 Reports on the expedition to British Guiana of the Indiana University and the Carnegie Museum, 1908. Rep. 2. A new genus and twelve new species of Tetragonopterid Characins.- *Ann. Carnegie Mus.*, 6 (1): 55-72.

Ebeling, A. W.

1962 Melamphaidae. Systematics and zoogeography of the species in the bathypelagic fish genus *Melamphaes* Günther.- *Dana Rep.*, 58: 1-164.

Eggert, B.

1935 Beitrag zur Systematik, Biologie und geographischen Verbreitung der Periophthalminae. Ergebnisse einer durch die Notgemeinschaft der deutschen Wissenschaft ermöglichten Reise nach Niederländisch-Indien 1926-1927 und der Sunda Expedition der Notgemeinschaft der

Eggert, B. (continued)

deutschen Wissenschaft 1929-1930.- Zool. Jb.,  
67 (1-2): 29-116.

Eigenmann, C. H.

1909 Report on the expedition to British Guiana  
of the Indiana University and the Carnegie  
Museum, 1908. Some new genera and species  
of fishes from British Guiana.- Ann. Carnegie  
Mus., 6 (1): 4-54.

1912 The freshwater fishes of British Guiana, in-  
cluding a study of the ecological grouping of  
species and the relation of the fauna of the  
plateau to that of the lowlands.- Mem. Carnegie  
Mus., 5 (1): i-xvii, 1-272, 103 pls.

1927 The American Characidae, IV.- Mem. Mus. comp.  
Zool. Harvard, 43 (4): 311-428, pls. 34-99.

Eigenmann, C. H. & R. S. Eigenmann

1889 Preliminary notes on South American Nemato-  
gnathi, II.- Proc. California Acad. Sci., (2)  
2: 28-56.

Eigenmann, C. H., A. Henn & C. Wilson

1914 New fishes from western Colombia, Ecuador,  
and Peru.- Indiana Univ. Stud., 2 (19): 1-15.

Eigenmann, C. H. & G. S. Myers

1929 The American Characidae, V.- Mem. Mus. comp.  
Zool. Harvard, 43 (5): 429-558.

Eschmeyer, W. N.

1969 A systematic review of the Scorpionfishes of  
the Atlantic Ocean (Pisces, Scorpaenidae).-

Eschmeyer, W. N. (continued)

Occ. Pap. California Acad. Sci., 79: 1-143.

Fink, W. L.

1976 A new genus and species of Characid fish from the Bayano River Basin, Panama (Pisces, Cypriniformes).- Proc. biol. Soc. Washington, 88 (30): 331-344.

1979 A new species of Moenkhausia from the Mato Grosso region of Brazil (Pisces: Characidae).- Breviora, 450: 1-12.

Fink, W. L. & S. H. Weitzman

1974 The so-called Cheirodontin fishes of Central America, with descriptions of two new species (Pisces, Characidae).- Smithson. Contr. Zool., 172: 1-46.

Géry, J.

1959 *Thayeria ifati*, n. sp. of Guiana, with considerations on the evolution of the genus.- Senckenb. biol., 40 (3-4): 127-133.

1959 Nouvelles espèces de Guyane française du genre *Hemigrammus* (Tetragonopterinae), avec une liste critique des formes recensées.- Bull. mens. Soc. linn. Lyon, 28 (8): 248-260.

1960 New Cheirodontinae from French Guiana.- Senckenb. biol., 41 (1-2): 15-39.

1960 *Jobertina eleotrioides* n. sp. (Characidiinae) from French Guiana, with considerations about the genus and redescription of the type-species.- Opusc. zool. München, 47: 1-10.

Géry, J. (continued)

- 1961 Révision de la super-espèce *Anostomus anostomus* (L.) et description de formes nouvelles: *A. brevior* et *A. anostomus longus* (Erythrinidae, Anostominae).- Bull. Mus. Hist. nat. Paris, (2) 32 (6): 498-505.
- 1961 *Hyphessobrycon georgetti* sp. nov., a dwarf species from southern Surinam.- Bull. aquat. Biol., 2 (22): 121-128.
- 1962 The distribution pattern of the genus *Hemibrycon*, with a description of a new species from Surinam and an incursion into ecotaxonomy.- Bull. aquat. Biol., 3 (28): 65-80.
- 1963 Three new Tetras from the upper Rio Negro near Tapurucuara.- Trop. Fish Hobby., 12 (3): 9, 11, 13-15, 57-59, 62-63.
- 1964 Une nouvelle famille des poissons dulcaquicoles africains: les Grasseichthyidae.- C. R. Séanc. Acad. Sci. Paris, 259: 4805-4807.
- 1964 Two new Tetras from the lower Amazon Basin.- Trop. Fish Hobby., 12 (7): 13-15, 59-60.
- 1964 Preliminary descriptions of seven new species and two new genera of Characoid fishes from the upper Rio Meta in Colombia.- Trop. Fish Hobby., 12 (5): 25-32, 41-48.
- 1964 Poissons characoïdes de l'Amazone péruvienne.- Beitr. neotrop. Fauna, 4 (1): 1-44.
- 1965 *Brittanichthys*, a new, sexually-dimorphic Charac-

Géry, J. (continued)

id genus with peculiar caudal ornament, from the Rio Negro, Brazil, with a discussion of certain Cheirodontin genera and a description of two new species, *B. axelrodi* and *B. myersi*.- Trop. Fish Hobby., 13 (6): 13-23, 61-69.

1965 Characidae et Crenuchidae de l'Igarape Preto (Haute Amazonie).- Senckenb. biol., 46 (1): 11-45, and 46 (3): 195-218.

1966 *Hyphessobrycon vilmae* sp. nov., a new Tetra from the upper Juruena, Brazil, with keys to the heterorhabdus-like species.- Ichthyologica, 37 (2): 63-70.

1966 *Axelrodia riesei*, a new Characoid fish from upper Rio Méta in Colombia (with remarks concerning the genus *Axelrodia* and description of a similar sympatric *Hyphessobrycon*-species).- Ichthyologica, 37 (3): 111-120.

1966 Notes on the Characoid fishes collected in Surinam by Mr H. P. Pijpers, with descriptions of new forms.- Bijdr. Dierk., 35: 101-126.

1966 A review of certain Tetragonopterinae (Characoidae), with the description of two new genera.- Ichthyologica, 37 (5): 211-236.

1966 *Hoplocharax goethei*, a new genus and species of South American Characoid fishes, with a review of the sub-tribe Heterocharacini.- Ichthyologica, 37 (6): 281-296.

1970 Le genre *Iguanodectes* Cope (Pisces, Charac-

Géry, J. (continued)  
oidei).- Amazonia, 2 (4): 417-433.

1973 New and little-known Aphyoditeina (Pisces,  
Characoidei) from the Amazon Basin.- Stud.  
neotrop. Fauna, 8: 81-137.

Gosline, W. A.  
1940 A revision of the neotropical catfishes of  
the family Callichthyidae.- Stanford ichth.  
Bull., 2 (1): 1-36.

Günther, A.  
1868 Diagnoses of some new freshwater fishes from  
Surinam and Brazil, in the collections of the  
British Museum.- Ann. Mag. nat. Hist., (4)  
1 (6): 475-481.

Hardenberg, J. D. F.  
1936 Some new or rare fishes of the Indo-Australian  
Archipelago.- Treubia, 15 (4): 367-378.

Herre, A. W. C. T.  
1927 Gobies of the Philippines and the China Sea.-  
Monogr. Philippine Bur. Sci., 23: 1-352, 30  
pls.

Hoedeman, J. J.  
1950 A new Characid Erythrinine fish (*Pseuderythrinus*  
*rosapinnis* gen. et sp. nov.).- Amsterdam Nat.,  
1 (3): 79-91.

1951 Een nieuwe kleine Gobiide vis met samenge-  
groeide buikvinnen bij de man (*Dormitator*  
*lophocephalus* sp. nov.).- Beaufortia, 1 (2):  
1-6.

Hoedeman, J. J. (continued)

- 1951 The tribe Alestidi (I).- *Beaufortia*, 1 (3): 1-8.
- 1951 *Apistogramma cacatuoides* sp. nov.- *Beaufortia*, 1 (4): 1-4.
- 1952 The catfish genera *Hoplosternum* and *Callichthys*, with key to the genera and groups of the family Callichthyidae.- *Beaufortia*, 1 (12): 1-12.
- 1952 The Surinam representatives of *Gasteropelecus* and *Carnegiella*, with remarks on the tribe *Gasteropelecidi*.- *Beaufortia*, 2 (20): 1-16.
- 1954 *Rivulus agilae*, een nieuwe soort van Suriname.- *Het Aquarium*, 24 (9): 202-203.
- 1954 A new species and two new subspecies of *Nannostomidi* from the Surinam River.- *Beaufortia*, 4 (39): 81-89.
- 1956 *Nannaethiops geisleri*, eine neue Art aus dem Kongo, nebst einer Übersicht über die Arten der Sippe *Nannaethiopidi*.- *Aquar. Terrar. Zeitschr.*, 9 (10): 259-261.
- 1956 *Hyphessobrycon rubrostigma*, neue Species. Eine höchst interessante und farbenfreudige Form der callistus-Gruppe aus Kolumbien.- *Aquar. Terrar. Zeitschr.*, 9 (12): 312-313.
- 1957 *Hyphessobrycon griemi*, eine neue farbenprächtige Neuheit der *bifasciatus*-Gruppe aus Gojas.- *Aquar. Terrar. Zeitschr.*, 10 (4): 87-89.

Hoedeman, J. J. (continued)

1958 Rivulid fishes of the Antilles.- Stud.  
Fauna Curaçao, 8: 112-126.

1960 A list of type specimens of fishes in the  
Zoological Museum, University of Amsterdam.  
1. Order Mugiliformes.- Beaufortia, 7 (87):  
211-217.

1961 Additional records of Cyprinodontiform  
fishes (1).- Bull. aquat. Biol., 2 (17):  
61-64.

1961 Additional records of Siluriform fishes  
(2).- Bull. aquat. Biol., 2 (23): 129-139.

1962 New records of Gymnotid fishes.- Bull. aquat.  
Biol., 3 (26): 53-60.

1962 New Gymnotoid fishes from Surinam and French  
Guiana, with additional records and a key to  
the groups and species from Guiana.- Bull.  
aquat. Biol., 3 (30): 97-108.

1962 A new species of the genus *Rivulus* from  
Ecuador, with additional records of *Rivulus*  
from the upper Amazon and Ucayali tivers.-  
Beaufortia, 19 (103): 145-150.

Hora, S. L.

1921 Fish and fisheries of Manipur with some  
observations on those of the Naga Hills.-  
Rec. Indian Mus., 22 (3-19): 165-214.

1932 Classification, bionomics and evolution of  
Homalopterid fishes.- Mem. Indian Mus., 12

Hora, S. L. (continued)  
(2): 263-330.

Hubbs, C. L.

- 1923 A note on the species of *Evermannichthys*, a genus of sponge-inhabiting Gobies.- Occ. Pap. Mus. Zool. Univ. Michigan, 144: 1-2.
- 1936 Fishes of the Yucatan Peninsula.- Publs. Carnegie Inst., 457: 157-287.
- 1952 A contribution to the classification of the Blennioid fishes of the family Clinidae, with a partial revision of the eastern Pacific forms.- Stanford ichth. Bull., 4 (2): 41-165.

Hubbs, C. L. & M. Gordon

- 1943 Studies of Cyprinodont fishes, XIX. *Xiphophorus pygmaeus*, new species from Mexico.- Copeia, 1943 (1): 31-33, pl. 1.

Ihering, R. von

- 1911 Algumas especies novas de peixes d'agua doce (Nematognatha) (*Corydoras*, *Plecostomus*, *Hemipsilichthys*).- Revta Mus. Paul., 8: 380-404.

Isbrücker, I. J. H.

- 1970 *Lepidarchus adonis signifer*, a new subspecies of Characoid fish from Liberia (Pisces, Cypriniformes, Characidae).- Beaufortia, 18 (234): 133-140.
- 1972 The identity of the South American catfish *Loricaria cataphracta* Linnaeus, 1758, with

Isbrücker, I. J. H. (continued)

redescriptions of the original type specimens  
of four other nominal Loricaria species (Pisces,  
Siluriformes, Loricariidae).- Beaufortia, 19  
(255): 163-191.

1973 Status of the primary homonymous South American  
catfish *Loricaria cirrhosa* Perugia, 1897, with  
remarks on some other Loricariids (Pisces,  
Siluriformes, Loricariidae).- Ann. Mus. St. nat.  
Genova, 79: 172-191.

1975 *Metaloricaria paucidens*, a new species and  
genus of Mailed catfish from French Guiana  
(Pisces, Siluriformes, Loricariidae).- Bull.  
Inst. r. Sci. nat. Belg., 50. (4): 1-9, 3 pls.

1979 Descriptions préliminaires de nouveaux taxa  
de la famille des Loricariidae, Poissons-Chats  
cuirassés néotropicaux, avec un catalogue  
critique de la sous-famille nominale (Pisces,  
Siluriformes).- Rev. fr. Aquariol. Herpétol.,  
5 (4): 86-116.

Isbrücker, I. J. H. & H. Nijssen

1973 Two new species of the Callichthyid catfish  
genus *Corydoras* from Brazil (Pisces, Silur-  
iformes, Callichthyidae).- Beaufortia, 21  
(272): 1-7.

1974 On *Hemiodontichthys acipenserinus* and *Regan-*  
*ella depressa*, two remarkable Mailed catfishes  
from South America (Pisces, Siluriformes,  
Loricariidae).- Beaufortia, 22 (294): 193-222.

1976 *Rineloricaria heteroptera*, a new species of

Isbrücker, I. J. H. & H. Nijssen (continued)

Mailed catfish from Rio Amazonas near Manaus,  
Brazil (Pisces, Siluriformes, Loricariidae).-  
Zool. Anz. Jena, 196 (1-2): 109-124.

1978 Two new species and a new genus of neotropical  
Mailed catfishes of the subfamily Loricariinae  
Swainson, 1838 (Pisces, Siluriformes, Loricari-  
idae).- Beaufortia, 27 (339): 177-206.

1979 Three new South American Mailed catfishes of  
the genera Rineloricaria and Loricariichthys  
(Pisces, Siluriformes, Loricariidae).- Bijdr.  
Dierk., 48 (2): 191-211.

Ivantsoff, W. & C. J. M. Glover

1974 *Craterocephalus dalhousiensis* n. sp., a  
sexually dimorphic freshwater Teleost  
(Atherinidae) from South Australia.- Aust.  
Zool., 18 (2): 88-98.

Karrer, C.

1973 Über Fische aus dem Süd-Ost-Atlantik.- Mitt.  
Zool. Mus. Berlin, 49 (1): 191-257.

Kner, R.

1854 Die Panzerwelse des k.k. Hof-Naturalien-  
Cabinetes zu Wien. I. Abtheilung: Loricar-  
inae.- Denkschr. Akad. Wiss. Wien, mathem.-  
naturwiss. Cl., 6: 65-98, 8 pls.

Knöppel, H. A., W. Junk & J. Géry

1968 *Bryconops* (*Creatochanes*) *inpai*, a new Charac-  
oid fish from the central Amazon region, with  
a review of the genus *Bryconops*.- Amazonia,  
1 (3): 231-246.

Koumans, F. P.

- 1936 Notes on Gobiod fishes of the Indo-Australian species of *Oxyeleotris*, Bleeker.- Zoöl. Meded. Leiden, 19: 128-134.
- 1953 Gobioidea. In: M. Weber & L. F. de Beaufort, The fishes of the Indo-Australian Archipelago, X, : 1-416 (E. J. Brill, Leiden).

Kullander, S. O.

- 1979 Description of a new species of the genus *Apistogramma* from Peru.- Rev. Suisse Zool., 86 (4): 937-945.
- 1980 Description of a new species of *Apistogramma* from the Rio Madeira system in Brazil.- Bull. Zoöl. Mus. Univ. Amsterdam, 7 (16): 157-164.

Lachner, E. A. & S. J. Karnella

- 1980 Fishes of the Indo-Pacific genus *Eviota* with descriptions of eight new species (Teleostei: Gobiidae).- Smithson. Contr. Zool., 315: i-iii, 1-127.

Macleay, W.

- 1883 On a new and remarkable fish of the family Mugilidae from the interior of New Guinea.- Proc. Linn. Soc. N. S. W., 8: 2-6.

Marion de Procé, [?]

- 1822 Sur plusieurs espèces nouvelles de poissons et de crustacés observées par M. Marion de Procé, D. M. P., membre correspondant de la Société Philomatique.- Bull. Soc. philom. Paris, 1822: 129-134.

Martín Salazar, F. J.

- 1964 Las especies del genero Farlowella de Venezuela (Piscis - Nematognalhi - Loricariidae) con descripcion de 5 especies y 1 subespecie nuevas.- Mem. Soc. Cienc. nat. La Salle, 24 (69): 242-260, 1 table outside text.

Matthes, H.

- 1964 List of the types of African freshwater fishes in the Amsterdam Zool. Mus., with notes on their synonymy.- Beaufortia, 10 (122): 177-182.

Mees, G. F.

- 1974 The Auchenipteridae and Pimelodidae of Suriname (Pisces, Nematognathi).- Zool. Verh. Leiden, 132: 1-256.

Mees, G. F. & P. J. Kailola

- 1977 The freshwater Therapontidae of New Guinea.- Zool. Verh. Leiden, 153: 1-89.

Menezes, N. A.

- 1969 Systematics and evolution of the tribe Acestrorhynchini (Pisces, Characidae).- Archos. Zool. Est. S. Paulo, 18 (1-2): 1-150.

Menon, A. G. K.

- 1977 A systematic monograph of the Tongue Soles of the genus *Cynoglossus* Hamilton-Buchanan (Pisces: Cynoglossidae).- Smithson. Contr. Zool., 238: i-iv, 1-129.

Menon, A. G. K. & N. Govindan

- 1976 *Oxyurichthys njisseni*, a new Gobiod fish

Menon, A. G. K. & N. Govindan (continued)  
from Ennore Estuary, east coast of India,  
with a key to the identification of the  
Indo-West Pacific species of the genus  
*Oxyurichthys*.- *Matsya*, 2: 13-15.

Metzelaar, J.

- 1919 Over tropisch Atlantische visschen, : 1-134  
(iv) (A. H. Kruyt, Amsterdam).  
= Report on the fishes, collected by Dr. J.  
Boeke in the Dutch West Indies 1904-1905.  
With comparative notes on marine fishes of  
tropical West Africa (F. J. Belinfante,  
's-Gravenhage).
- 1922 On a collection of marine fishes from the  
Lesser Antilles.- *Bijdr. Dierk.*, 22: 133-141.

Miller, R. R.

- 1943 *Cyprinodon salinus*, a new species of fish from  
Death Valley, California.- *Copeia*, 1943 (2):  
69-78.
- 1948 The Cyprinodont fishes of the Death Valley  
system of eastern California and southern  
Nevada.- *Misc. Publs. Mus. Zool. Michigan*,  
68: 7-155.

Mirza, M. R.

- 1967 *Tor zhobensis* sp. nov., a new Mahseer from  
the river Zhob, West-Pakistan.- *Pakist. J.  
scient. Res.*, 19 (1): 54-56.

Mirza, M. R. & M. I. Awan

- 1973 Two new catfishes (Pisces, Siluriformes)  
from Pakistan.- *Biologia, Lahore*, 19 (1-2):  
145-159.

- Mirza, M. R., P. Banarescu & T. T. Nalbant
- 1969 Two new Loaches of the genus *Noemacheilus* from West Pakistan.- *Pakist. J. Zool.*, 1 (1): 87-90.
- 1970 A little-known and three new Loaches of the genus *Noemacheilus* (*Pisces, Cobitidae*) from West Pakistan.- *Biologia, Lahore*, 16 (1): 47-58.
- Mirza, M. R. & K. M. Kahmiri
- 1971 A note on the fishes of the genus *Glyptothorax* Blyth (*Osteichthyes, Sisoridae*) from West-Pakistan, with the description of a new subspecies.- *Biologia, Lahore*, 17 (2): 87-93.
- Mirza, M. R., T. T. Nalbant & P. M. Banarescu
- 1981 A review of the genus *Schistura* in Pakistan with description of new species and subspecies (*Pisces, Cobitidae, Noemacheilinae*).- *Bijdr. Dierk.*, 51 (1): 105-130.
- Mirza, M. R. & H. Nijssen
- 1978 *Glyptothorax stocki*, a new Sisorid catfish from Pakistan and Azad Kashmir (*Siluriformes, Sisoridae*).- *Bull. Zoöl. Mus. Univ. Amsterdam*, 6 (11): 79-85.
- Mohr, E.
- 1926 Die Gattung *Zenarchopterus* Gill.- *Zool. Jb.*, 52: 231-266.
- Myers, G. S. & S. H. Weitzman
- 1960 Two new fishes collected by General Thomas D. White in eastern Colombia.- *Stanford ichth. Bull.*, 7 (4): 98-109.

Nalbant, T. T.

- 1957 *Cobitis aurata vallachica*, eine neue Unterart des Balkansteinpeitzers (Pisces, Cobitidae).- *Senckenb. biol.*, 38 (3-4): 209-212.

Nichols, J. T.

- 1925 Some Chinese fresh-water fishes. IV. Gudgeons of the genus *Coripareius*. V. Gudgeons related to the European *Gobio gobio*. VI. New Gudgeons of the genera *Gnathopogon* and *Leucogobio*.- *Amer. Mus. Novit.*, 181: 1-8.

- 1925 Some Chinese fresh-water fishes. VII. New Carps of the genera *Varicorhinus* and *Xenocypris*. VIII. Carps referred to the genus *Pseudorasbora*. IX. Three new Abramidin Carps.- *Amer. Mus. Novit.*, 182: 1-8.

Nichols, J. T. & C. H. Pope

- 1927 The fishes of Hainan.- *Bull. Amer. Mus. nat. Hist.*, 54: 321-394.

Nijssen, H.

- 1970 Revision of the Surinam catfishes of the genus *Corydoras* Lacépède, 1803 (Pisces, Siluriformes, Callichthyidae).- *Beaufortia*, 18 (230): 1-75.

- 1971 Two new species and one new subspecies of the South American catfish genus *Corydoras* (Pisces, Siluriformes, Callichthyidae).- *Beaufortia*, 19 (250): 89-98.

- 1972 Records of the catfish genus *Corydoras* from Brazil and French Guiana with descriptions of eight new species (Pisces, Siluriformes, Callichthyidae).- *Neth. J. Zool.*, 21 (4):

Nijssen, H. (continued)

412-433.

Nijssen, H. & I. J. H. Isbrücker

1967 Notes on the Guiana species of *Corydoras* Lacépède, 1803, with descriptions of seven new species and designation of a neotype for *Corydoras punctatus* (Bloch, 1794) - (Pisces, Cypriniformes, Callichthyidae).- Zool. Meded. Leiden, 42 (5): 21-55, 5 pls.

1971 Two new species of the catfish genus *Corydoras* from Brazil and Peru (Pisces, Siluriformes, Callichthyidae).- Beaufortia, 18 (239): 183-189.

1976 The South American Plated catfish genus *Aspidoras* R. von Ihering, 1907, with descriptions of nine new species from Brazil (Pisces, Siluriformes, Callichthyidae).- Bijdr. Dierk., 46 (1): 107-131.

1976 *Corydoras ornatus*, a new species of Callichthyid catfish from the Rio Tapajós drainage, Brazil (Pisces, Siluriformes, Callichthyidae).- Bull. Zool. Mus. Univ. Amsterdam, 5 (15): 125-129.

1976 A new Callichthyid catfish, *Corydoras gracilis*, from Brazil (Pisces, Siluriformes, Callichthyidae).- Trop. Fish Hobby., 25 (1): 90-91, 94-96, 98.

1980 Three new *Corydoras* species from French Guiana and Brazil (Pisces, Siluriformes, Callichthyidae).- Neth. J. Zool., 30 (3):

Nijssen, H. & I. J. H. Isbrücker (continued)  
494-503.

- 1980 On the identity of *Corydoras nattereri* Steindachner, 1877 with the description of a new species, *Corydoras prionotos* (Pisces, Siluriformes, Callichthyidae).- *Beaufortia*, 30 (1): 1-9.
- 1980 *Aspidoras virgulatus* n. sp., a Plated catfish from Espírito Santo, Brazil (Pisces, Siluriformes, Callichthyidae).- *Bull. Zool. Mus. Univ. Amsterdam*, 7 (13): 133-139.
- 1980 A review of the genus *Corydoras* Lacépède, 1803 (Pisces, Siluriformes, Callichthyidae).- *Bijdr. Dierk.*, 50 (1): 190-220.

Nikolsky, G. W.

- 1938 A new species of Loach (Cobitidae, Pisces) from Central Asia.- *Bull. Soc. nat. Moscou*, 47 (5-6): 319-328.

Norman, J. R.

- 1926 Descriptions of nine new freshwater fishes from French Guiana and Brazil.- *Ann. Mag. nat. Hist.* (ser. 9), 18: 91-97.

- 1934 A systematic monograph of the Flatfishes (Heterosomata), 1: 1-458 (Trustees British Mus. (Nat. Hist.), London).

- 1935 A revision of the Lizard-fishes of the genera *Synodus*, *Trachinocephalus*, and *Saurida*.- *Proc. zool. Soc. London*, 1935 (1): 99-135.

Omer, T. & M. R. Mirza

- 1975 A checklist of the fishes of Hazara District, Pakistan, with the description of a new subspecies.- *Biologia, Lahore*, 21 (2): 199-209.

Pellegrin, J.

- 1907 Liste des poissons recueillis à Madagascar par M. F. Geay. Description d'une espèce nouvelle.- *Bull. Mus. Hist. nat. Paris*, 13: 201-206.

Perugia, A.

- 1892 Descrizione di due nuove specie di pesci raccolti in Sarawak dal Sig. G. Doria ed O. Beccari.- *Ann. Mus. civ. St. nat. Giacomo Doria*, 2 (12): 1009-1010.
- 1893 Di alcuni pesci raccolti in Sumatra dal Dott. Elio Modigliani.- *Ann. Mus. civ. St. nat. Giacomo Doria*, 2 (13): 241-247.
- 1894 Viaggio di Lamberto Loria nella Papuasia orientale. Pesci d'acqua dolce.- *Ann. Mus. civ. St. nat. Giacomo Doria*, 2 (14): 546-553.
- 1897 Di alcuni pesci raccolti in Bolivia dal Prof. Luigi Balzan.- *Ann. Mus. civ. St. nat. Giacomo Doria*, 2 (18): 16-27.

Poll, M.

- 1967 Révision des Characidae nains africains.- *Annls. Mus. r. Afr. cent. Sc. zool.*, 162: 1-158.

- 1971 Révision des Synodontis africains (famille Mochocidae).- *Annls. Mus. r. Afr. cent. Sc.*

Poll, M. (continued)  
zool., 191: 1-497.

Popta, C. M. L.

- 1904 Descriptions préliminaires des nouvelles espèces de poissons recueillies au Bornéo central par M. le Dr. A. W. Nieuwenhuis en 1898 et en 1900.- Notes Leyden Mus., 24: 201-202.
- 1905 Suite des descriptions préliminaires des nouvelles espèces de poissons recueillies au Bornéo central par M. le Dr. A. W. Nieuwenhuis en 1898 et en 1900.- Notes Leyden Mus., 25: 171-186.
- 1905 *Haplochilus sarasinorum* n. sp.- Notes Leyden Mus., 25: 239-247.

Randall, J. E.

- 1980 Revision of the fish genus *Plectranthias* (Serranidae, Anthiinae) with descriptions of 13 new species.- *Micronesica*, 16 (1): 101-187.

Regan, C. T.

- 1906 Descriptions of five new freshwater fishes from Sarawak, Borneo, collected by Dr. C. Hose.- *Ann. Mag. nat. Hist.*, 7 (18): 66-68.

- 1910 The Asiatic fishes of the family Anabantidae.- *Proc. zool. Soc. London*, 54: 767-787.

- 1912 A revision of the South American Siluroid fishes of the genus *Corydoras*, with a list of the specimens in the British Museum

- Regan, C. T. (continued)
- (Natural History).- Ann. Mag. nat. Hist., 8 (10): 209-220.
- 1913 Description of two new fishes from Paranagua, Brazil, presented to the British Museum by Herr A. Rachow.- Ann. Mag. nat. Hist., 8 (11): 231-232.
- 1914 Report on the freshwater fishes collected by the British Ornithologists' Union Expedition and the Wollaston Expedition in Dutch New Guinea.- Trans. zool. Soc. London, 20: 275-286.
- Rendahl, H.
- 1922 A contribution to the ichthyology of north-west Australia.- Meddr. zool. Mus., 5: 163-197.
- Ribeiro, P. de Miranda
- 1942 Um novo "Corydoras" do Rio Javari, Amazonas, Brasil (Pisces, Callichthyidae).- Rev. Brasil. biol., Rio de Janeiro, 2 (4): 427-428.
- 1955 Tipos das espécies e subespécies do Prof. Alipio de Miranda Ribeiro depositados no Museu Nacional (com uma relação dos gêneros, espécies e subespécies descritos).- Arq. Mus. nac. Rio de Janeiro, 42 (1): 389-417.
- Roberts, T. R.
- 1978 An ichthyological survey of the Fly River in Papua New Guinea with descriptions of new species.- Smithson. Contr. Zool., 281: 1-72.
- Schindler, O.
- 1937 Eine neue Fischart (Characidae) aus Nordost-

Schindler, O. (continued)

paraguay.- Anz. Akad. Wiss. Wien, 13: 1-2  
(reprint).

Schultz, L. P.

1943 Fishes of the Phoenix and Samoan Islands collected in 1939 during the expedition of the U. S. S. "Bushnell".- Bull. U. S. natn. Mus., 180: i-x, 1-316.

1944 The catfishes of Venezuela, with descriptions of thirty-eight new forms.- Proc. U. S. natn. Mus., 94: 173-338.

1944 The fishes of the family Characinidae from Venezuela, with descriptions of seventeen new forms.- Proc. U. S. natn. Mus., 95: 235-367.

1949 A further contribution to the ichthyology of Venezuela.- Proc. U. S. natn. Mus., 99: 1-211.

Seegers, L. & J. H. Huber

1981 *Rivulus cryptocallus* n. sp. von der Insel Martinique (Pisces, Atheriniformes, Cyprinodontidae).- Senckenb. biol., 61 (3-4): 169-177.

Smith, H. M.

1931 Descriptions of new genera and species of Siamese fishes.- Proc. U. S. natn. Mus., 79 (7): 1-48.

Smith, J. L. B.

1933 The South African species of the genus Hemis

- Smith, J. L. B. (continued)
- rhamphus Cuv.- Trans. R. Soc. S. Afr., 21  
(2): 129-150.
- Stehman, M.
- 1976 Revision der Rajoiden-Arten des nördlichen  
Indischen Ozean und Indopazifik (Elasmo-  
branchii, Batoidea, Rajiformes).- Beaufortia,  
24 (315): 133-175.
- Steindachner, F.
- 1877 Über einige neue Fischarten, insbesondere  
Characinen und Siluroiden aus dem Amazonen-  
strom. Ichth. Beitr., V.- Sber. Akad. Wiss.  
Wien, mathem.-naturwiss. Cl., 74 (1): 49-240.
- 1879 Über einige neue und seltene Fisch-Arten aus  
den k. k. zoologischen Museen zu Wien, Stutt-  
gart und Warschau.- Denkschr. Akad. Wiss.  
Wien, mathem.-naturwiss. Cl., 41 (1): 1-52.
- 1881 [Das w. M. Herr Director Dr. Steindachner  
übersendet zwei ichthyologische Abhandlungen  
unter dem Titel: „Beiträge zur Kenntniss  
der Flussfische Südamerika's (III)“ und  
„Ichthyologische Beiträge (XI).“]- Anz.  
Akad. Wiss. Wien, mathem.-naturwiss. Cl.,  
18 (11): 97-100.
- 1906 [Das w. M. Hofrat F. Steindachner berichtet  
über zwei neue Corydoras-Arten aus dem Par-  
nahyba- und Parahim-Flusse im Staate Piauhy,  
welche von ihm während der zoologischen Ex-  
pedition der kaiserl. Akademie der Wissen-  
schaften im Jahre 1903 gesammelt wurden, ...]-  
Anz. Akad. Wiss. Wien, mathem.-naturwiss. Kl.,

Steindachner, F. (continued)

43 (27): 478-480.

- 1907 [...] über drei neue Characinen und eine neue kleine Corydoras-Art aus dem Stromgebiete des Parnahyba und San Francisco, ...].- Anz. Akad. Wiss. Wien, mathem.-naturwiss. Kl., 44 (6): 82-85.
- 1907 [Dr. Steindachner berichtet ferner über zwei neue Arten von Süßwasserfischen aus dem Stromgebiete des Parnahyba, welche von ihm während der zoologischen Expedition der kaiserl. Akademie nach Brasilien aufgefunden waren sowie über eine Abart von Loricaria lima, Kn. aus dem Jurua, ...etc.].- Anz. Akad. Wiss. Wien, mathem.-naturwiss. Kl., 44 (10): 152-155.
- 1907 [Das w. M. Hofrat F. Steindachner berichtet über eine neue Coridoras-Art aus dem Rio Preto, einem sekundären Nebenflusse des Rio San Francisco, und eine Xenocara-Art aus dem Parnahyba bei Victoria und Sa. Filomena, welche von ihm während der zoologischen Expedition der kaiserl. Akademie der Wissenschaften nach Brasilien gesammelt wurden, ferner über die weite geographische Verbreitung von Anacyrtus (Raeböides) prognathus Blgr. und Brachychalcinus longipinnis (Popta) Steind.].- Anz. Akad. Wiss. Wien, mathem.-naturwiss. Kl., 44 (17): 290-293.
- 1908 [Das w. M. Herr Hofrat Franz Steindachner berichtet über eine im Rio Jaraguá bei

Steindachner, F. (continued)

Joinville im Staate S. Catharina (Brasilien) vorkommende noch unbeschriebene Pseudochalceus-Art, Ch. affinis, sowie über eine neue Characinengattung und -art, Joinvillea rosea, von gleichem Fundorte].- Anz. Akad. Wiss. Wien, mathem.-naturwiss. Kl., 45 (5): 28-31.

1909 [Das w. M. Hofrat Franz Steindachner berichtet über eine neue Brachyplatystoma-Art aus der Umgebung von Pará, welche während der brasilianischen Expedition der kaiserl. Akademie auf dem Fischmarkt von Pará in einem Exemplar erworben wurde, sowie über eine noch unbeschriebene Loricaria-Art aus dem Jaraguá, ...etc.].- Anz. Akad. Wiss. Wien, mathem.-naturwiss. Kl., 46 (12): 195-197.

1910 [Das w. M. Hofrat F. Steindachner berichtet über eine neue Loricaria-Art aus dem Flussgebiete des Jaraguá und der Ribeira im Staate S. Paulo und Sa. Catharina, über eine mit Ancistrus aculeatus (Perugia) = Ancistrus gigas (Blgr.) Reg. sehr nahe verwandte Ancistrus-Art aus dem Rio S. Francisco bei Barra, über eine neue Corydoras-Art aus dem Jaraguá und über die äusseren Geschlechtsunterschiede von Corydoras kronei, Ribeira].- Anz. Akad. Wiss. Wien, mathem.-naturwiss. Kl., 47 (8): 57-62.

1915 Beiträge zur Kenntnis der Flussfische Südamerika's V.- Denkschr. Akad. Wiss. Wien, mathem.-naturwiss. Kl., 93: 15-106, 13 pls.  
(reprint : 1-92).

- Taphorn, D. C. & Thomerson, J. E.
- 1978 A revision of the South American Cyprinodont fishes of the genera *Rachovia* and *Astrofundulus*, with the description of a new genus.- *Acta Biol. Venez.*, 9 (4): 377-452.

- Vinciguerra, D.
- 1890 Viaggio di Leonardo Fea in Birmania e regioni vicine.- *Ann. Mus. civ. St. nat. Giacomo Doria*, 2 (9): 129-362.

- Weber, M.
- 1894 Die Süßwasser-Fische des indischen Archipels, nebst Bemerkungen über den Ursprung der Fauna von Celebes.- *Zool. Ergebni.*, 3: 405-476.
- 1895 Fische von Ambon, Java, Thursday Island, dem Burnett-Fluss und von der Süd-Küste von Neu-Guinea.- *Zool. Forsch. Aust. Malay. Arch.*, 5: 157-276.
- 1897 Beiträge zur Kenntniss der Fauna von Süd-Afrika I. Zur Kenntniss der Süßwasser-Fauna von Süd-Afrika.- *Zool. Jb.*, 10: 135-199.
- 1905 *Fierasfer sluiteri* n. sp.- *Tijdschr. ned. Dierk. Vereen.*, (2) 9: 4.
- 1907 Eine zoogeographische Prophezeiung.- *Zool. Anz.*, 32 (14): 401-404.
- 1908 Süßwasserfische von Neu-Guinea. Ein Beitrag zur Frage nach dem früheren Zusammenhang von Neu-Guinea und Australien.- *Nova Guinea*

Weber, M. (continued)

(Zool.), 5 (2): 201-267.

- 1909 Diagnosen neuer Fische der Siboga-Expedition.-  
Notes Leyden Mus., 31: 143-169.
- 1909 Eine neue Art von Macrorhamphosus und Revision  
dieses Genus.- Tijdschr. ned. Dierk. Vereen.,  
(2) 11 (2): 71-79.
- 1910 Neue Fische aus niederländisch Süd-Neu-  
Guinea.- Notes Leyden Mus., 32: 225-240.
- 1911 Die Fische der Aru- und Kei- Inseln. Ein  
Beitrag zur Zoogeographie dieser Inseln.-  
Abh. Senckenb. naturforsch. Ges., 34: 1-49.
- 1912 Versuch einer Revision der indopacifischen  
Anguillidae.- Zool. Jb., Suppl. 15 (1): 569-  
596.
- 1913 Die Fische der Siboga-Expedition.- Siboga  
Exped., 57: 1-710.
- 1913 Neue Beiträge zur Kenntniss der Süßwasser-  
fische von Celebes. Ergebnisse einer Reise  
von E. C. Abendanon in Celebes.- Bijdr.  
Dierk., 19: 197-213.
- 1913 Süßwasserfische aus niederländisch Süd-  
und Nord-Neu Guinea.- Nova Guinea (Zool.),  
9 (4): 513-613.

Weber, M. & L. F. de Beaufort

1912 Contributions to the knowledge of Indo-Austr-  
alian fishes.- Verh. K. Ned. Akad. Wet.,

Weber, M. & L. F. de Beaufort (continued)  
17 (3): 3-21.

- 1912 Fische.- In: A. Maass, "Durch Zentral-Sumatra", 2: 1-20 (reprint).
- 1913 The fishes of the Indo-Australian Archipelago, II. Malacopterygii, Myctophoidea, Ostariophysi, I: Siluroidea, : i-xx, 1-404 (E. J. Brill, Leiden).
- 1913 Über neue Fische von Neu-Kaledonien.- Zool. Anz., 42 (4): 172-174.
- 1915 Fische aus dem Süßwasser von Nias.- In: Kleiweg de Zwaan, "Die Insel Nias bei Sumatra", : 1-12 (reprint).
- 1915 Les poissons d'eau douce de la Nouvelle-Calédonie.- Nova Caledonia, Zool., 2 (1-2): 17-41.
- 1916 The fishes of the Indo-Australian Archipelago, III. Ostariophysi, II: Cyprinoidea, Apodes, Synbranchii, : i-xv, 1-455 (E. J. Brill, Leiden).
- 1922 The fishes of the Indo-Australian Archipelago, IV. Heteromi, Solenichthyes, Synentognathi, Percesoces, Labyrinthici, Microcyprini, : i-xiii, 1-410 (E. J. Brill, Leiden).
- 1929 The fishes of the Indo-Australian Archipelago, V. Anacanthini, Allotriognathi, Heterosomata, Berycomorphi, Percomorphi, : i-xiv, 1-458 (E. J. Brill, Leiden).

Weber, M. & L. F. de Beaufort (continued)

1931 The fishes of the Indo-Australian Archipelago, VI. Perciformes (continued), : i-xii, 1-448 (E. J. Brill, Leiden).

1936 The fishes of the Indo-Australian Archipelago, VII. Perciformes (continued), : i-xvi, 1-607 (E. J. Brill, Leiden).

Weitzman, S. H.

1960 Figures and descriptions of four South American catfishes of the genus *Corydoras*, including two new species.- Stanford ichth. Bull., 7 (4): 140-154.

1961 A new catfish, *Corydoras concolor* (Callichthyidae) from Venezuela.- Proc. biol. Soc. Washington, 74: 105-110.

Weitzman, S. H. & W. L. Fink

1971 A new species of Characid fish of the genus *Nematobrycon* from the Rio Calima of Colombia (Pisces, Characoidei, Characidae).- Beaufortia, 19 (248): 57-77.

Weitzman, S. H. & H. Nijssen

1970 Four new species and one new subspecies of the catfish genus *Corydoras* from Ecuador, Colombia and Brazil (Pisces, Siluriformes, Callichthyidae).- Beaufortia, 18 (233): 119-132.

Whitley, G. P.

1938 Descriptions of some New Guinea fishes.- Rec. Aust. Mus., 20 (3): 223-233.

Winterbottom, R.

1974 A new species of Anostomid Characoid fish,  
*Anostomus spiloclistron*, from the Nickerie  
river system od western Surinam (Pisces,  
Cypriniformes, Anostomidae).- Beaufortia,  
21 (283): 153-163.

## INDEX

- aaldereni, *Hemipimelodus* 53  
abendanoni, *Telmatherina* 78  
*abnormis*, *Achirus* 107  
*abramoides*, *Astyanax* 14  
*Abudefduf filiger* 83  
*Abudefduf hemicyaneus* 83  
*abuelo*, *Sovichthys* 62  
*Acanthemblamaria spinosa* 93  
*Acanthocharax microlepis* 13  
*Acanthophacelus bifurcus* 69  
*Acanthophthalmus lorentzi* 26  
*Acanthophthalmus muraeniformes* 26  
*Acanthophthalmus vermicularis* 26  
*Acestrorhynchus altus* 13  
*Achirus abnormis* 107  
*acipecterinus*, *Hemiodon* 53  
*acrolephalus*, *Arius* 37  
*acus*, *Coelorhynchus* 66  
*acus venezuelensis*, *Farlowella* 51  
*acuticeps*, *Danio* 28  
*acutirostris*, *Muraenichthys* 9  
*Adrianichthys kruyti* 69  
*adujai*, *Iguanodectes* 21  
*aeglefinus*, *Paracentropogon* 81  
*Aequidens potaroensis* 83  
*Aeschrichthys goldiei* 91  
*affinis*, *Cyttomimus* 79  
*affinis*, *Pseudorhombus* 106  
*affinis*, *Rhombattractus* 75  
*agassizii*, *Corydoras* 42  
*agilae*, *Rivulus* 70  
*agnesae*, *Moenkhausia* 21  
*albater*, *Aspidoras* 38  
*albofasciata*, *Scorpaena* 82  
*albofasciatus*, *Pimelodus* 60  
*albomarginatus*, *Pseudopimelodus* 61  
*alcocki*, *Halimochirurgus* 109  
*alcockii*, *Gobius* 98  
*alepidotus*, *Noemacheilus rupecola* 32  
*Alestopetersius xenurus tumbensis* 13  
*aloikae*, *Bunocephalus amaurus* 39  
*alta*, *Crenicichla* 87  
*Alticus semicrenatus* 93  
*Alticus triangulus* 93  
*altipinna*, *Pseudorasbora* 32  
*altus*, *Acestrorhynchus* 13  
*Aluterus blankerti* 109  
*amadi*, *Gobius* 98  
*amapaensis*, *Corydoras* 42  
*Ambassis confinis confinis* 84  
*Ambassis confinis occidentalis* 84  
*Ambassis interrupta reticulatus* 84

amphisquamata, Homaloptera 29  
analis, Hemigrammus 18  
anambarensis, Noemacheilus 31  
Andamia cyclocheilus 93  
Anguilla spengeli 7  
anguillaris, Gymnotus 25  
angusticauda, Muraena 9  
angustiformis, Periophthalmus dipus 102  
Anisochaetodon trivirgatus 84  
annae, Nematochromis 88  
annandalei, Raja 7  
annator, Craterocephalus 73  
annitae, Parasalanx 11  
annulatus, Anticitharus 106  
annulatus, Callionymus 95  
anoplus, Barbus 26  
Anostomus anostomus longus 13  
Anostomus brevior 13  
Anostomus spiloclistron 13  
Antennarius cryptacanthus 64  
Anticitharus annulatus 106  
Antigonia malayana 79  
Aphoristia microrhynchus 107  
Aphyocharax erythrurus 14  
Aphyocyparis normalis 26  
Apistogramma cacatuoides 84  
Apistogramma njsseni 85  
Apistogramma resticulosa 85  
apithanos, Pseudohemiodon 61  
Apodocreedia vanderhorsti 92  
Apogon argyrogaster 85  
Apogon beauforti 85  
Apogon bilaciatus 85  
Apogon brevicaudatus 85  
Apogon dammermani 85  
Apogon gjellerupi 85  
Apogon heurni 86  
Apogon ocellatus 86  
Apogon sandei 86  
Apogon trifasciatus 86  
Apogon tubulatus 86  
Apogon wickmanni 86  
Apterygocampus epinnulatus 79  
archipelagicus, Hemiramphus 67  
argus, Coelorhynchus 66  
argus, Pseudorhombus 106  
argyrogaster, Apogon 85  
arifi, Schistura 35  
Arius acrocephalus 37  
Arius carinatus 37  
Arius digulensis 37  
Arius nudidens 38  
armatus, Callichthys 40  
armatus, Solenostomus 80

- Arnoglossus elongatus 106  
Arnoglossus profundus 106  
artifrons, Cyprinodon variegatus 70  
aruensis, Bostrychus 96  
aruensis, Electris 96  
Aseraggodes dubius 107  
Aseraggodes filiger 107  
Aseraggodes microlepidotus 107  
Aseraggodes texturatus 108  
Aspidoras albater 38  
Aspidoras brunneus 38  
Aspidoras carvalhoi 38  
Aspidoras eurycephalus 38  
Aspidoras fuscoguttatus 38  
Aspidoras maculosus 38  
Aspidoras menezesi 39  
Aspidoras poecilus 39  
Aspidoras spilotus 39  
Aspidoras virgulatus 39  
Astroblepus phelpsi 39  
Astyanax abramoides 14  
Astyanax essequibensis 14  
Astyanax guianensis 14  
Astyanax mutator 14  
Atherinichthys nouhuysi 72  
atra, Lambertia 56  
atromaculatus, Gnathopogon 28  
atropersonatus, Corydoras 42  
aubynei, Pristella 24  
Auchenipterus brevior 39  
Austrofundulus stagnalis 69  
axelrodi, Brittanichthys 15  
axelrodi, Chilatherina 72  
Axelrodia lindeae 14  
Axelrodia riesei 14  
  
Barbus anoplus 26  
Barbus breyeri 26  
Barbus dezwaani 27  
Barbus hexazona 27  
Barbus lineatus 27  
Barbus pahangensis 27  
Barbus viviparus 27  
Barilius dogarsinghi 27  
Bathyclupea malayana 87  
Bathygadus dubiosus 66  
Bathytroctes calcaratus 12  
bayano, Eretmobrycon 17  
beauforti, Apogon 85  
beauforti, Cynoglossus 108  
beauforti, Gobius 98  
beauforti, Zenarchopterus 69  
Bedotia geayi 72  
Betta patoti 105

Betta splendens 105  
bicirrhosus, Gobius 98  
bicolor, Corydoras 42  
bicolor, Labeo 29  
bicornis, Paracrossochilus 32  
bifasciatus, Corydoras 43  
bifasciatus, Duboisialestes 17  
bifasciatus, Nannostomus 3, 23  
bifurcus, Acanthophacelus 69  
bilaciniatus, Apogon 85  
billitonensis, Mastacembelus 105  
bilobatus, Cypsilurus 67  
binghami, Ceratobranchia 15  
blankerti, Aluteres 109  
bleekeri, Salarias 95  
blennioides, Characidium 16  
Blennius niger 94  
Blennius rioudourensis 94  
blochi, Corydoras 43  
Boehlkea fredcochui 14  
boekei, Callionymus 96  
boekei, Doratonotus 92  
boekei, Melanorhinus 73  
boesemani, Corydoras 43  
boldinghi, Pleurosicya 103  
bolteni, Callichthys callichthys 40  
bonairensis, Rivulus marmoratus 71  
bonti, Telmatherina 78  
borneensis, Parioglossus 101  
boschmae, Pristipoma 89  
Bostrychus aruensis 96  
Bostrychus zonatus 96  
bovallii, Poecilocharax 24  
Brachysomophis kamperi 8  
Brannerella sluiteri 94  
brasiliensis, Saurida 12  
braueri, Chiasmodon 92  
braueri, Stylophthalmus 12  
brevicauda, Osteochilus 32  
brevicauda, Thryssa 11  
brevicaudatus, Apogon 85  
brevidorsalis, Doryrhamphus 80  
brevior, Anostomus 13  
brevior, Auchenipterus 39  
brevis, Cypsilurus 67  
brevis, Sicyopterus 104  
breyeri, Barbus 26  
briareos, Chilomycterus 110  
britskii, Parotocinclus 60  
Brittanichthys axelrodi 15  
browni, Moenkhausia 22  
brunnea, Narcine 7  
brunnea, Tatia 62  
brunneus, Aspidoras 38

bruynisi, *Schismatogobius* 103  
*Bryconamericus deuterodonoides euryodus* 15  
*Bryconella haraldi* 15  
*Bryconops inpai* 15  
buitendjiki, *Neenchelys* 9  
*Bunocephalus amaurus aloikae* 39  
*Bunocephalus amaurus sipaliwini* 40  
*butcheri, Pseudopimelodus villosus* 61

cacatuoides, *Apitogramma* 84  
*caeruleostigmata, Laubuca* 30  
*calancalae, Myxus* 91  
*calcaratus, Bathytroctes* 12  
*Callechelys sibogae* 8  
*Callichthys armatus* 40  
*Callichthys callichthys bolteni* 40  
*Callichthys callichthys demararae* 40  
*callionymi, Tripterygion* 95  
*Callionymus annulatus* 95  
*Callionymus boekei* 96  
*Callionymus sanctieustatii* 96  
*Callogobius centrolepis* 96  
*Callyodon verweyi* 91  
*carinata, Farlowella* 51  
*carinatus, Arius* 37  
*carinatus, Lethrinus* 88  
*Carnegiella strigata surinamensis* 15  
*carvalhoi, Aspidoras* 38  
*cataphracta, Loricaria* 57  
*catherinae, Rhombattractus* 76  
*caudocarinatus, Doryichthys* 80  
*caudovittatus, Hemiramphus* 68  
*cavifrons, Gobius* 98  
*cayennae, Hoplosternum thoracatum* 54  
*cayennensis, Hemigrammus unilineatus* 19  
*celebensis, Haplochilus* 70  
*celebensis, Nomorhamphus* 69  
*centrolepis, Callogobius* 96  
*Centromochlus leopardus* 40  
*Ceratobranchia binghami* 15  
*Cercomites flagellifer* 8  
*Cetopsorhamdia picklei* 40  
*Cetopsorhamdia pijpersi* 41  
*Chaetostoma anomala sovichthys* 41  
*Chalixodtes tauensis* 92  
*Characidium blennioides* 16  
*Characidium chupa chupa* 16  
*Characidium vintoni* 16  
*Characidium voladorita* 16  
*Characidium zebra* 16  
*Chasmocranus longior* 41  
*Cheilinus cingulatus* 92  
*Cheilodipterus subulatus* 87  
*Cheirodon dialepturus* 16

Cheirodon gracilis 16  
Cheirodon gracilis littoris 16  
Cheirodon kriegi 17  
Chelidoperca margaritifera 87  
Chiastodon braueri 92  
Chilatherina axelrodi 72  
Chilomycterus briareos 110  
Chilomycterus hardenberghi 110  
Chromis natalensis 87  
Chromis philander 87  
Chromis retrofasciatus 87  
chupa chupa, Characidium 16  
cingulatus, Cheilinus 92  
cirrhosa, Loricaria 57  
Clarias theodorae 41  
Clupea koningsbergi 10  
clupeiformes, Rhabdamia 89  
Clupeoides venulosus 10  
Clupisoma naziri 41  
Cobitis aurata vallachica 27  
cobreensis, Pseudancistrus pediculatus 61  
Cochliodon pospisili 41  
Cocotropus dezwaani 81  
Cocotropus obbesi 81  
coecus, Taenioides 104  
Coelorrhynchus acus 66  
Coelorrhynchus argus 66  
Coelorrhynchus macrorhynchus 66  
colletti, Linophryne 65  
Compsomidiaria medium 108  
concolor, Corydoras 43  
concolor, Tatia 63  
condiscipulus, Corydoras 44  
confinis, Ambassis confinis 84  
Congrellus roosendaali 8  
connieae, Popondetta 75  
conorhynchus, Tetranesodon 63  
convexus, Hemiramphus 68  
Copidoglanis equinus 41  
Copidoglanis gjellerupi 41  
Copidoglanis meraukensis 42  
Copidoglanis novaeguineae 42  
coppenameensis, Corydoras bondi 43  
coppenameensis, Hypostomus 54  
coprophagus, Pimelodus claras 60  
corantijni, Hypostomus 55  
coropiniae, Gymnotus 25  
corrugatus, Syngnathus 3, 80  
corti, Schizodon fasciatum 24  
Corydoras agassizii 42  
Corydoras amapaensis 42  
Corydoras atropersonatus 42  
Corydoras bicolor 42  
Corydoras bifasciatus 43

- Corydoras blochi* *blochi* 43  
*Corydoras blochi* *vittatus* 43  
*Corydoras boesemani* 43  
*Corydoras bondi* *coppennamensis* 43  
*Corydoras concolor* 43  
*Corydoras condiscipulus* 44  
*Corydoras dubius* 44  
*Corydoras ehrhardti* 44  
*Corydoras elegans* 44  
*Corydoras ephippifer* 44  
*Corydoras eques* 44  
*Corydoras garbei* 45  
*Corydoras gossei* 45  
*Corydoras gracilis* 45  
*Corydoras guianensis* 45  
*Corydoras habrosus* 45  
*Corydoras heteromorphus* 45  
*Corydoras julii* 46  
*Corydoras macropterus* 46  
*Corydoras maculifer* 46  
*Corydoras marmoratus* 46  
*Corydoras micracanthus* 46  
*Corydoras multimaculatus* 47  
*Corydoras myersi* 47  
*Corydoras nanus* 47  
*Corydoras narcissus* 47  
*Corydoras nattereri* *triseriatus* 47  
*Corydoras octocirrus* 47  
*Corydoras oelemariensis* 48  
*Corydoras oiapoquensis* 48  
*Corydoras ornatus* 48  
*Corydoras orphopterus* 48  
*Corydoras ourastigma* 48  
*Corydoras oxyrhynchus* 48  
*Corydoras panda* 49  
*Corydoras pastazensis* *orcesi* 49  
*Corydoras prionotos* 49  
*Corydoras pulcher* 49  
*Corydoras raimundi* 49  
*Corydoras reynoldsi* 49  
*Corydoras robustus* 49  
*Corydoras sanchesii* 50  
*Corydoras saramaccensis* 50  
*Corydoras schwartzi* *surinamensis* 50  
*Corydoras septentrionalis* 50  
*Corydoras simulatus* 50  
*Corydoras spilurus* 50  
*Corydoras steindachneri* 51  
*Corydoras treitlui* 51  
*Corydoras weitzmani* 51  
*Corydoras wotroi* 51  
*Corydoras xinguensis* 51  
*Coryphaenoides sibogae* 66  
*Cosmochilus falcifer* 28

Cottunculus gyrinoides 81  
crassispinosus, Rhombattractus 76  
Craterocephalus annator 73  
Craterocephalus dalhousiensis 73  
Creagrutus hildebrandi 17  
Crenicichla alta 87  
crenulatus, Salarias 95  
crenulatus, Syngnathus 80  
Crepidogaster indicus 63  
Crossochilus gnathopogon 28  
cryptacanthus, Antennarius 64  
cryptocallus, Rivulus 71  
Crystallodentes cookei enderburyensis 92  
cuchillejo, Sternarchogiton 25  
cupido, Trachymochlus 63  
curacao, Gobius 98  
Curimatus esperanzae pijpersi 17  
Curimatus morawhannae 17  
curtistigma, Schistura 35  
cyclocheilus, Andamia 93  
cylindricus, Hemigrammus 18  
cynocephalus, Paracentropogon 82  
Cynoglossus beauforti 108  
Cynoglossus heterolepis 3, 108  
Cynoglossus sibogae 108  
Cyprinodon salinus 69  
Cyprinodon variegatus artifrons 70  
cypselurus, Rhabdamia 89  
Cypsilurus bilobatus 67  
Cypsilurus brevis 67  
Cyrtocharax magdalenae venezuelae 17  
Cyttomimus affinis 79  
Cyttula macropus 79  
  
daillyi, Hoplosternum littorale 53  
dalhousiensis, Craterocephalus 73  
dammermani, Apogon 85  
Danio acuticephala 28  
demararae, Callichthys callichthys 40  
depressirostris, Pseudorasbora 32  
Deuterodon pinnatus 17  
dewaali, Gobius 99  
dewegei, Serranus 90  
dezwaani, Barbus 27  
dezwaani, Cocotropus 81  
dezwaani, Pangasius 59  
dialepturus, Cheirodon 16  
Diaphus malayanus 12  
Diaphus suborbitalis 12  
Dibranchus infranudus 64  
Dicrolene hubrechti 65  
dientonito, Roeboides 24  
digulensis, Arius 37  
dinocephala, Muraena 9

dogarsinghi, Barilius 27  
Doiichthys novaeguineae 51  
Doratonotus boekei 92  
doriae, Eucirrhichthys 28  
Dormitator lophocephalus 96  
dorsimaculatus, Tytobrycon 25  
dorsiocellata, Rasbora 33  
Doryichthys caudocarinatus 80  
Doryrhamphus brevidorsalis 80  
dubiosus, Bathygadus 66  
dubiosus, Scolopsis 89  
dubius, Aseraggodes 107  
dubius, Corydoras 44  
Duboisialestes bifasciatus 17  
dumasi, Melanotaenia 73  
dunckeri, Syngnathus 81  
  
ecuadorensis, Hyphessobrycon 19  
ehrhardti, Corydoras 44  
elegans, Corydoras 44  
eleotrioides, Jobertina 21  
Eleotris aruensis 96  
Eleotris fimbriatus 96  
Eleotris herwerdenii 97  
Eleotris heterodon 97  
Eleotris mertoni 97  
Eleotris nesolepis 97  
elongatus, Arnoglossus 106  
elongatus, Scolopsis 90  
emanueli, Pygidium 62  
Empetrichthys latos latos 70  
Enchelyurus flavipes nigerrima 94  
enderburyensis, Crystallodentes cookei 92  
Engraulicypris spinifer 28  
engraulis, Hemicerterella 29  
eos, Hyphessobrycon 20  
ephippifer, Corydoras 44  
epinnulatus, Apterygocampus 79  
eques, Corydoras 44  
equinus, Copidoglanis 41  
Eretmobrycon bayano 17  
erythrozonus, Hemigrammus 18  
erythrurus, Aphyocharax 14  
essequibensis, Astyanax 14  
Eucirrhichthys doriae 28  
eulepidotus, Tetrodon 110  
eurycephalus, Aspidoras 38  
euryodus, Bryconamericus deuterodonoides 15  
Eustira maassi 28  
Evermannichthys metzelaari 97  
Eviota gymnocephalus 97  
exquisita, Melanotaenia 73  
  
falcifer, Cosmochilus 28

fallax, *Loricaria (Loricariichthys)* 58  
fallax, *Syphurus* 4, 109  
*Farlowella acus venezuelensis* 51  
*Farlowella carinata* 51  
*Farlowella parvicarinata* 52  
*Farlowella reticulata* 52  
*Farlowella rugosa* 52  
*fasciatum*, *Tripterygion* 95  
*fasciatus*, *Macrurus* 66  
*fasciatus*, *Rhombattractus* 76  
*fuscimaculata*, *Schistura* 36  
*ferventer*, *Gibbonsia metzi* 94  
*Fierasfer sluiteri* 65  
*filifer*, *Abudefdup* 83  
*filliger*, *Aseraggodes* 107  
*fimbriatus*, *Eleotris* 96  
*fistulosa*, *Foa* 3, 88  
*flagellifer*, *Cercomites* 8  
*floresiana*, *Moringua* 9  
*fluctuans*, *Petroscirtes* 94  
*Foa fistulosa* 3, 88  
*Foa longimana* 88  
*formosa*, *Rineloricaria* 62  
*fowleri*, *Pseudorasbora* 33  
*fredcochui*, *Boehlkea* 14  
*fumosa*, *Halieutaea* 64  
*furcatus*, *Lepidocephalus* 30  
*fuscoguttatus*, *Aspidoras* 38  
  
*gabonensis*, *Grasseichthys* 11  
*Galaxias neocaledonicus* 11  
*garbei*, *Corydoras* 45  
*Garmanella pulchra* 70  
*Gasteropelecus sternicla morae* 18  
*geayi*, *Bedotia* 72  
*geisleri*, *Iguanodectes* 21  
*geisleri*, *Nannaethiops* 22  
*georgetti*, *Hypessobrycon* 20  
*georgiae*, *Moenkhausia* 22  
*Gephyrocharax venezuelae* 18  
*gertrudae*, *Pseudomugil* 75  
*geryi*, *Pimelodella* 60  
*Gibbonsia metzi ferventer* 94  
*gjellerupi*, *Apogon* 85  
*gjellerupi*, *Copidoglanis* 41  
*gjellerupi*, *Sphagebranchus* 9  
*Glossolepis incisus* 73  
*Glossolepis wanamensis* 73  
*Glyptothorax punjabensis* 52  
*Glyptothorax stocki* 52  
*Gnathopogon atromaculatus* 28  
*gnathopogon*, *Crossochilus* 28  
*Gobiesox sanctimartini* 63  
*Gobiesox vittatus* 64

- Gobio rivuloides* 28  
*Gobiosoma horsti* 98  
*Gobius alcockii* 98  
*Gobius amadi* 98  
*Gobius beauforti* 98  
*Gobius bicirrhosus* 98  
*Gobius cavifrons* 98  
*Gobius curacao* 98  
*Gobius dewaali* 99  
*Gobius hipoliti* 99  
*Gobius labiatus* 99  
*Gobius longimanus* 99  
*Gobius matanensis* 99  
*Gobius mertoni* 99  
*Gobius notonema* 99  
*Gobius ophthalmicus* 100  
*Gobius oyensi* 100  
*Gobius reticularis* 100  
*Gobius roemerii* 100  
*Gobius rouxi* 100  
*Gobius scapulopunctatus* 100  
*Gobius senegambiensis* 100  
*Gobius stigmatophorus* 100  
*Gobius triangularis* 101  
*Gobius uronema* 101  
*Gobius villosus* 101  
goethei, *Hoplocharax* 19  
goldiei, *Aeschrichthys* 91  
gossei, *Corydoras* 45  
gracilicirrus, *Umbrina* 91  
gracilis, *Cheirodon* 16  
gracilis, *Corydoras* 45  
gracilis, *Melanotaenia* 73  
grandisquama, *Nematops* 106  
grandisquamis, *Platycephalus* 83  
*Grasseichthys gabonensis* 11  
griemi, *Hypseobrycon* 20  
grimaldii, *Hymenocephalus* 66  
griseus, *Loricaria* 57  
guianense, *Hypoptopoma* 54  
guianensis, *Astyanax* 14  
guianensis, *Corydoras* 45  
guyanensis, *Hemigrammus* 19  
gymnauchen, *Tripterygion* 95  
gymnocephalus, *Eviota* 97  
*Gymnocorymbus socolofi* 18  
*Gymnothorax megapterus* 8  
*Gymnotus anguillaris* 25  
*Gymnotus coropinae* 25  
*gyrinoides*, *Cottunculus* 81  
  
habbemai, *Therapon* 90  
habrosus, *Corydoras* 45  
hainanensis, *Rasborinus* 35

- Halicmetus ruber marmorata 64  
Halieutaea fumosa 64  
Halieutaea indica 64  
Halieutaea stellata vittata 65  
Halimochirurgus alcocki 109  
Haliopsis malayanus 94  
Haplochilus celebensis 70  
Haplochilus sarasinorum 70  
Haplochilus timorensis 70  
haraldi, Bryconella 15  
hardenbergi, Chilomycterus 110  
harnaiensis, Noemacheilus 31  
Harttia nijsseni 42  
Harttia surinamensis 53  
hazaraensis, Noemacheilus griffithi 31  
Helgia modesta 29  
Helotes lorentzi 88  
Hemibrycon dentatus jabonero 18  
Hemibrycon surinamensis 18  
Hemiculterella engraulis 29  
hemicyaneus, Abudefduf 83  
hemigrammoides, Moenkhausia 22  
Hemigrammus analis 18  
Hemigrammus cylindricus 18  
Hemigrammus erythrozonus 18  
Hemigrammus guyanensis 19  
Hemigrammus orthus 19  
Hemigrammus paipayensis 19  
Hemigrammus rodwayi  
Hemigrammus unilineatus cayennensis 19  
Hemigrammus vorderwinkleri 19  
Hemiodon acipenserinus 53  
Hemipimelodus aaldereni 53  
Hemipimelodus macrorhynchus 53  
Hemipimelodus velutinus 53  
Hemiramphus archipelagicus 67  
Hemiramphus caudovittatus 68  
Hemiramphus convexus 68  
Hemiramphus orientalis 68  
Hemiramphus (Zenarchopterus) kampeni 68  
Hemiramphus (Zenarchopterus) novaeguineae 68  
Hemirhamphus knysnaensis 69  
Hemirhamphus peitaihoensis 69  
Hemisilurus moolenburghi 53  
Hepatus weberi 105  
herbertaxelrodi, Melanotaenia 74  
herwerdenii, Eleotris 97  
heterodon, Eleotris 97  
Heterogramma ortmanni 88  
heterolepis, Cynoglossus 3, 108  
heterolepis, Homaloptera 29  
heteromorpha, Rasbora 33  
heteromorphus, Corydoras 45  
heteroptera, Rineloricaria 62

heurni, *Apogon* 86  
*hexazona*, *Barbus* 27  
*heyningeni*, *Macrurus* 66  
*heyningi*, *Sphagebranchus* 10  
*hildebrandi*, *Creagrutus* 17  
*hipoliti*, *Gobius* 99  
*Hippocampus spinosissimus* 80  
*Histioclinus veliger* 94  
*hjorti*, *Leptocephalus* 8  
*Homaloptera amphisquamata* 29  
*Homaloptera heterolepis* 29  
*Homaloptera lepidogaster* 29  
*Homaloptera weberi* 29  
*Hoplocharax goethei* 19  
*Hoplosternum littorale daillyi* 53  
*Hoplosternum thoracatum cayennae* 54  
*Hoplosternum thoracatum surinamensis* 54  
*horai*, *Platycephalus* 83  
*horsti*, *Gobiosoma* 98  
*hubrechti*, *Dicrolene* 65  
*hummelincki*, *Rachovia* 70  
*huysmani*, *Samariscus* 107  
*huysmani*, *Sphagebranchus* 10  
*Hymenocephalus grimaldii* 66  
*Hypseobrycon ecuadorensis* 19  
*Hypseobrycon eos* 20  
*Hypseobrycon georgetti* 20  
*Hypseobrycon griemi* 20  
*Hypseobrycon rosaceus* 20  
*Hypseobrycon rubrostigma* 20  
*Hypseobrycon saizi* 20  
*Hypseobrycon stictus* 20  
*Hypseobrycon tenuis* 29  
*Hypseobrycon vilmae* 21  
*Hypoptopoma guianense* 54  
*Hypostomus coppenamensis* 54  
*Hypostomus corantijni* 55  
*Hypostomus gymnorhynchus tapanahoniensis* 55  
*Hypostomus micromaculatus* 55  
*Hypostomus nickeriensis* 55  
*Hypostomus pseudohemimyrus macrophthalmus* 55  
*Hypostomus pseudohemimyrus pseudohemimyrus* 55  
*Hypostomus saramaccensis* 55  
*Hypostomus surinamensis* 56  
*Hypostomus ventromaculatus* 56  
  
*Ichthyocampus kampeni* 80  
*ifati*, *Thayeria* 24  
*incisus*, *Glossolepis* 73  
*inconspicuus*, *Pseudomugil* 75  
*indica*, *Halieutaea* 64  
*indicus*, *Crepidogaster* 63  
*indicus*, *Leptocephalus* 8  
*infranudus*, *Dibranchus* 64

- inpai, *Bryconops* 15  
intermedia, *Pomacentrus fasciatus* 88  
intermedius, *Osteochilus* 32  
*Iguanodectes adujai* 21  
*Iguanodectes geisleri* 21  
irrorata, *Lepidocephalichthys* 30
- jaarmani, *Oxyurichthys* 101  
jabonero, *Hemibrycon dentatus* 18  
jacobsoni, *Rasbora* 33  
jaraguensis, *Loricaria* 57  
*Jobertina eleotrioides* 21  
*Joinvillea rosae* 21  
jokeannae, *Trachycorystes* 63  
julii, *Corydoras* 46
- kampeni, *Brachysomophis* 8  
kampeni, *Hemiramphus (Zenarchopterus)* 68  
kampeni, *Ichthyocampus* 80  
kampeni, *Pellona* 11  
kerberti, *Odontonema* 93  
klazingai, *Sphagebranchus* 10  
klunzingeri, *Pardachirus* 108  
knysnaensis, *Hemiramphus* 69  
kochi, *Petroscirtes* 94  
kochi, *Rhombatractus* 76  
kohatensis, *Schistura* 36  
koningsbergi, *Clupea* 10  
kriegi, *Cheirodon* 17  
kruyti, *Adrianichthys* 69  
kuiperi, *Noemacheilus* 31
- Labeo bicolor* 29  
*Labeobarbus longipinnis* 29  
*Labeobarbus nanningsi* 30  
labiatus, *Gobius* 99  
lacortei, *Nematobrycon* 23  
lacustris, *Microgobius* 101  
*lagoichthys*, *Loricaria gymnogaster* 57  
*Lambertia atra* 56  
*Lasiancistrus maracaiboensis* 56  
laterisquamatus, *Oxyurichthys* 101  
latos, *Empetrichthys* 70  
Laubuca caeruleostigmata 30  
leiakanthus, *Leiocassis* 56  
*Leiocassis leiakanthus* 56  
Leiogaster melanopus 79  
lentiginosa, *Loricaria prolixa* 58  
leopardus, *Centromochlus* 40  
*Lepadichthys minor* 64  
*Lepidarchus adonis signifer* 21  
*Lepidoblepharon ophthalmolepis* 106  
lepidocaulis, *Schistura kessleri* 36  
*Lepidocephalichthys irrorata* 30

- Lepidocephalus furcatus 30  
lepidogaster, Homaloptera 29  
Leptobarbus melanopterus 30  
Leptocephalus hjorti 8  
Leptocephalus indicus 8  
Leptocephalus peterseni 8  
Leptocephalus schmidti 9  
Leptodoras linnelli 56  
Lethrinus carinatus 88  
Leucogobio polystaenia 30  
limoncochae, Rivulus 71  
lindeae, Axelrodia 14  
lineatus, Barbus 27  
linnelli, Leptodoras 56  
Linophryne colletti 65  
Lissochilus smedleyi 30  
Lissochilus sumatranus 30  
litanensis, Parupygus 25  
lithoides, Lithoxus 57  
Lithoxus lithoides 57  
littoris, Cheirodon gracilis 16  
longifilis, Physiculus 65  
longifilis, Sicyopterus 104  
longimana, Foa 88  
longimanus, Gobius 99  
longimanus, Pteranthias 89  
longior, Chasmocranus 41  
longipectoralis, Polynemus 91  
longipinnis, Labeobarbus 29  
longus, Anostomus anostomus 13  
Lophius papilliferus 64  
lophocephalus, Dormitator 96  
lorentzi, Acanthophtalmus 26  
lorentzi, Helotes 88  
lorentzi, Rhombatractus 77  
lorentzi, Toxotes 91  
Loricaria cataphracta 57  
Loricaria cirrhosa 57  
Loricaria griseus 57  
Loricaria gymnotogaster lagoichthys 57  
Loricaria jaraguensis 57  
Loricaria (Loricariichthys) fallax 58  
Loricaria nickeriensis 57  
Loricaria parnabyae 57  
Loricaria prolixa 58  
Loricaria prolixa lentiginosa 58  
Loricaria spixii 58  
Loricaria variegata venezuelae 58  
Loricariichthys platymetopon 58  
  
maassi, Eustira 28  
maassi, Vaillantella 37  
machensis, Noemacheilus horai 31  
mackayana, Torpedo 7

macrocephalus, *Platycephalus* 83  
macrolepis, *Schistura* 36  
macrophthalmus, *Hypostomus pseudohemimurus* 55  
macrophthalmus, *Quisquilius* 103  
macropterus, *Corydoras* 46  
macropus, *Cyttula* 79  
*Macrorhamphosus schoteli* 79  
*macrorhynchus*, *Coelorhynchus* 66  
*macrorhynchus*, *Hemipimelodus* 53  
*Macrurus fasciatus* 66  
*Macrurus heyningeni* 66  
*Macrurus richardi* 67  
*Macrurus tydemani* 67  
*macturki*, *Pimeledella* 60  
*maculata*, *Melanotaenia*  
*maculata*, *Parasturisoma* 59  
*maculata*, *Rasbora* 34  
*maculifer*, *Corydoras* 46  
*maculosus*, *Aspidoras* 38  
*maculosus*, *Tylobranchus* 25  
*malayana*, *Antigonia* 79  
*malayana*, *Bathyclupea* 87  
*malayanus*, *Diaphus* 12  
*malayanus*, *Haliopsis* 94  
*malayanus*, *Melamphaes* 78  
*malayanus*, *Neobythites* 65  
*malayanus*, *Synagrops* 90  
*manaensis*, *Rivulus* 71  
*maracaiboensis*, *Lasiancistrus* 56  
*marginatus*, *Nannostomus* 23  
*margaritifera*, *Chelidoperca* 87  
*mariae*, *Oloplotosus* 59  
*marmorata*, *Halicmetus ruber* 64  
*marmoratus*, *Corydoras* 46  
*Mastacembelus billitonensis* 105  
*matanensis*, *Gobius* 99  
*matthesi*, *Synodontis* 62  
*medium*, *Compsomidiana* 108  
*Megalamphodus roseus* 21  
*megalops*, *Pimeledella* 60  
*megalostictus*, *Phenacogaster* 23  
*megapterus*, *Gymnothorax* 8  
*meinkeni*, *Rasbora* 34  
*Melamphaes malayanus* 78  
*Melamphaes polylepis* 78  
*melanopterus*, *Leptobarbus* 30  
*melanopus*, *Leiogaster* 79  
*Melanorhinus boekei* 73  
*melanostigma*, *Saccoderma* 24  
*Melanotaenia dumasi* 73  
*Melanotaenia exquisita* 73  
*Melanotaenia gracilis* 73  
*Melanotaenia herbertaxelrodi* 74  
*Melanotaenia maculata* 74

- Melanotaenia monticola 74  
Melanotaenia multisquamata 5, 74  
Melanotaenia neglecta 74  
Melanotaenia ogilbyi 74  
Melanotaenia parkinsoni 74  
Melanotaenia pimaensis 74  
Melanotaenia pygmaea 75  
menezesi, Aspidoras 39  
meraukensis, Copidoglanis 42  
meraukensis, Sphoeroides 3, 110  
mertoni, Eleotris 97  
mertoni, Gobius 99  
Metaloricaria paucidens 59  
metzelaari, Evermannichthys 97  
micracanthus, Corydoras 46  
Microglanis secundus 59  
Microgobius lacustris 101  
microlabra, Schistura 36  
microlepidotus, Aseraggodes 107  
microlepis, Acanthocharax 13  
micromaculatus, Hypostomus 55  
microps, Pogoneleotris 103  
microrhynchus, Aphoristia 107  
microstoma, Platophrys 106  
minor, Lepadichthys 64  
modesta, Helgia 29  
Modigliana papillosa 31  
Moenkhausia agnesae 21  
Moenkhausia browni 22  
Moenkhausia georgiae 22  
Moenkhausia hemigrammoides 22  
Moenkhausia phaeonota 22  
Moenkhausia surinamensis 22  
Moenkhausia takasei 22  
monticola, Melanotaenia 74  
moolenburghae, Pseudeutropius 61  
moolenburghi, Hemisilurus 53  
morae, Gasteropelecus sternicla 18  
morawhannae, Curimatus 17  
Moringua floresiana 9  
multimaculatus, Corydoras 47  
multisquamata, Melanotaenia 5, 74  
multisquamatus, Sicyopus 104  
Muraena angusticauda 9  
Muraena dinocephala 9  
Muraenichthys acutirostris 9  
Muraenichthys sibogae 9  
muraeniformes, Acanthophthalmus 26  
mutator, Astyanax 14  
myersi, Corydoras 47  
Myxus calancalae 91  
nalbanti, Noemacheilus alepidotus 31  
Nangra robusta 59

- Nannaethiops geisleri 22  
nanningsi, Labeobarbus 30  
Nannocampus weberi 80  
Nannostomus beckfordi surinami 22  
Nannostomus bifasciatus 3, 23  
Nannostomus marginatus 23  
Nannostomus marginatus picturatus 23  
nanus, Corydoras 47  
Narcine brunnea 7  
narcissus, Corydoras 47  
natalensis, Chromis 87  
navigatoris, Tydemania 109  
naziri, Clupisoma 41  
Neenchelys buitendijki 9  
neglecta, Melanotaenia 74  
Nematobrycon lacortei 23  
Nematochromis annae 88  
Nematops grandisquama 106  
Neobythites malayanus 65  
neocaledonicus, Galaxias 11  
Neopercis striolata 93  
nesolepis, Eleotris 97  
nickeriensis, Hypostomus 55  
nickeriensis, Loricaria 57  
nierstraszi, Peristedion 82  
niger, Blennius 94  
nigerrima, Enchelyurus 94  
nigricauda, Pseudopimelodus  
nigromanus, Pomacentrus 89  
nigroviridis, Tetraodon 110  
nijsseni, Apistogramma 85  
nijsseni, Harttia 52  
nijsseni, Oxyurichthys 101  
nini, Puntius 33  
Noemacheilus alepidotus nalbanti 31  
Noemacheilus anambarensis 31  
Noemacheilus griffithi hazarensis 31  
Noemacheilus harnaiensis 31  
Noemacheilus horai machensis 31  
Noemacheilus kuiperi 31  
Noemacheilus pakستانicus 31  
Noemacheilus rupecola alepidotus 31  
Noemacheilus serwerzowi 32  
Nomorhamphus celebensis 69  
normalis, Aphyocypris 26  
notonema, Gobius 99  
novaeguinea, Oxyeleotris urophthalmus 101  
novaeguineae, Copidoglanis 42  
novaeguineae, Doichthys 51  
novaeguineae, Hemiramphus (Zenarchopterus) 68  
novaeguineae, Pseudomugil 75  
novaeguineaensis, Periophthalmus cantonensis 102  
nouhuysi, Atherinichthys 72  
nudidens, Arius 38

- obbesi, *Cocotropus* 81  
obbesi, *Porochilus* 61  
obtusifrons, *Therapon* 90  
*occidentalis*, *Ambassis confinis* 84  
*ocellatus*, *Apogon* 86  
*ocellatus*, *Poecilobrycon* 23  
*octocirrus*, *Corydoras* 47  
*Odontonema kerberti* 93  
*oleumariensis*, *Corydoras* 48  
*ogilbyi*, *Melanotaenia* 74  
*oiapoquensis*, *Corydoras* 48  
*Oloplotosus mariae* 59  
*ophthalmicus*, *Gobius* 100  
*ophthalmolepis*, *Lepidoblepharon* 106  
*Opistognathus versluysi* 93  
*orcesi*, *Corydoras pastazensis* 49  
*orientalis*, *Hemiramphus* 68  
*ornatus*, *Corydoras* 48  
*ornatus*, *Rhadinocentrus* 75  
*orphnopterus*, *Corydoras* 48  
*orthus*, *Hemigrammus* 19  
*ortmanni*, *Heterogramma* 88  
*Osteochilus brevicauda* 32  
*Osteochilus intermedius* 32  
*ourastigma*, *Corydoras* 48  
*ouwensi*, *Sicyopterus* 104  
*Oxybrycon parvulus* 23  
*Oxyeleotris urophthalmus novaeguinea* 101  
*oxyrhynchus*, *Corydoras* 48  
*Oxyurichthys jaarmani* 101  
*Oxyurichthys laterisquamatus* 101  
*Oxyurichthys njisseni* 101  
*oyensi*, *Gobius* 100  
  
*pahangensis*, *Barbus* 27  
*paipayensis*, *Hemigrammus* 19  
*pakistanicus*, *Noemacheilus* 31  
*paludicola*, *Pseudomugil* 75  
*panda*, *Corydoras* 49  
*Pangasius dezwaani* 59  
*papillosa*, *Modigliana* 31  
*papillosus*, *Lophius* 64  
*papuensis*, *Plotosus* 60  
*Parabodianus rutteni* 92  
*Paracentropogon aeglefinus* 81  
*Paracentropogon cynocephalus* 82  
*Paracentropogon pleurostigma* 82  
*Paracrossochilus bicornis* 32  
*Parasalanx annitae* 11  
*Parasturisoma maculata* 59  
*Pardachirus klunzingeri* 108  
*Parioglossus borneensis* 101  
*parkinsoni*, *Melanotaenia* 74  
*parnahybae*, *Loricaria* 57

- Parophiocephalus unimaculatus 105  
Parotocinclus britskii 60  
parri, Saurida 13  
Parupygus litaniensis 25  
Parupygus savannensis 25  
parvicarinata, Farlowella 52  
parvulus, Oxybrycon 23  
patoti, Betta 105  
patoti, Rhombattractus 77  
paucidens, Metaloricaria 59  
pauciperforata, Rasbora 34  
peitaihoensis, Hemirhamphus 69  
pejeraton, Sternopygus 26  
Pellona kampeni 11  
Periophthalmus cantonensis novaeguineensis 102  
Periophthalmus dipus angustiformis 102  
Periophthalmus vulgaris vulgaris 102  
Periophthalmus weberi 102  
Peristedion nierstraszi 82  
Peristedion undulatum 82  
peterseni, Leptocephalus 8  
Petroscirtes fluctuans 94  
Petroscirtes kochi 94  
phaeonota, Moenkhausia 22  
phelpsi, Astroblepus 39  
Phenacogaster megalostictus 23  
philander, Chromis 87  
Physiculus longifilis 65  
picklei, Cetopsorhamdia 40  
picturatus, Nannostomus marginatus 23  
pimaensis, Melanotaenia 74  
pijpersi, Cetopsorhamdia 41  
pijpersi, Curimatus esperanzae 17  
Pimelodella geryi 60  
Pimelodella macturki 60  
Pimelodella megalops 60  
Pimelodus albofasciatus 60  
Pimelodus clarias coprophagus 60  
pinnatus, Deuterodon 17  
Platophrys microstoma 106  
Platycephalus grandisquamis 83  
Platycephalus horai 83  
Platycephalus macrocephalus 83  
platypteron, Loricariichthys 58  
Pleuroscirta boldinghi 103  
pleurostigma, Paracentropogon 82  
Plotosus papuensis 60  
Poecilobrycon ocellatus 23  
Poecilocharax bovallii 24  
poecilus, Aspidoras 39  
Pogoneleotris microps 103  
polylepis, Melamphaes 78  
Polynemus longipectoralis 91  
polytaenia, Leucogobio 30

Pomacentrus analis xanthus 88  
Pomacentrus fasciatus intermedia 88  
Pomacentrus nigromanus 89  
Popondetta connieae 75  
poptae, Xenopoecilus 72  
Porochilus obbesi 61  
pospisili, Cochliodon 41  
potaroensis, Aequidens 83  
praecox, Rhombatractus 77  
prionotos, Corydoras 49  
Pristella aubynei 24  
Pristipoma boschmae 89  
profundus, Arnoglossus 106  
profundus, Quisquilius 103  
prolixa, Loricaria 58  
Promacheon sibogae 12  
Prosopodasys zonatus 82  
Prototroctes semoni 11  
Pseudancistrus pediculatus cobrensis 61  
Pseuderythrinus rosapinnis 24  
Pseudeutropius moolenburghae 61  
Pseudohemiodon apithanos 61  
pseudohemiurus, Hypostomus 55  
Pseudojulis trifasciatus 92  
Pseudomugil gertrudae 75  
Pseudomugil inconspicuus 75  
Pseudomugil novaeguineae 75  
Pseudomugil paludicola 75  
Pseudopimelodus albomarginatus 61  
Pseudopimelodus nigricauda 61  
Pseudopimelodus villosus butcheri 61  
Pseudopristella simulata 24  
Pseudorasbora altipinna 32  
Pseudorasbora depressirostris 32  
Pseudorasbora fowleri 33  
Pseudorhombus affinis 106  
Pseudorhombus argus 106  
Pseudorhombus quinquocellatus 107  
Pteranthias longimanus 89  
pulcher, Corydoras 49  
pulchra, Garmanella 70  
punctata, Tatia 63  
punctatus, Syngnathus 81  
punjabensis, Glyptothorax 52  
Puntius nini 33  
Puntius sunieri 33  
Puntius tawarensis 33  
Pygidium emanueli emanueli 62  
pygmaea, Melanotaenia 75  
pygmaeus, Xiphophorus 72  
  
quinquocellatus, Pseudorhombus 107  
Quisquilius macrophthalmus 103  
Quisquilius profundus 103

- Rachovia hummelincki 70  
raimundi, *Corydoras* 49  
*Raja annandalei* 7  
*Raja sibogae* 7  
*Rasbora cephalotaenia steineri* 33  
*Rasbora dorsiocellata* 33  
*Rasbora heteromorpha* 33  
*Rasbora jacobsoni* 33  
*Rasbora maculata* 34  
*Rasbora meinkeni* 34  
*Rasbora pauciperforata* 34  
*Rasbora reticulatus* 34  
*Rasbora rutteni* 34  
*Rasbora semilineata* 34  
*Rasbora tawarensis* 35  
*Rasbora trifasciata* 35  
*Rasborinus hainanensis* 35  
*rastrosa*, *Thryssa* 11  
*regani*, *Syphurus* 109  
*resticulosa*, *Apirogramma* 85  
*reticularis*, *Gobius* 100  
*reticulata*, *Farlowella* 52  
*reticulatus*, *Ambassis interrupta* 84  
*reticulatus*, *Rasbora* 34  
*retrofasciatus*, *Chromis* 87  
*reynoldsi*, *Corydoras* 49  
*Rhabdamia clupeiformes* 89  
*Rhabdamia cypselurus* 89  
*Rhadinocentrus ornatus* 75  
*Rhinosardinia serrata* 11  
*Rhombattractus affinis* 75  
*Rhombattractus catherinae* 76  
*Rhombattractus crassispinosus* 76  
*Rhombattractus fasciatus* 76  
*Rhombattractus kochi* 76  
*Rhombattractus lorentzi* 77  
*Rhombattractus patoti* 77  
*Rhombattractus praecox* 77  
*Rhombattractus senckenbergianus* 77  
*Rhombattractus sentaniensis* 77  
*Rhombattractus vanheurni* 5, 78  
*richardi*, *Macrurus* 67  
*riesei*, *Axelrodia* 14  
*Rineloricaria formosa* 62  
*Rineloricaria heteroptera* 62  
*riodourensis*, *Blennius* 94  
*rivuloides*, *Gobio* 28  
*Rivulus agilae* 70  
*Rivulus cryptocallus* 71  
*Rivulus limoncochae* 71  
*Rivulus manaensis* 71  
*Rivulus marmoratus bonairensis* 71  
*robusta*, *Nangra* 59  
*robustus*, *Corydoras* 49

rodwayi, Hemigrammus 19  
Roeboides dayi dientonito 24  
roemeri, Gobius 100  
roemeri, Therapon 90  
roosendaali, Congrellus 8  
rosaceus, Hypessobrycon 20  
rosae, Joinvillea 21  
rosapinnis, Pseuderythrinus 24  
roseus, Megalamphodus 21  
rouxi, Gobius 100  
rubrostigma, Hypessobrycon 20  
rugosa, Farlowella 52  
rutteni, Parabodianus 92  
rutteni, Rasbora 34  
Ruvettus tydemani 105

Saccoderma melanostigma 24  
saizi, Hypessobrycon 20  
Salarias bleekeri 95  
Salarias crenulatus 95  
salinus, Cyprinodon 69  
Samariscus huysmani 107  
Samariscus sunieri 107  
sanchesii, Corydoras 50  
sanctieustatii, Callionymus 96  
sanctimartini, Gobiesox 63  
sandei, Apogon 86  
saramaccensis, Corydoras 50  
saramaccensis, Hypostomus 55  
sarasinorum, Haplochilus 70  
Sarcocheilichthys nigripinnis tungting 35  
Saurida brasiliensis 12  
Saurida parri 13  
savannensis, Parupygus 25  
Scaphiodon watsoni 35  
scapulopunctatus, Gobius 100  
Schismatogobius bruynisi 103  
Schistura arifi 35  
Schistura curtistigma 35  
Schistura fascimaculata 36  
Schistura kessleri lepidocaulis 36  
Schistura kohatensis 36  
Schistura macrolepis 36  
Schistura microlabra 36  
Schistura shadiwalensis 36  
Schizodon fasciatum corti 24  
schmidti, Leptocephalus 9  
schoteli, Macrorhamphosus 79  
Scolopsis dubiosus 89  
Scolopsis elongatus 90  
Scorpaena albofasciata 82  
Scorpaena tredecimspinosa 82  
Scorpaenopsis simulata 83


*Scyliorhinus sibogae* 7  
*secundus*, *Microglanis* 59  
*semicrenatus*, *Alticus* 93  
*semilineata*, *Rasbora* 34  
*semoni*, *Prototroctes* 11  
*semoni*, *Stiphodon* 104  
*senckenbergianus*, *Rhombattractus* 77  
*senegambiensis*, *Gobius* 100  
*sentaniensis*, *Rhombattractus* 77  
*septentrionalis*, *Corydoras* 50  
*Serranus dewegeri* 90  
*serrata*, *Rhinosardinia* 11  
*sewerzowi*, *Noemacheilus* 32  
*shadiwalensis*, *Schistura* 36  
*siamensis*, *Tylognathus* 37  
*sibogae*, *Callechelys* 8  
*sibogae*, *Coryphaenoides* 66  
*sibogae*, *Cynoglossus* 108  
*sibogae*, *Muraenichthys* 9  
*sibogae*, *Promacheon* 12  
*sibogae*, *Raja* 7  
*sibogae*, *Scyliorhinus* 7  
*sibogae*, *Sphenanthias* 90  
*Sicydium wickmanni* 103  
*Sicyopterus brevis* 104  
*Sicyopterus longifilis* 104  
*Sicyopterus ouwensi* 104  
*Sicyopterus sarasini* 104  
*Sicyopus multisquamatus* 104  
*signifer*, *Lepidarchus adonis* 21  
*simulata*, *Pseudopristella* 24  
*simulata*, *Scorpaenopsis* 83  
*simulatus*, *Corydoras* 50  
*sipaliwini*, *Bunocephalus amaurus* 40  
*Siphonia tubifer* 90  
*sluiteri*, *Brannerella* 94  
*sluiteri*, *Fierasfer* 65  
*smedleyi*, *Lissochilus* 30  
*socolofi*, *Gymnocorymbus* 18  
*Solea vermeuleni* 108  
*Solenostomus armatus* 80  
*Sovichthys abuelo* 62  
*sovichthys*, *Chaetostoma anomala* 41  
*spengeli*, *Anguilla* 7  
*Sphagebranchus gjellerupi* 9  
*Sphagebranchus heyningi* 10  
*Sphagebranchus huysmani* 10  
*Sphagebranchus klazingai* 10  
*Sphagebranchus vulturis* 10  
*Sphenanthias sibogae* 90  
*Sphoeroides meraukensis* 3, 110  
*spiloclistron*, *Anostomus* 13  
*spilotus*, *Aspidoras* 39  
*spilurus*, *Corydoras* 50

- spinifer, Engraulicypris 28  
spinosa, Acanthemblemaria 93  
spinosissimus, Hippocampus 80  
spixii, Loricaria 58  
splendens, Betta 105  
stagnalis, Austrofundulus 69  
steindachneri, Corydoras 51  
steineri, Rasbora cephalotaenia 33  
Sternarchogiton cuchillejo 25  
Sternopygus pejeraton 26  
stictus, Hypessobrycon 20  
stigmatophorus, Gobius 100  
Stiphodon semoni 104  
stocki, Glyptothorax 52  
striolata, Neopercis 93  
Stylophthalmus braueri 12  
suborbitalis, Diaphus 12  
subulatus, Cheilodipterus 87  
sumatranus, Lissochilus 30  
sunieri, Puntius 33  
sunieri, Samariscus 107  
surinamensis, Carnegieilla strigata 15  
surinamensis, Corydoras schwartzi 50  
surinamensis, Harttia 53  
surinamensis, Hemibrycon 18  
surinamensis, Hoplosternum thoracatum 54  
surinamensis, Hypostomus 56  
surinamensis, Moenkhausia 22  
surinami, Nannostomus beckfordi 22  
Symphurus fallax 4, 109  
Symphurus regani 109  
Symphurus vittatus 109  
Synagrops malayanus 90  
Synaptura villosa 109  
Syngnathus corrugatus 3, 80  
Syngnathus crenulatus 80  
Syngnathus dunckeri 81  
Syngnathus punctatus 81  
Syngnathus uncinatus 81  
Synodontis matthesi 62
- Taenioides coecus 104  
takasei, Moenkhausia 22  
tapanahoniensis, Hypostomus gymnorhynchus 55  
Tatia brunnea 62  
Tatia concolor 63  
Tatia punctata 63  
tauensis, Chalixodytes 92  
tawarensis, Puntius 33  
tawarensis, Rasbora 35  
Telmatherina abendanoni 78  
Telmatherina bonti 78  
tenuis, Hypessobrycon 20  
Tetranesodon conorrhynchus 63

- Tetraodon nigroviridis 110  
Tetrodon eulepidotus 110  
texturatus, Aseraggodes 108  
Thayeria ifati 24  
theodorae, Clarias 41  
Therapon habbemai 90  
Therapon obtusifrons 90  
Therapon roemerii 90  
Thynnichthys vaillanti 36  
Thryssa brevicauda 11  
Thryssa rastrosa 11  
timorensis, Haplochilus 70  
Tor zhobensis 37  
Torpedo mackayana 7  
Toxotes lorentzi 91  
Trachycorystes jokeannae 63  
Trachymochlus cupido 63  
tredecimspinosa, Scorpaena 82  
treitlui, Corydoras 51  
triangularis, Gobius 101  
triangulus, Alticus 93  
trifasciata, Rasbora 35  
trifasciatus, Apogon 86  
trifasciatus, Pseudojulis 92  
Tripterygion callionymi 95  
Tripterygion fasciatum 95  
Tripterygion gymnauchen 95  
triseriatus, Corydoras nattereri 47  
trivirgatus, Anisochaetodon 84  
tubifer, Siphonia 90  
tubulatus, Apogon 86  
tumbensis, Alestropetersius xenurus 13  
tungting, Sarcocheilichthys nigripinnis 35  
tydemani, Macrurus 67  
tydemani, Ruvettus 105  
Tydemania navigatoris 109  
Tylobranchus maculosus 25  
Tylognathus siamensis 37  
Tytobrycon dorsimaculatus 25  
Tytobrycon xeruini 25  
  
Umbrina gracilicirrhus 91  
uncinatus, Syngnathus 81  
undulatum, Peristedion 82  
unimaculatus, Parophiocephalus 105  
uronema, Gobius 101  
  
Vaillantella maassi 37  
vaillanti, Thynnichthys 36  
vallachica, Cobitis aurata 27  
vanderhorsti, Apodocreadia 92  
vanheurni, Rhombattractus 5, 78  
veliger, Histioclinus 94  
velutinus, Hemipimelodus 53

venezuelae, *Cyprinodon magdalena* 17  
venezuelae, *Gephyrocharax* 18  
venezuelae, *Loricaria variegata* 58  
venezuelensis, *Farlowella acus* 51  
ventromaculatus, *Hypostomus* 56  
venulosus, *Clupeoides* 10  
vermeuleni, *Solea* 108  
vermicularis, *Acanthophthalmus* 26  
versluysi, *Opistognathus* 93  
verweyi, *Callyodon* 91  
villosa, *Synaptura* 109  
vilosus, *Gobius* 101  
vilmae, *Hyphessobrycon* 21  
vintoni, *Characidium* 16  
virgulatus, *Aspidoras* 39  
vittata, *Halieutaea stellata* 65  
vittatus, *Corydoras blochi* 43  
vittatus, *Gobiesox* 64  
vittatus, *Syphurus* 109  
viviparus, *Barbus* 27  
voladorita, *Characidium* 16  
vorderwinkleri, *Hemigrammus* 19  
vulgaris vulgaris, *Periophthalmus* 102  
vulturinus, *Sphagebranchus* 10  
  
wanamensis, *Glossolepis* 73  
watsoni, *Scaphiodon* 35  
weberi, *Hepatus* 105  
weberi, *Homaloptera* 29  
weberi, *Periophthalmus* 102  
weberi, *Nannocampus* 80  
weberi, *Xenogobius* 104  
weitzmani, *Corydoras* 51  
wichmanni, *Apogon* 86  
wichmanni, *Sicydium* 103  
wotroi, *Corydoras* 51  
  
xanthus, *Pomacentrus analis* 88  
*Xenogobius weberi* 104  
*Xenopoecilus poptae* 72  
*xeruini*, *Tytto'brycon* 25  
*xinguensis*, *Corydoras* 51  
*Xiphophorus pygmaeus* 72  
  
zebra, *Characidium* 16  
*Zenarchopterus beauforti* 69  
*zhobensis*, *Tor* 37  
*zonatus*, *Bostrychus* 96  
*zonatus*, *Proscopodasys* 82

Dr H. Nijssen, L. van Tuijl & Dr I. J. H. Isbrücker  
Department of Ichthyology,  
Institute of Taxonomic Zoology,  
University of Amsterdam,  
Plantage Middenlaan 53, 1018 DC Amsterdam;  
Postbus 20125, 1000 HC Amsterdam,  
The Netherlands.



*Adrianichthys kruyti*  
Weber, 1913

Available on request at the Library of the Institute of  
Taxonomic Zoology (Zoological Museum), University of Amsterdam,  
Postbus 20125, 1000 HC Amsterdam, The Netherlands.